

Preliminary Environmental Risk Assessment

Former Blyth Power Station, Land South of Brock Lane, Cambois, Blyth

February 2022

Waterman Infrastructure & Environment Ltd

5th Floor, One Cornwall Street, Birmingham, B3 2DX
www.watermangroup.com

Client Name:	JDR Cable Systems Limited
Document Reference:	WIE15063-100-R-9.2.1-PERA
Project Number:	WIE15063

Quality Assurance – Approval Status

This document has been prepared and checked in accordance with
Waterman Group's IMS (BS EN ISO 9001: 2015, BS EN ISO 14001: 2015 and BS EN ISO 45001: 2018)

Issue	Date	Prepared by	Checked by	Approved by
Second	February 2022	Andrew Tomlinson Senior Engineer	Rachael Tempest Associate Director	Rachael Tempest Associate Director

Comments

Disclaimer

This report has been prepared by Waterman Infrastructure & Environment Limited, with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporation of our General Terms and Condition of Business and taking account of the resources devoted to us by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report at its own risk.

Contents

Executive Summary

1. Introduction 1
1.1 Objectives 1
1.2 Planning Context 1
1.3 Proposed Development 1
1.4 Limitations and Constraints 1

2. Methodology 3

3. Hazard Identification 4
3.1 Site Description and Reconnaissance 4
3.1.1 Site Surroundings 4
3.1.2 Environmental Permits 5

4. Previous Environmental Assessments and Consultations 7
4.1 Previous Environmental Assessments 7
4.1.1 Report on Ground Contamination, Halcrow Group (2008) 7
4.1.2 Ground Investigation Interpretive Report, Halcrow Group (2009) 8
4.1.3 Fairhurst Geo-Environmental Interpretive Report (& Addendum) 8
4.1.4 Proposed Remediation Strategy, SGS SIS Environmental (2015) 9
4.1.5 Remediation Method Statement, GHD (2019) 9
4.1.6 Material Management Plan, Brownfield Development Services (2020) 10
4.2 Consultations 10
4.2.1 Environmental Health 10
4.2.2 Planning Department 11
4.2.3 Building Control Department 12

5. Environmental Site Setting 13
5.1 History 13
5.2 Unexploded Ordnance 14
5.3 Geology 14
5.3.1 Ground Stability 15
5.4 Radon 16
5.5 Ground Gas 16
5.6 Vapour 16
5.7 Ecological Systems 17
5.8 Controlled Waters 17
5.8.1 Surface Waters 17
5.8.2 Groundwater 17
5.8.3 Flood Risk 17

6. Hazard Assessment and Preliminary Conceptual Model 19

6.1 Contaminants of Concern 19
7. Conclusions 22
8. Recommendations 23

Tables

Table 1: Summary of potentially contaminative activities on Site 4
Table 2: Summary of Discharge Consents within 250m of the site 5
Table 3: Summary of integrated pollution controls within 250m of the Site 6
Table 4: Previous Environmental Reports Reviewed 7
Table 5: Pertinent Site History 13
Table 6: Site Geology 15
Table 7: Geological hazard risk to the Site 15
Table 8: Summary of Landfills in the Vicinity of the Site 16
Table 9: Summary of integrated pollution incidents within 250m 17
Table 10: Summary of Hydrogeological Properties of the Main Geological Strata 17
Table 11: Preliminary Conceptual Site Model 20

Appendices

A. Site Plans
B. Site Photographs
C. Consultation Information
D. Regulatory Context
E. Risk Rating Matrix
F. Environmental Receptors

Executive Summary

Objectives

JDR Cable Systems Limited ("Client") instructed Waterman Infrastructure & Environment Limited ("WIE") to undertake a Preliminary Environmental Risk Assessment (PERA) for potential ground contamination at the Former Blyth Power Station, Land South of Brock Lane, Cambois, Blyth. This Preliminary Environmental Risk Assessment has been prepared to support a planning application for the redevelopment of the Site

Conclusions

On the basis of the desk based assessment completed and given the proposed commercial end use of the development, the Site is considered to pose a **Medium** risk to human health and **Medium** risk with respect to controlled waters. However, following completion of the agreed Remediation Works to the satisfaction of Northumberland County Council, the Site will be suitable for a Commercial/Industrial End-use and the risk is anticipated to be Low. The final verification reports have not been subject to review as part of this report.

Site Setting

Current Use	The Site is currently unoccupied, and is the subject of an ongoing remediation and earthworks scheme of works.
History	The Site was undeveloped and comprised agricultural fields as denoted in the early mapping, until the early 1960's, at which point Blyth Power Stations A and B were constructed on the Site. The Blyth Power Station extended northwards and included coal stockpiles and other infrastructure associated with the power station. The power station remained until the mid-2000's when the buildings and structures were demolished. The site remained vacant until the latest 2021 mapping.
Geology	The ground conditions at the Site are reported to comprise variable depths of Made Ground overlying superficial deposits of Glacial Till (comprising brown clay with lenses of gravelly clayey sand and sandy gravel). The solid geology is anticipated to comprise the Middle Pennine Coal Measures Formation (interbedded mudstone, siltstone and sandstone with coal seams). Waterman note that due to the ongoing remediation and earthworks scheme on site the previously recorded geological succession will be subject to change, particularly the upper Made Ground horizons.
Controlled Waters	The nearest surface watercourse to the Site is the Blyth Estuary located at the south-eastern site boundary. The Cow Gut watercourse flows adjacent to the eastern site boundary in a southerly direction. The underlying superficial Glacial Till and Pennine Middle Coal Measures Formation are both classified as Secondary A Aquifers. The Site is not located within a groundwater Source Protection Zone.
Ecological Systems	The Northumberland Shore, Site of Special Scientific Interest (SSSI) lies to the east of the site, with the south-eastern area of the Site encroaching onto the SSSI. The south-western part of the Site encroaches onto the Northumberland Marine Special Protection Area (which encompasses the Blyth Estuary), both of which are considered to be sensitive receptors.
Ground Gas and Vapour	A number of ground gas hazards have been identified. Third Party ground investigation works have been completed which assessed and designated the Site as Characteristic Situation 2. The Site has been subject to remediation and earthworks to render the site suitable to the satisfaction of Northumberland County Council. Suitable ground gas protection measures will be required in the proposed buildings and structures proposed as part of this development.

Preliminary Conceptual Model

The Site is underlain by significant depths of Made Ground associated with the site's former use. The material below the capping is known to be contaminated with asbestos. Given the site's long industrial history, the shallow soils may contain high concentrations of water-soluble sulphate. Contaminants of concern include the following: Heavy metals / semi-metals; Polycyclic Aromatic Hydrocarbons (PAH); Petroleum hydrocarbons; Volatile / Semi-Volatile Organic Compounds (VOC/SVOC); Asbestos; and Water-soluble sulphate.

The Site is currently subject to remediation and earthworks activities to prepare a Development Platform suitable for an Industrial / Commercial End-use. This work, undertaken by others, will be completed to the satisfaction of Northumberland County Council prior to development commencing at the Site. The potential risks associated with

Preliminary Conceptual Model

the former uses will be suitably managed through this process. The following recommendations are provided to ensure this development progresses in accordance with the residual site risks. The final verification reports have not been subject to review as part of this report.

Recommendations

- A Remediation Strategy specific to the proposed development will be required, outlining the type and methodology for the gas protection measures to be installed (commensurate with the CS2 classification), the cover system to be employed for soft landscaping and the segregation of potentially contaminated pile arisings. The information contained within the Remediation Strategy should feed into a Verification Report following remediation works;
- The groundworks contractor must be made aware of the potential presence of asbestos fibres and Asbestos Containing Materials (ACMs) in Made Ground across the site. The contractor should have robust processes in place to identify any potential asbestos in soils during groundworks, and to investigate and suspected asbestos encountered during excavations. This should be in line with the requirements of the Control of Asbestos (CAR) Regulations; and,
- The Site has been capped with 200mm of clean site-won material with a geotextile at the base; this must be kept intact at all times during construction due to the asbestos contamination recorded in the underlying fill material.

1. Introduction

1.1 Objectives

JDR Cable Systems Limited ("Client") instructed Waterman Infrastructure & Environment Limited ("WIE") to undertake a Preliminary Environmental Risk Assessment (PERA) for potential ground contamination for the Former Blyth Power Station, Land south of Brock Lane, Cambois, Blyth (hereafter termed "the Site").

The PERA will produce a preliminary conceptual model for the Site, identifying potential pollutant linkages in relation to ground contamination. This will be achieved through a desk top review of the Site and surrounding area's environmental setting, history, and current uses. The preliminary conceptual model will incorporate a critical review of the sources pathways and receptors in line with Land Contamination Risk Management (LCRM) 2020.

1.2 Planning Context

A planning application is being prepared for the Site in accordance with the proposed development details in the section below. The key objective of this report is to support a planning application for redevelopment of the Site.

The Site is currently subject to Earthworks and Remediation undertaken by a number of Third Parties, in accordance with the specifications approved under planning Decision Notice (Ref. 16/04722/LDO). The planning conditions and the responsibility for discharge, implemented under this Decision Notice to render the Site suitable for use are the responsibility of Third Parties and are separate to this scope of works.

1.3 Proposed Development

The Proposed Development (the "Development") comprises:

> *'the erection of a building for the manufacturing of subsea cables, with ancillary offices and outdoor cable storage, together with associated development and infrastructure works including vehicular accesses, landscaping and vehicular parking'*.

The current layout proposals are included as Vincent & Gorbing Drawing Ref. 7616_A120_P11, Appendix A.

1.4 Limitations and Constraints

The assessment was undertaken in accordance with the scope agreed between Waterman and JDR Cables Limited, as documented in Waterman's fee letter (Ref: WIE15063-100-210728-RT-Fee Proposal, dated 28 July 2021), and with Waterman's standard Terms of Appointment.

The information contained in this report is based on a review of available historical, geological and hydrogeological sources, consultation with the regulatory authorities and observations made during a Site walkover on 10 November 2021.

Waterman has endeavoured to assess all information provided to them during this investigation but makes no guarantees or warranties as to the accuracy or completeness of this information.

The scope of this ground investigation includes an assessment of the presence of asbestos containing materials in the ground at the Site but not within buildings or structures or below ground structures (basements, buried service ducts and the like).

The conclusions resulting from this study are not necessarily indicative of future conditions or operating

practices at or adjacent to the Site.

2. Methodology

This PERA has been undertaken in general accordance with the 2020 LCRM Guidance. Land Contamination: Risk Management Guidance (LCRM: Environment Agency, 8 October 2020).

The report includes the following:

- Definition of overall project objectives;
- Collation of available current and historical information about the Site and the potential contaminants expected to be present;
- Findings of a site walkover;
- Formulation of a preliminary Conceptual Site Model;
- Qualitative risk assessment; and,
- A record of findings and recommendations for further action.

3. Hazard Identification

3.1 Site Description and Reconnaissance

The Site is located at National Grid Reference 429860, 583220, approximately 1.5km north of Blyth town centre, Northumberland. The Site is irregularly shaped, with the long axis orientated roughly east-west, covering an area of approximately 15.76 hectares adjacent to the northern bank of the Blyth Estuary. A Site location plan and Site layout plan are presented as Drawing Refs. WIE15063-100_GR_PERA_A1A and WIE15063-100_GR_PERA_A2A respectively in Appendix A.

A site walkover was undertaken by Waterman on 10 November 2021. A selection of photographs taken during the Site inspection are presented as Appendix B, with locations shown on Drawing Ref. WIE15063-100_GR_PERA_A2A in Appendix A.

At the time of the walkover the Site was an active earthworks site, which comprised a development platform across the majority of the Site, with numerous large stockpiles of surplus material across the central area (Photographs 1, 4 and 8). The surface of the majority of the Site is constructed of site-won capping material.

It is understood from site personnel that the Site has been subject to remediation and earthworks by Farrans and their contractors on behalf of Advanced Northumberland. The ground surface was wet, with areas of standing water across the Site, particularly in heavily trafficked areas. It was understood from site personnel that the former Power Station and associated structures had been demolished and the remediation and earthworks scheme was nearing completion.

The site boundaries are marked on all sides by steel palisade fencing, with timber hoarding around the perimeter of the Farrans site compound in the eastern area of the site and temporary Heras fencing around the newly widened dock. The earthworks were largely complete at the time of the walkover, with the dock widening works also nearing completion.

A number of in-ground structures exposed at surface were noted during the walkover, including former inspection chambers and relict foundations (Photographs 6, 7 and 9). A concrete retaining structure is located along the northern site boundary (Photograph 3), with a sheet pile retaining structure along the western site boundary (Photograph 5).

An “Ecological Corridor” is located along the northern site boundary, comprising a bund of clean site-won material with recently seeded grass on the surface (Photograph 2).

The main site entrance was located in the north-eastern corner, with Farrans’ site offices along the eastern site boundary and car parking. A newly excavated dock area was located in the eastern area of the site, with numerous stockpiles of material around the periphery of the dock.

Table 1: Summary of potentially contaminative activities on Site

Potential Issue	Description	Condition
Not Applicable	No potentially contaminative activities on site as site is currently undergoing remediation to satisfaction of Northumberland County Council.	Not Applicable

3.1.1 Site Surroundings

The Site is bounded to the north by Brock Lane with vacant land beyond, to the east the Ash Barge Dock, to the south by an existing energy facility with the River Blyth beyond and to the west by unoccupied land and a large electrical substation.

The Site is located within a historically industrial area, with much of the surrounding area now comprising derelict land, with the River Blyth located approximately at south of the site, exiting into the North Sea via a harbour and dock to the south-east of the Site.

3.1.2 Environmental Permits

As detailed in the Groundsure Report the following Environmental Permits (EP) are identified on site and in the surrounding area and summarised in the following tables.

Table 2: Summary of Discharge Consents within 250m of the site

Distance and Direction	Details
1m east	Two permits relating to the discharge of sewage associated with the North Blyth Pumping Station and storm water overflow to the Blyth Saline Estuary, issued in February 1999 and remains in effect. Permits held by Northumbrian Water Limited.
22m east	Discharge of final/treated effluent to Cow Gut, issued December 1991 and revoked September 1996. Permit held by John Mowlem Construction Plc.
26m east	Two permits relating to the discharge of unspecified effluent to the Blyth Estuary, issued in August 1991 and revoked in March 2001. Permits held by Northumbrian Water Limited.
52m east	Discharge of unspecified effluent to an unnamed freshwater Stream/River, issued January 1993 and revoked in May 1993. Permit held by National Power Plc.
52m east	Discharge of unspecified effluent to Blyth Estuary. No data is held regarding the permit dates. Permit held by Blyth Power Station.
53m south-east	Discharge of trade effluents (site drainage) to the Blyth Saline Estuary, issued February 1999 and revoked March 2011. Permit held by National Grid Company Plc.
62m north-east	Two permits (held by separate companies – National Power Plc and Blyth Power Station) relating to the discharge of an unspecified effluent to Cow Gut, issued January 1993 and revoked May 1993.
86m east	Discharge of unspecified effluent to Blyth Estuary, issued September 1987 and revoked November 1992. Permit held by National Power Plc.
96m south-east	Four permits (held by separate companies – Northstone (NI) Ltd, Blyth Power Station and National Power Plc) relating to the discharge of site drainage to Blyth Estuary. National Power's permit was issued September 1992 and revoked May 1993, Northstone's permit was issued January 2001, with no revocation date supplied.
106m east	Two permits (held by separate companies – National Power Plc and Blyth Power Station) relating to the discharge of an unspecified effluent to Blyth Estuary, issued January 1993 and revoked May 1993.
134m south-west	Three permits (two held by National Power Plc and one by Northstone (NI) Ltd) relating to the discharge of site drainage to the Blyth Estuary, the latest of which was issued in January 2001.
147m east	Two permits (held by National Power Plc and Blyth Power Station) relating to the discharge of unspecified effluent to Blyth Estuary and an unnamed freshwater Stream/River. National Power's permit is recorded to have been revoked in May 1993. No further data is held for the other permit.
195m north-east	Discharge of unspecified effluent to Cow Gut, issued November 1991 and revoked June 1993. Permit held by Thermalite Ltd.
224m south	Discharge of unspecified effluent to an unnamed freshwater stream/river, issued April 1976 and revoked November 1992. Permit held by National Power Plc.

Distance and Direction	Details
230m south-west	Discharge of final/treated effluent to an unnamed freshwater stream/river, issued April 1990 and revoked August 2000. Permit held by Northumbrian Water Ltd.

Table 3: Summary of integrated pollution controls within 250m of the Site

Distance and Direction	Details
On site (eastern area)	Ten records relating to combustion processes within the fuel and power industry. The earliest is dated April 1993, with the most recent being April 2000. All are recorded to have been revoked.

4. Previous Environmental Assessments and Consultations

4.1 Previous Environmental Assessments

The following is a summary of the relevant findings of the previous investigations undertaken at the site and in the immediate surrounding area and should not be read in isolation. Given that the site has been the subject of significant remediation works and subsequent earthworks, only information deemed relevant based on current site conditions is summarised here. Information updated elsewhere in this report is not repeated here. For full details reference should be made to the following reports:

Table 4: Previous Environmental Reports Reviewed

Author	Title	Date and Reference
Halcrow Group Limited	Report on Ground Contamination – Blyth Power Station	August 2008 (No reference)
Norwest Holst	Report on Ground Investigation at New Coal Build Project: Blyth.	17/09/2008. Ref. SI FR 1.04. F15202 F02
Halcrow Group Limited	Ground Investigation Interpretive Report – Blyth Power Station	January 2009 (TQNPBL/003/24677)
SGS MIS Environmental Ltd	Proposed Remediation Strategy – Blyth Enterprise Zone, Proposed Remediation Strategy	September 2015 (No reference)
Fairhurst	Geo-Environmental Interpretative Report. Blyth Enterprise Zone, Former Blyth Power Station Site.	June 2015. REF. 102274/D/I/D/102274/10
Fairhurst	Addendum to Geo-Environmental Interpretative Report. Blyth Enterprise Zone, Former Blyth Power Station Site.	October 2015. Ref. 102274/D/I/D/102274/23
GHD	Remediation Method Statement – Northumberland Energy Park Phase 1	April 2019 (401-12500562-RPT-C-T002)
Brownfield Development Services	Material Management Plan – Northumberland Energy Park, Former Blyth Power Station	August 2020 (88401-02)

4.1.1 Report on Ground Contamination, Halcrow Group (2008)

The report was prepared to provide an assessment of contamination and environmental issues present at the former power station site. Halcrow's investigation encompassed the entire former Blyth Power Station site, of which the site forms the southern-most area of the wider power station site. At the time of the investigation, the power station had been demolished, though numerous relic structures (including former floor slabs and foundations) were still present on site, restricting access to the central northern and western areas of the site.

Halcrow's investigation comprised cable percussion boreholes (a portion of which included rotary follow-on), rotary open-hole boreholes, rotary percussion boreholes and machine-excavated trial pits and trial trenches. Of the exploratory holes undertaken by Halcrow across the entire former power station site, fifteen trial pits, four cable percussion boreholes and six rotary percussion boreholes were located on the site.

The majority of the exploratory holes across the site were targeted at areas of potential contamination identified by Halcrow, including former above ground storage tanks, underground fuel oil tanks and an electrical substation.

No exploratory hole logs were included with the report, although ground conditions were generally summarised to comprise Made Ground of variable thickness and composition to depths of in excess of

4.5m bgl over superficial deposits of firm to stiff brown clay with lenses of gravelly clayey sand and sandy gravel. Bedrock was encountered at varying depths across the site; no description of the bedrock is included.

Visual evidence of hydrocarbon contamination was noted around the former above ground storage tanks. Chemical test results indicate elevated concentrations of PCBs in the vicinity of the former vehicle re-fuelling and maintenance area. Elevated concentrations of petroleum hydrocarbons were also noted, particularly in areas previously identified as probable contamination hotspots, though none above their respective Generic Assessment Criteria (GACs) for commercial/industrial end use. Similarly, elevated concentrations of poly arpmictic hydrocarbon (PAHs) and volatile and semi-volatile organic compounds (VOCs/SVOC) were recorded, though none were above their respective GACs for commercial/industrial end use. Trace concentrations of asbestos were recorded in samples from across the site.

4.1.2 Ground Investigation Interpretive Report, Halcrow Group (2009)

The report was prepared to provide an assessment of the geotechnical aspects of the ground investigation undertaken by Halcrow, and is based on the same data as the previous 2008 report.

Halcrow provided an assessment of the risk to the site posed by past coal mining. It was concluded that the Site is thought to be underlain by at least seven coal seams, however, not likely to be within influencing distance of the ground surface. Shallower seams were thought to exist in other parts of the region, but were believed to have been washed out in the Cambois area. The lack of shallow coal seams was confirmed by the ground investigation which did not encounter any coal or voiding.

4.1.3 Fairhurst Geo-Environmental Interpretive Report (& Addendum)

Fairhurst's prepared a Geo-Environmental Interpretive Report and Addendum report for the above Site. The reports were prepared as part of a due diligence exercise during the acquisition of the Site. The reports provided a summary of the available reports undertaken to together with detailing additional ground investigation works undertaken.

Fairhurst Geo-Environmental Interpretive Report

As part of this report further ground investigation works were undertaken in November & December 2014 by Ian Farmer under the supervision of Fairhursts. The ground investigation comprised of 24No. cable percussion boreholes, with 8No. extended by rotary follow-on; the installation of 25No. gas and groundwater monitoring wells; excavation of 79No. trial pits and 68No. trial trenches and 10No. concrete cores.

Soil and groundwater samples collected as part of the ground investigation and were submitted for laboratory analysis with the following issues identified:

- Asbestos impact Made Ground across the Site and within existing stockpiles;
- Localised free phase hydrocarbons identified with the Made Ground and within the groundwater at the Site;
- Significantly elevated concentrations of metals, TPH and PAHs in the Made Ground and stockpiles;
- Leachable concentrations of metals and TPH in the Made Ground;
- Locally elevated concentrations of zinc, TPH and PAHs in the groundwater within the superficial deposits; and,
- Marginally elevated concentrations of metals and PAHs within the deeper groundwater at one location only;

- 6No. rounds of ground gas monitoring were undertaken which designated the Site as Characteristic Situation 2, with proposed buildings and structures requiring ground gas protection measures.

Fairhurst Addendum Geo-Environmental Interpretive Report

An addendum to the original report was prepared which provided details of further ground investigation works completed at the Site addressing data gaps with regard to asbestos testing. The works were undertaken by Dunelm Geotechnical & Environmental in June and July 2015 under the supervision of Fairhurst. The works comprises the excavation of 67No. machine excavated trial pits to maximum depth of 4.8m bgl.

Soil samples were collected from the trial pits and submitted for laboratory analysis. Asbestos fibres were recorded across the Site, with a plan included in the report indicating the distribution of the asbestos fibres and the implications for the Site discussed in the report.

Remediation and mitigation measures were recommended in the report to manage asbestos risk in the short term, during construction and within the built development.

4.1.4 Proposed Remediation Strategy, SGS SIS Environmental (2015)

A Remediation Strategy was prepared following an asbestos risk assessment, and provides an outline method statement for the remediation of asbestos on the site. Four key points were considered to strongly influence the remediation strategy to be employed:

- There are no obvious significant areas that are likely to be free of asbestos contamination – the samples found to contain asbestos were spread all over the site and not confined to any specific areas;
- Only two of the 151 No. samples trsted across all phases of investigation were found to exceed the 0.1% threshold for hazardous waste – from a waste classification perspective the material would almost all be classified as non-hazardous;
- Analysis showed many of the positive samples to contain recognisable asbestos products that would normally require an asbestos removal license to work with them under the Control of Asbestos Regulations (CAR) 2012, meaning that work on site disturbing the material would require a license from the HSE and be subject to CAR:2012; and
- There are no UK published safe levels or thresholds for environmental asbestos exposure or for asbestos in soil.

SGS considered that from a waste management and disposal point of view, the site was only slightly contaminated. However, from the viewpoint of risk to human health it is possible that the site may pose a risk to human health.

A qualitative risk assessment undertaken by SGS indicated the site posed a medium risk to construction workers and neighbouring residential occupants during the construction phase, and a very low risk post-construction / remediation. The preferred method for remediation was outlined, and included burial on site and encapsulation of contaminated material below a cap comprising clean site-won material.

4.1.5 Remediation Method Statement, GHD (2019)

A Remediation Method Statement was prepared for the Site to describe the methodology to be used for the redevelopment of the Northumberland Energy Park Phase 1 and includes remediation and reclamation works to address potential immediate pollution linkages to adjacent sensitive receptors associated with sources of contamination.

With specific reference to asbestos impacted soils, it was identified that there was no need for immediate

remediation as long as the short term mitigation measures recommended by previous investigations, are adopted. These measures include adopting appropriate and proportionate action to prevent unauthorised access to the site, a permit to work system and damping down in response to a weather forecast for an extended period of dry weather. Localised concentrations of PAHs and asbestos were identified above commercial assessment criteria in the Made Ground below the site by recent site investigations. Localised concentrations of isolated heavy metals, PAHs, pH and sulphates were also identified in the perched groundwaters above groundwater assessment criteria.

Post development, end-users will be separated from the localised contamination in the made ground and shallow groundwaters by hardstanding. In landscaped areas a clean cover solution will also be adopted. As such, no pathway for direct contact or ingestion will exist. In addition, gas/ vapour protection measures and drinking water pipes non-permeable to hydrocarbons will also be installed within future built development.

4.1.6 Material Management Plan, Brownfield Development Services (2020)

A Material Management Plan was produced by Brownfield Development Services for the site on behalf of Farrans and was intended to govern the methodology by which site-won material is handled during the remediation and earthworks scheme.

Circa 350,000m^3 of material were expected to be generated, and the processing of this material and its suitable on-site reuse therefore required the application of CL:AIRE's Definition of Waste: Code of Practice (DoWCoP). The MMP represents Farrans' documented application of the DoWCoP.

The MMP sets out required testing frequencies and acceptable chemical and geotechnical parameters for site-won soils to be re-used on site. More onerous criteria were applied to the Ecological Corridor compared with those for general fill and backfill materials. All site-won materials were classified according to the origin and chemical and/or geotechnical properties.

4.2 Consultations

4.2.1 Environmental Health

The Environmental Health Officer reported the following:

> *'Public Protection at Northumberland County Council have had little involvement with the site (or the former Wansbeck District Council) since the demolition of the power station and chimneys between 2001 and 2003.*
>
> *The power station would have been regulated by the Environment Agency.*
>
> *Following the demolition of the station, the land remained derelict until the last few years with substantial amounts of demolition/site clearance material stored onsite.*
>
> *I remember attending a site visit on the 07 February 2017 with a walkover the site, all structures were removed apart from the gatehouse and most of the site was hardstanding and I was informed that this was generally substantial.*
>
> *The site was identified for further investigation under Part 2A of The Environmental Protection Act 1990, for:*
>
> - *Electricity production & distribution [inc large transformers] - PCL000032*

No longer relevant

- *Factory or works - use not specified - PCL009790*

  No longer relevant – this was the power station building itself

- *Heap, unknown constituents - PCL009690*

  This appears to have been the demolition stockpiles from the main building on and to the east of the location of the power station building.

- *Unknown Filled Ground (Pond, marsh, river, stream,dock etc) - PCL000142*

  This is the culverted section of the Cow Gut (burn) from north of Brock Lane to a discharge point onto the beach at the west of the former coal staithes, this is at the very south-east corner of the site.

None of these features exist now and therefore, apart from the general historic use of the site there are no specific features requiring further investigation under Part 2A. It is expected that site has been remediated for it's intended use as previously proposed.

I was contacted directly by Neil Richardson in 2016 following an LPA consultation on the (further) demolition of the power station outfall structure on the beach at North Blyth (east of the power station site). This structure had been mostly demolished following the demolition of the power station but because of sand movements on the beach the lower parts of this had become exposed at low tides. The work could only be done a seasonally low tides. This required several attempts at different times of the year over two years to complete this work.

'*I'm not sure if this came from RWE or one of the planning officers at Northumberland, but I heard that RWE had carried out some ROV survey of the underground water pipes (probably those linked to the outfall or the intake pipes for cold water) on the power station site. We were not involved in this or provided with any results of this survey'.*

4.2.2 Planning Department

Publicly available planning information pertaining to the Site has been reviewed. A planning application was submitted to Northumberland County Council under Planning Reference 16/04722/LDO, relating to the reclamation and remediation works to produce a suitable development platform. The proposal details were as follows:

The phased development of the East Sleekburn Enterprise Zone including the reclamation and remediation of the site to enable future redevelopment. The activities proposed include a site compound, material crushing and storage areas, ground remediation, construction of an ecological corridor on the northern boundary, reinstatement of surface water drainage and three outfalls including Cow Gut and a haul road aligned east to west along the northern boundary.

Supporting documents included the following:

- Reclamation and Remediation Detailed Scheme of Works (dated October 2016);
- Summary of Engagement with Regulators and Public Consultation (dated November 2016);
- Cover Letter detailing proposals for reclamation, including brief methodologies (dated December 2016);

- Public Protection consultee response (dated February 2017);
- HDM consultee response (dated January 2017); and,
- Decision Notice – Permitted (dated January 2017).

4.2.3 Building Control Department

Information has been requested from Building Control Department, but a response is pending.

5. Environmental Site Setting

5.1 History

In summary, the Site was unoccupied and comprised agricultural fields until the early 1960's, at which point Blyth Power Stations A and B were constructed on the Site. The power station site extended northwards and included coal stockpiles and other infrastructure associated with the power station. The power station remained until the mid-2000's when buildings and structures were demolished. The Site remained vacant until the latest 2021 mapping.

A detailed summary of the Site's and surrounding areas historical potential contamination sources as obtained from the Envirocheck historical maps is included in Table 5.

Table 5: Pertinent Site History

Date and Scale	On-Site	Surrounding Area
1865 (1:10,560) 1895 (1:2,500)	The Site is undeveloped with field boundaries denoted, assumed to be use in use as agricultural land. An unnamed road borders the northern site boundary.	The surrounding area is largely agricultural, with numerous fields shown across the region. The River Blyth flows to the south of the Site, between 150m and 250m from the site boundary within a large estuary. ***Cowpen Colliery*** is denoted approximately 1km south-east of the Site. A stream (Cow Gut) flows southwards adjacent to the eastern site boundary.
1897 (1:2,500) 1898 (1:10,560)	No significant changes mapped.	The coastline to the north-east has been developed, with ***a railway*** running along the coast and residential properties approximately 500m from the Site (Cambois). The colliery to the south-east is shown as disused. A hospital is shown approximately 700m south of the Site.
1922-1923 (1:2,500) 1924 (1:10,560)	An area of marshy ground is denoted in the south-east of the Site. No further significant changes mapped.	Further development has occurred along the coastline to the north-east. A small harbour with two jetties has been constructed adjacent to the south-eastern site boundary. Further afield, a ***shipbuilding yard*** is shown approximately 800m south-east of the site. A football ground with a pavilion is shown adjacent to the northern site boundary.
1932-1937 (1:2,500) 1938 (1:10,560)	A road is shown to cross the north-eastern area of the Site. Field boundaries are denoted across the site.	No significant changes mapped.
1940-1951 (1:10,000)	No significant changes mapped.	Cambois to the north-east has expanded further. A large number of residential properties are shown on the site of the former colliery to the south-east. An active pit is still shown north of these. Railway sidings are denoted adjacent to the pit.

Date and Scale	On-Site	Surrounding Area
1960-1961 (1:12,50) 1960-1992 (1:1,250) & 1969-1992 (1:1.250) 1966-1967 (1:10,000)	The Site has been developed. To the east, a **Works** building is denoted with. To the east, a large building surrounded by with numerous auxiliary buildings denoted as a ***Blyth Power Station***, ***2No. Chimneys*** are located in both the western and eastern areas of the Site. Large structures are located in the south-western and south-eastern areas. A ***wall/harbour*** area is denoted at the south-easter site boundary.	Railway sidings and the wider power station site have been constructed north of the site, extending to approximately 800m from the Site. A dock has been constructed in the estuary adjacent to the eastern site boundary. A large structure is shown adjacent to the southern site boundary.
1970 (1:1250) 1971 (1:2,500) 1971 (1:10,000)	The Blyth Power Station has expanded in size. 5No. large tanks and numerous smaller tanks are denoted in the central areas of the Site.	No significant changes mapped.
1975-1976 (1:1,250) 1977-1978 (1:10,000)	No significant changes mapped.	Significant development has occurred to the south beyond the Blyth Estuary, with numerous works and factories along with some residential properties shown.
1988 – 1992 (1:1,250) 1988 (1:1,250) 1987-1989 (1:10,000)	Two large tanks are shown in the south-eastern area of the Site.	The large railway sidings to the north have been removed. Further development has occurred to the south of the site.
1993 (1:1,250) 1993 (1:10,000)	No significant changes mapped.	The sidings and many of the auxiliary building to the south-east have been removed. Further development has occurred to the south.
1999 (Aerial Photograph)	No significant changes mapped.	No significant changes mapped.
2000 (1:10,000)	No significant changes mapped.	No significant changes mapped.
2006 (1:10,000)	The power station, including all buildings and structures have been demolished, leaving the site vacant.	As part of the demolition works, the supporting infrastructure north of the site was also removed.
2021 (1:10,000)	No significant changes mapped.	A large electrical distribution station is shown approximately 500m north-west of the site.

5.2 Unexploded Ordnance

The Site lies within an area of low bomb risk as indicated on the publicly available Zetica Bomb Maps. No further assessment is considered necessary.

5.3 Geology

The Site's geology, as established from previous ground investigations, British Geological Survey (BGS) mapping and boreholes is summarised in Table 6. It should be noted that the geology underlying the Site is likely to be significantly different following completion of the remediation and earthworks, currently on-going. Reference should be made to the Earthworks and Remediation Validation Reports (not available to date) for confirmation of the near surface deposits.

Table 6: Site Geology

Stratum	Area Covered	Estimated Thickness	Typical Description
Made Ground	Entire site	In excess of 4.5m	Variably granular and cohesive material. The ongoing remediation and earthworks will significantly change the composition of the made ground.
Superficial Deposits – Glacial Till	Entire site	In excess of 8.5m	Firm to stiff brown clay with lenses of gravelly clayey sand and sandy gravel.
Bedrock – Pennine Middle Coal Measures Formation	Entire site	Unknown	Interbedded grey mudstone, siltstone and pale grey sandstone with coal seams.

5.3.1 Ground Stability

The Landmark Envirocheck Report has identified the following geological hazards (Table 7).

Table 7: Geological hazard risk to the Site

Geological Hazard	Risk
Collapsible Ground	Very Low
Compressible Ground	No Hazard
Ground Dissolution	No Hazard
Landslide	Low
Running Sand	Low to Moderate
Shrinking or Swelling Clay	Low

The BGS map does not reveal any structural, geomorphological or geochemical features on or near to the Site.

The Site is in an area that could be affected by coal mining activity. The Site is not located within a Development High Risk area. A Coal Authority report has been obtained for the site, and reported the following:

- The Site is within a surface area that could be affected by underground mining in five seams of coal at depths of between 100m and 230m bgl, last worked in 1967;
- Any movement in the ground due to coal mining activity associated these workings should have stopped by now;
- There are no known coal mine entries within, or within 20 metres of, the boundary of the Site;
- The Coal Authority is not aware of any damage due to geological faults or other lines of weakness that have been affected by coal mining;
- The site is not within the boundary of an opencast site from which coal has been removed by opencast methods;
- The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31 October 1994;
- The Coal Authority has no record of a mine gas emission requiring action;
- The property has not been subject to remedial works, by or on behalf of the Coal Authority, under its Emergency Surface Hazard Call Out procedures.

As such, the site is not considered to be at risk from past coal mining. There are no non-coal mining hazards within influencing distance of the site.

5.4 Radon

Information recovered from the Landmark Report, BGS, and PHE show the Site is not in an area of high radon levels. Correspondingly, no radon protection measures will be required in the proposed development.

5.5 Ground Gas

The Landmark EnviroCheck dataset identified 3No. registered landfills and other potential sources of ground gas within 500m of the Site. These features are summarised in Table 8..

Table 8: Summary of Landfills in the Vicinity of the Site

Site Name (Reference)	Distance and Direction from Site	Status	Details of Content	Regulator / Information Source
EAHLD06703 North Blyth	27m to the south-east	-	Inert Waste	Environment Agency
EAHLD06424 Blyth Power Station	339m to the north		Industrial Waste	Environment Agency
67373 Blyth Power Station Ash Mound	339m to the north	Inactive	Industrial Waste Landfill.	Environment Agency

Previous intrusive investigations undertaken at the site have included ground gas monitoring and ground gas risk assessments. Previous investigations undertaken at the Site have provided a designation of Characteristic Situation (CS) 2 as per the guidance set out in CIRIA C665.

The Site is being remediated to the satisfaction of Northumberland County Council, and as such provided that the recommendations set out in previous investigations with regard to ground gas are implemented, there should be no residual risk posed to end-users.

5.6 Vapour

Land uses with the potential to result in ground contamination with vapour risks to the Site have been identified, with a number of former tanks known to have stored fuel present across the Site, along with railway infrastructure in close proximity to the Site.

The Landmark Envirocheck dataset includes at least two pollution incidents relating to oils or fuels within 250m of the Site, as summarised in Section 5.7.1 below.

Considering the distance from the Site and assessed impact of identified sources, there is considered a significant vapour risk to the Site.

The third party reports prepared to date, Table 4, have recognised this risk and have investigated the Site to the satisfaction of NCC. The Site has been subject to remediation and will be validated to the satisfaction of NCC to a commercial /industrial end-use. The reports produced to date state the risk from vapour at the Site on completion of the remediation works is considered to be low, subject to final clarification by NCC following discharge of the relevant planning conditions.

5.7 Ecological Systems

The Northumberland Shore Site of Special Scientific Interest (SSI) lies to the east of the Site, with the south-eastern area of the site encroaching onto the SSSI which is considered a sensitive receptor. In addition, the south-western part of the Site encroaches onto the Northumberland Marine Special Protection Area (which encompasses the Blyth Estuary) which is also considered a sensitive receptor.

5.8 Controlled Waters

5.8.1 Surface Waters

The nearest surface water to the Site is the Blyth Estuary, which is located at the southern site boundary. In addition, the Cow Gut is located adjacent to the eastern site boundary, flowing in a southerly direction towards the Blyth Estuary.

There are four records of pollution incidents to surface waters, as summarised in Table 9.

Table 9: Summary of integrated pollution incidents within 250m

Distance and Direction	Details
17m east	Release of an unspecified pollutant to Cow Gut in November 1991. No cause is listed. Classified as a Category 2 – Significant Incident.
114m north-east	Release of an unspecified pollutant to Cow Gut in February 1993. Cause listed as general oil spillage. Classified as a Category 2 – Significant Incident.
172m east	Release of an unspecified pollutant to the Blyth Estuary in January 1994. Cause listed as an oil pipeline (industrial) spillage. Classified as a Category 3 – Minor Incident.
205m north-west	Release of fuel (petrol) to the Blyth Estuary in November 1996. No cause is listed. Classified as a Category 3 – Minor Incident.

5.8.2 Groundwater

The EA has classified the geological deposits on-site as having the following classification (Table 10).

Table 10: Summary of Hydrogeological Properties of the Main Geological Strata

Stratum	EA Classification	Hydrogeological Significance
Glacial Till – Superficial Deposits	Secondary A Aquifer	May be important in supporting local abstractions or in providing baseflow to rivers and streams
Pennine Middle Coal Measures Formation - Bedrock	Secondary A Aquifer	May be important in supporting local abstractions or in providing baseflow to rivers and streams

The Site is not located within a groundwater Source Protection Zone.

Based on available information, it is anticipated groundwater flow will be in a southerly direction towards the River Blyth.

Given the prevalence of Made Ground anticipated across the Site, perched groundwater may be encountered where granular horizons overlie cohesive horizons of Made Ground.

5.8.3 Flood Risk

According to the EA's indicative flooding data and the Landmark Envirocheck Report the Site is at risk

from surface water flooding (Tidal) and groundwater flooding (below the surface and at surface). This does not constitute a formal flood risk assessment.

It is understood a separate Flood Risk Assessment has been prepared to accompany the planning application. Please refer to this document for full flooding details.

6. Hazard Assessment and Preliminary Conceptual Model

The Preliminary Conceptual Model for the Site is presented in Table 10 below. The risk rating included in Table 9 has been assessed qualitatively using the criteria given in Appendix D and the potential receptors identified using the criteria given in Appendix E.

6.1 Contaminants of Concern

The potential contaminants associated with former and current land uses are informed by DoE Industry Profiles (1995) where applicable.

The Site is underlain by significant depths of Made Ground associated with the site's former use and with the ongoing remediation and earthworks scheme. The material below the capping is known to be contaminated with asbestos. Given the site's long industrial history, the shallow soils may contain high concentrations of water-soluble sulphate.

Contaminants of concern include the following:

- Heavy metals / semi-metals;
- Polycyclic Aromatic Hydrocarbons (PAH);
- Petroleum hydrocarbons;
- Volatile / Semi-Volatile Organic Compounds (VOC/SVOC);
- Asbestos; and,
- Water-soluble sulphate.

Table 11: Preliminary Conceptual Site Model

Source	Linkage	Receptor	Risk	Justification / Mitigation	Residual Risk
Human Health					
Contamination in site soils and groundwater associated with previous site use and surrounding area	Dermal Contact Ingestion Inhalation	Future Site Users	Medium	The Site is anticipated to be underlain by a significant thickness of Made Ground and contamination has been recorded to be present as a result of the Site's former industrial land use and that of the surrounding area. The Site is currently subject to remediation by Advance Northumberland, in accordance with the planning application and the associated approved documents, to render the Site suitable for a Commercial /Industrial end-use. Following redevelopment, the presence of buildings and hardstanding across the majority of the Site will reduce infiltration and prevent contact with the underlying site soils. Appropriate cover systems will be required in areas of soft landscaping.	Low
		Off-site / neighbouring site users	Low	Dusts/ vapours very unlikely to be generated at significant concentrations to migrate off-site and cause harm. Risks during the construction phase to be managed by use of appropriate working practices.	Low
		Construction workers	Low	Risks to construction workers can be managed through use of appropriate working practices and Personal Protective Equipment. Consideration to be given the presence of hazardous ground gas in excavations.	Low
Ground gas	Migration followed by asphyxiation / explosion	Future site users	Medium	A significant thickness of Made Ground is present beneath the Site, and in the immediately vicinity of the Site, may present a hazardous source of ground gas. Mine gas may also be present originating from former workings beneath the Site. The nearby former landfill may also present a potential source of ground gas. The Site has been subject to ground gas monitoring and assessment as part of the planning application for the remediation of the Site. The Site was designated as Characteristic Situation 2 and as such the proposed buildings and structures will require appropriate gas protection measures.	Low
Property					

Source	Linkage	Receptor	Risk	Justification / Mitigation	Residual Risk
Contamination in site soils and groundwater associated with previous site use and surrounding area	Direct contact	On-site structures and services	Low	Levels of contamination unlikely to be present at concentrations capable of adversely impacting below ground structures and services. Geotechnical investigations have been undertaken at the Site, will allow concrete classification to be designed accordingly. Concrete to be appropriately specified based on the results of BRE SD1 testing.	Low
Controlled Waters					
Contamination in soil and groundwater associated with recent and historical use of the Site	Leaching Migration Preferential Pathways	Blyth Estuary / Cow Gut	Medium	The Site is assumed to be underlain by a significant thickness of Made Ground, however following redevelopment, the site will be covered with hardstanding and drainage will be controlled, limiting the potential for leaching/ run-off.	Low
		Groundwater in Secondary A Aquifers (Superficial and bedrock geology)	Low	There are no abstractions from the underlying aquifer within 500m of the Site, therefore the risk due to contamination of the aquifer is considered to be low. Following development, site drainage will be controlled, limiting the quantity of water available for leaching.	Low
Ecological Systems					
Contamination in soil and groundwater associated with recent and historical use of the Site	Leaching Migration Preferential Pathways	Ecologically sensitive areas (SSSI to east and Northumberland Marine Special Protection Area to south)	Medium	There are no abstractions from surface waters within 500m of the site, therefore the risk due to contamination of the nearby sensitive marine environments is considered to be low. Following development, site drainage will be controlled, limiting the quantity of water available for leaching and lateral migration. Suitable site management practices should be implemented to ensure correct management of chemicals	Low

7. Conclusions

Waterman has completed a Preliminary Environmental Assessment for the Site that included a review of the Site's history together with the development of a preliminary Conceptual Model. The Site is recorded to have been occupied by part of Blyth Power Station throughout the later half of the 20th century into the early 2000s. It is understood the Site was demolished around 2006 and is currently subject to remediation and earthworks under Northumberland County Council planning reference 16/04722/LDO to render the Site suitable for a commercial / industrial end-use.

Ground conditions at the site are reported to comprise variable depths of Made Ground of variably cohesive and granular composition over generally cohesive superficial Glacial Till (comprising brown clay with lenses of gravelly clayey sand and sandy gravel) and interbedded mudstone, siltstone and sandstone with coal seams of the Middle Pennine Coal Measures Formation. Waterman note that due to the ongoing remediation and earthworks scheme on site the previously recorded geological succession will be subject to change, particularly the upper Made Ground horizons.

A number of ground gas hazards have been identified as part of the Desk Study. Third Party ground investigation works have been completed which assessed and designated the Site as Characteristic Situation 2. The Site has been subject to remediation and earthworks to render the site suitable to the satisfaction of Northumberland County Council. Suitable ground gas protection measures will be required in the proposed buildings and structures proposed as part of this development.

On the basis of the desk based assessment completed and given the proposed commercial end use of the development, the Site is considered to pose a **Medium** risk to human health and a **Medium** risk with respect to controlled waters. However, following completion of the agreed Remediation Works to the satisfaction of Northumberland County Council, the Site will be suitable for a Commercial/Industrial End-use and the risk is anticipated to be Low. The final verification reports have not been subject to review as part of this report.

On completion of the development, with incorporation of the mitigation measures described in this report, risks are anticipated to be **Low**.

The recommendations of this report outline preliminary remedial and mitigation measures that require confirmation through additional works. However, once successfully implemented the risks are anticipated to be Low. Therefore, the National Planning Policy Framework requirement that on completion the Site can no longer be captured under the Part IIA regime is expected to be met.

8. Recommendations

The Site is currently subject to remediation and earthworks activities to prepare a Development Platform suitable for an Industrial / Commercial End-use. This work, undertaken by others, will be completed to the satisfaction of Northumberland County Council prior to development commencing at the Site. The potential risks associated with the former uses will be suitably managed through this process. Waterman makes the following recommendations:

- A Remediation Strategy specific to the proposed development will be required, outlining the type and methodology for the gas protection measures to be installed (commensurate with the CS2 classification), the cover system to be employed for soft landscaping and the segregation of potentially contaminated pile arisings. The information contained within the Remediation Strategy should feed into a Verification Report following remediation works.
- The groundworks contractor must be made aware of the potential presence of asbestos fibres and Asbestos Containing Materials (ACMs) in Made Ground across the site. The contractor should have robust processes in place to identify any potential asbestos in soils during groundworks, and to investigate and suspected asbestos encountered during excavations. This should be in line with the requirements of the Control of Asbestos (CAR) Regulations.
- The Site has been capped with 200mm of clean site-won material with an geotextile at the base; this must be kept intact at all times during construction due to the asbestos contamination recorded in the underlying fill material.

APPENDICES


A. Site Plans

- **Site Location Plan (Ref. WIE15063-100-GR-PERA-A1A)**
- **Site Layout Plan (Ref. WIE15063-100-GR-PERA-A2A)**
- **Proposed Development Plan (Ref. 7616_A120_P11)**



© WATERMAN INFRASTRUCTURE & ENVIRONMENT
Reproduced from the Ordnance Survey maps with the permission of the Controller of Her Majesty's Stationery Office,© Crown copyright, Waterman Infrastructure & Environment, Pickfords Wharf, Clink Street, London SE1 9DG. Licence number LAN1000628.


Project Details	WIE15063-100: Blyth
Figure Title	Figure A1: Site Location Plan
Figure Ref	WIE15063-100_GR_PERA_A1A
Date	February 2022
File Location	\\s-lncs\wiel\projects\wie15063\100\graphics\pera\issued figures



Project Details	WIE15063-100: Blyth
Figure Title	Figure A2: Site Plan
Figure Ref	WIE15063-100_GR_PERA_A2A
Date	February 2022
File Location	\\s-lncs\wiel\projects\wie15063\100\graphics\pera\issued figures

Source: Vincent Gorbin

© WATERMAN INFRASTRUCTURE & ENVIRONMENT
Reproduced from the Ordnance Survey maps with the permission of the Controller of Her Majesty's Stationery Office,© Crown copyright, Waterman Infrastructure & Environment, Pickfords Wharf, Clink Street, London SE1 9DG. Licence number LAN1000628.



Ordnance Survey, (c) Crown Copyright 2021. All rights reserved. Licence number 100022432

KEY

- Planning Application Boundary Area Enclosed = 157,567m²
- Operational dock area.
- Concrete surface
- Large door building access
- Security fence
- Retaining structure
- 5.40 Proposed finished level to be confirmed by Waterman. Proposed finished levels above 66kV cable are unknown

Exact location of existing underground 66kV cable to be confirmed. This could affect both the proposed building and equipment locations.

NB - All dimensions stated are only as accurate as the limited by the OS data shown and would need to be verified against an up to date, accurate full site topographic survey.

REV	DESCRIPTION	DATE	BY
P11	**Planning application submission.**	24/02/22	NK
P10	Site entrances updated. Levels added.	18/02/22	NK
P09	HGV parking updated. Main site entrance updated.	10/02/22	NK
P08	Outbuildings to south relocated	01/02/22	NK
P07	Minor amendments. Key updated.	31/01/22	NK
P06	Planning application boundary and external works updated.	28/01/22	NK
P05	Planning application boundary updated.	19/01/22	NK
P04	Planning application boundary updated.	13/01/22	NK
P03	Updated parking, office and welfare block, Security control Office	23/11/21	NK
P02	Updated with parking, office and welfare block.	20/10/21	NK
P01	First issue.	29/09/21	NK

ADVANCED MANUFACTURING AND TECHNOLOGY FACILITY, BLYTH, NORTHUMBERLAND

Proposed Indicative Site Plan

PROJECT NO	DRAWING NO	REV
7616	A120	P11

DRAWN / DATE	CHECKED / DATE	SCALE
NK SEP 21	MC FEB 22	1:1000 at A1 1:2000 at A3

PLANNING APPLICATION

Written dimensions to be taken. Do not scale off the drawings. Any discrepancies written or scaled should be brought to the attention of the architect immediately. All drawings should be read together and in conjunction with relevant related specifications, room data sheets and all other consultant's information.

T: +44 (0) 1438 316 331
architects@vincent-gorbing.co.uk
vincent-gorbing.co.uk
Vincent and Gorbing Limited, Sterling Court
Norton Road, Stevenage, Hertfordshire SG1 2JY

© Copyright Vincent and Gorbing Limited 2017.

0mm A1 ORIGINAL SCALE 50mm A1 ORIGINAL SCALE 100mm

24/02/2022 - 12:15:54

FILE PATH = Y:\7616 Blyth, Northumberland\2-CVGA Drawings\2b-Design & Planning Drawings\7616_Planning_Indicative Overall Site Plan - 170321_Phases 1,2 and 3_Including Equipment Layout.dwg | ####

B. Site Photographs



Photograph 1: View south-west of surplus material stockpiles.



Photograph 2: View north-west of surplus material stockpiles and Ecological Corridor.



Photograph 3: View north-east of surplus material stockpiles and existing concrete retaining structure.



Photograph 4: View east of surplus material stockpiles.



Photograph 5: View south of existing sheet pile retaining structure and adjacent electrical substation.



Photograph 6: View south-east of in-ground obstructions exposed at ground surface.



Photograph 7: View south-east from stockpile slope towards in-ground obstruction exposed at ground surface.



Photograph 8: View south-west of surplus material stockpiles.



Photograph 9: View north-east of in-ground obstructions exposed at ground surface.

Project Details	WIE15063-100: Blyth
Figure Title	Figure B1: Site Photographs
Figure Ref	WIE15063-100_GR_PERA_B1A
Date	February 2022
File Location	\\s-lncs\wiel\projects\wie15063\100\graphics\pera\issued figures

© WATERMAN INFRASTRUCTURE & ENVIRONMENT
Reproduced from the Ordnance Survey maps with the permission of the Controller of Her Majesty's Stationery Office,© Crown copyright, Waterman Infrastructure & Environment, Pickfords Wharf, Clink Street, London SE1 9DG. Licence number LAN1000628.

C. Consultation Information

[redacted]

From: [redacted]
Sent: 18 February 2022 12:59
To: [redacted]
Cc: [redacted]
Subject: Re: WIE15063 - Former Blyth Power Station

[redacted] - not sure if this helps at all but I've put this together:

Public Protection at Northumberland County Council have had little involvement with the site (or the former Wansbeck District Council) since the demolition of the power station and chimneys between 2001 and 2003.

The power station would have been regulated by the Environment Agency.

Following the demolition of the station, the land remained derelict until the last few years with substantial amounts of demolition/site clearance material stored onsite.

I remember attending a site visit on the 07 February 2017 with a walkover the site, all structures were removed apart from the gatehouse and most of the site was hardstanding and I was informed that this was generally substantial.

The site was identified for further investigation under Part 2A of The Environmental Protection Act 1990, for:

- Electricity production & distribution [inc large transformers] - PCL000032

  No longer relevant

- Factory or works - use not specified - PCL009790

  No longer relevant – this was the power station building itself

- Heap, unknown constituents - PCL009690

  This appears to have been the demolition stockpiles from the main building on and to the east of the location of the power station building.

- Unknown Filled Ground (Pond, marsh, river, stream,dock etc) - PCL000142

  This is the culverted section of the Cow Gut (burn) from north of Brock Lane to a discharge point onto the beach at the west of the former coal staithes, this is at the very south-east corner of the site.

None of these features exist now and therefore, apart from the general historic use of the site there are no specific features requiring further investigation under Part 2A. It is expected that site has been remediated for it's intended use as previously proposed.

I was contacted directly by Neil Richardson in 2016 following an LPA consultation on the (further) demolition of the power station outfall structure on the beach at North Blyth (east of the power station site). This structure had been mostly demolished following the demolition of the power station but because of sand movements on the beach the lower parts of this had become exposed at low tides.

The work could only be done a seasonally low tides. This required several attempts at different times of the year over two years to complete this work.

RWE's reference for this was:

OMXT059 Blyth outfall and Groyne Works - Planning Permission 15/03036/FUL; Draft Noise Management Document

OMXT232 Blyth Outfall works: Culvert End Closure (Planning ref. 18/00296/FUL): Progress during June 2018 tidal works campaign

And was led by:

[redacted]
Project Manager (Delivery)
Blyth Outfall Works
RWE Generation UK plc
Electron building, Windmill Hill Business Park. Whitehill Way, SWINDON, SN5 6PB.
Mobile: [redacted]

E-mail: [redacted]

Other involved (or at least in any email communications) were:

[redacted] Asset Development UK

[redacted] – Assets and Power Station PR Manager

I'm not sure if this came from RWE or one of the planning officers at Northumberland, but I heard that RWE had carried out some ROV survey of the underground water pipes (probably those linked to the outfall or the intake pipes for cold water) on the power station site. We were not involved in this or provided with any results of this survey.

Northumberland
County Council

[redacted]
Environmental Protection Officer
Public Health Protection Unit
Housing and Public Protection Service
Northumberland County Council
West Hartford Business Park
Cramlington
Northumberland
NE23 3JP

[redacted]
Web: www.northumberland.gov.uk

Working from Home During Covid-19 Pandemic

Public Protection Privacy Notice

From: [redacted]
Sent: 17 February 2022 17:03

To: [redacted]
Cc: [redacted]
Subject: RE: WIE15063 - Former Blyth Power Station

CAUTION: This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

[redacted]

Any information you hold from the perspective of Environmental Health and Building Control would be very helpful. We pulled any publicly available information from the planning portal, anything you might have that's not on the portal would be great.

Thanks,

[redacted]
Waterman Infrastructure & Environment Ltd

5th Floor | One Cornwall Street | Birmingham | B3 2DX
T +44 121 212 7700 | [redacted]

www.watermangroup.com | LinkedIn | Twitter | YouTube



From: [redacted]
Sent: 17 February 2022 16:56
To: [redacted]
Cc: [redacted]
Subject: Re: WIE15063 - Former Blyth Power Station

Hi [redacted]

Are there any specific questions you want answered or just any information we have.

Regards

[redacted]

Northumberland
County Council

[redacted]
Environmental Protection Officer
Public Health Protection Unit
Housing and Public Protection Service
Northumberland County Council
West Hartford Business Park
Cramlington
Northumberland
NE23 3JP

[redacted]
Web: www.northumberland.gov.uk

Working from Home During Covid-19 Pandemic

Public Protection Privacy Notice

From: [redacted]
Sent: 17 February 2022 16:08
To: [redacted]
Cc: [redacted]
Subject: WIE15063 - Former Blyth Power Station

CAUTION: This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

Good afternoon [redacted]

Further to our telephone conversation, we are undertaking a geo-environmental desk study for the former Blyth Power Station. I'm looking to make enquiries for any relevant statutory information Northumberland County Council may hold relating to the site.

Any pertinent information regarding the demolition works you were involved with RWE would also be of great assistance.

Many thanks for your time, please let either myself or Rachael know if you need any further info.

Kind regards,

[redacted]
Waterman Infrastructure & Environment Ltd

5th Floor | One Cornwall Street | Birmingham | B3 2DX
T +44 121 212 7700 | [redacted]

www.watermangroup.com | LinkedIn | Twitter | YouTube




Waterman Group is a multidisciplinary consultancy providing sustainable solutions to meet the planning, engineering design and project delivery needs of the property, infrastructure, environment and energy markets.

This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this email. Please notify the sender immediately if you have received this email by mistake and delete it from your system. Email transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, delayed, lost, destroyed, incomplete, or contain viruses. The sender does not accept liability for any errors or omissions in the contents of this message, which arise as a result of email transmission. All reasonable precautions have been taken to see that no viruses are present in this email. Waterman Group cannot accept liability for loss, disruption or damage however caused, arising from the use of this email or attachments and recommend that you subject these to virus checking procedures prior to use. Email messages may be monitored and by replying to this message the recipient gives their consent to such monitoring.

Waterman Group Plc., Pickfords Wharf, Clink Street, London SE1 9DG, is a company registered in England and Wales with company registration number 2188844.

Save Time Do It Online!
We have made a few key improvements to our site to make our services easy to access. Now you can do everything from paying your council tax, to reporting a faulty street light online. Go to: www.northumberland.gov.uk and click 'pay, apply or report' to access the relevant forms.
This email is intended solely for the individual or individuals to whom it is addressed, and may contain confidential and/or privileged material. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this email is prohibited. If you receive this email in error, please contact the sender and delete the email from any computer. All email communication may be subject to recording and/or monitoring in accordance with internal policy and relevant legislation.



Save Time Do It Online!
We have made a few key improvements to our site to make our services easy to access. Now you can do everything from paying your council tax, to reporting a faulty street light online. Go to: www.northumberland.gov.uk and click 'pay, apply or report' to access the relevant forms.
This email is intended solely for the individual or individuals to whom it is addressed, and may contain confidential and/or privileged material. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this email is prohibited. If you receive this email in error, please contact the sender and delete the email from any computer. All email communication may be subject to recording and/or monitoring in accordance with internal policy and relevant legislation.



D. Regulatory Context

The National Planning Policy Framework (NPPF) 2019 sets out Government planning policy for England and how this is expected to be applied to development. Paragraph 118 of Section 11 – Making effective use of land and paragraphs 170, 178, 179 and 183 of Section 15 – Conserving and enhancing the natural environment of the NPPF relate to contaminated land matters and state the following:

118. Planning policies and decisions should:

c) give substantial weight to the value of using suitable brownfield land within settlements for homes and other identified needs, and support appropriate opportunities to remediate despoiled, degraded, derelict, contaminated or unstable land;

170. Planning policies and decisions should contribute to and enhance the natural and local environment by:

e) preventing new and existing development from contributing to, being put at unacceptable risk from, or being adversely affected by, unacceptable levels of soil, air, water or noise pollution or land instability. Development should, wherever possible, help to improve local environmental conditions such as air and water quality, taking into account relevant information such as river basin management plans; and

f) remediating and mitigating despoiled, degraded, derelict, contaminated and unstable land, where appropriate.

178. Planning policies and decisions should ensure that:

a) a site is suitable for its proposed use taking account of ground conditions and any risks arising from land instability and contamination. This includes risks arising from natural hazards or former activities such as mining, and any proposals for mitigation including land remediation (as well as potential impacts on the natural environment arising from that remediation);

b) after remediation, as a minimum, land should not be capable of being determined as contaminated land under Part IIA of the Environmental Protection Act 1990; and

c) adequate site investigation information, prepared by a competent person, is available to inform these assessments.

179. Where a site is affected by contamination or land stability issues, responsibility for securing a safe development rests with the developer and/or landowner.

183. The focus of planning policies and decisions should be on whether proposed development is an acceptable use of land, rather than the control of processes or emissions (where these are subject to separate pollution control regimes). Planning decisions should assume that these regimes will operate effectively. Equally, where a planning decision has been made on a particular development, the planning issues should not be revisited through the permitting regimes operated by pollution control authorities.

In order to assess the contamination status of the Site, with respect to the proposed end use, it is necessary to assess whether the Site could potentially be classified as “Contaminated Land”, as defined in Part IIA of the Environmental Protection Act 1990 and Contaminated Land Statutory Guidance 2012. This is assessed by the identification and assessment of potential pollutant linkages. The linkage between the potential sources and potential receptors identified needs to be established and evaluated.

To fall within this definition, it is necessary that, as a result of the condition of the land, substances

may be present in, on or under the land such that:

a) significant harm is being caused or there is a significant possibility of such harm being caused; or

b) significant pollution of controlled waters is being caused, or there is significant possibility of such pollution being caused.


It should be noted that DEFRA has advised (Ref. Section 4, DEFRA Contaminated Land Statutory Guidance 2012) Local Authorities that land should not be designated as “Contaminated Land” where:

a) the relevant substance(s) are already present in controlled waters;

b) entry into controlled waters of the substance(s) from land has ceased; and

c) it is not likely that that further entry will take place.

These exclusions do not necessarily preclude regulatory action under the Environmental Permitting (England and Wales) Regulations 2016, which make it a criminal offence to cause or knowingly permit a water discharge of any poisonous, noxious or polluting matter to controlled waters. In England and Wales, under The Water Resources Act 1991 (Amendment) (England and Wales) Regulations 2009, a works notice may be served by the regulator requiring appropriate investigation and clean-up.



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
289946252_1_1

Customer Reference:
114260

National Grid Reference:
429860, 583220

Slice:
A

Site Area (Ha):
14.95

Search Buffer (m):
1000

Site Details:

10, Selbourne Terrace
Cambois
BLYTH
NE24 1QZ

Client Details:

Mr R Panter
Waterman Infrastructure & Environment Ltd
Waterman Group
5th Floor
1 Cornwall Street
Birmingham
West Midlands
B3 2DX

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	63
Hazardous Substances	67
Geological	68
Industrial Land Use	81
Sensitive Land Use	92
Data Currency	93
Data Suppliers	100
Useful Contacts	101

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2022. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2022. © Natural Resources Wales & United Kingdom Research and Innovation 2022.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2022. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 3		25	9	126
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 43	10			
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 44			2	3
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 45	Yes			
Pollution Incidents to Controlled Waters	pg 45		4	3	7
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 48		2		
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 48				3
Water Abstractions	pg 48		2		3
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 50	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 50	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 50	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 51	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 51	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 51	1	28	30	44

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 63		1	1	
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)	pg 63			1	
Licensed Waste Management Facilities (Locations)	pg 63				2
Local Authority Landfill Coverage	pg 64	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 64			1	2
Potentially Infilled Land (Water)	pg 64	1	4	5	9
Registered Landfill Sites	pg 65				1
Registered Waste Transfer Sites	pg 65				2
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)	pg 67	1			
Planning Hazardous Substance Consents	pg 67		1		1
Planning Hazardous Substance Enforcements					

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 68	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 68	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 77				6
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 78	Yes	n/a	n/a	n/a
Mining Instability	pg 78	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 78	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 78	Yes	Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 78	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 79	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 79	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 81	1			46
Fuel Station Entries	pg 85				2
Points of Interest - Commercial Services	pg 85				12
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 86	9	2	3	14
Points of Interest - Public Infrastructure	pg 88		2		14
Points of Interest - Recreational and Environmental	pg 90		2		
Gas Pipelines					
Underground Electrical Cables	pg 90	2	5		

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves	pg 92			2	
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites	pg 92				1
Sites of Special Scientific Interest	pg 92	1			
Special Areas of Conservation					
Special Protection Areas	pg 92	1			1
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NE (N)	0	1	429861 583300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (N)	0	1	429850 583400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	0	1	429900 583300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	0	1	429950 583300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (E)	0	1	430000 583250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NE (NE)	0	1	429900 583250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SE (W)	0	1	429861 583222
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SE (E)	0	1	430000 583222
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	0	1	430000 583350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (NE)	22	1	430300 583450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (N)	37	1	429861 583500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SE (E)	56	1	430600 583150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11SW (S)	71	1	429750 582950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11SE (SE)	73	1	430050 582950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (N)	74	1	429950 583500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	104	1	430000 583500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (E)	155	1	430600 583350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11SE (S)	185	1	429900 582900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11SW (SW)	195	1	429600 582900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11SW (SW)	201	1	429550 583050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11SW (SW)	214	1	429550 582950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (S)	228	1	429700 582800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (SW)	230	1	429600 582850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SW (SW)	252	1	429500 583000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (E)	256	1	430800 583150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SW (N)	258	1	429700 583700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (SW)	266	1	429550 582850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (S)	270	1	429800 582750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (SW)	270	1	429600 582800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (S)	277	1	429700 582750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NW (NW)	300	1	429500 583400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NW (SW)	301	1	429550 582800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NE (S)	305	1	429900 582750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A7NE (S)	314	1	430000 582700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7NW (S)	320	1	429800 582700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	330	1	430850 583000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (SE)	346	1	430150 582650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A10SE (W)	359	1	429400 583150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A7NE (S)	361	1	429950 582700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (E)	366	1	430750 583550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SE (W)	408	1	429350 583150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A10SE (W)	420	1	429350 583200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (SE)	421	1	430350 582600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A10NE (W)	436	1	429350 583250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	448	1	430900 582850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8SW (SE)	456	1	430300 582550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7SE (S)	458	1	430050 582550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10SE (W)	468	1	429300 583200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	474	1	430950 583400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NE (N)	487	1	429850 583950
1	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: North Blyth Pumping Station, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1156 Permit Version: 1 Effective Date: 17th February 1999 Issued Date: 17th February 1999 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth Saline Estuary **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A12SE (E)	1	2	430522 583146
1	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: North Blyth Pumping Station, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/1156 Permit Version: 1 Effective Date: 17th February 1999 Issued Date: 17th February 1999 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth Saline Estuary **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A12SE (E)	1	2	430522 583146
1	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0998 Permit Version: 1 Effective Date: 14th August 1992 Issued Date: 14th August 1992 Revocation Date: 16th March 2001 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 100m	A12SE (E)	26	2	430560 583150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0069 Permit Version: 1 Effective Date: 9th April 1987 Issued Date: 9th April 1987 Revocation Date: 14th August 1992 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	A12SE (E)	26	2	430560 583150
1	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station Cooling Water I, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1021 Permit Version: 1 Effective Date: 21st January 1993 Issued Date: 21st January 1993 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A12SE (E)	52	2	430580 583170
1	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Station A; Cw Bandscreen Wash Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/7 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A12SE (E)	52	2	430580 583170
2	**Discharge Consents** Operator: John Mowlem Construction Plc Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Ash Lagoons Opposite Blyth Power St, Bedlington Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0933 Permit Version: 1 Effective Date: 3rd December 1991 Issued Date: 3rd December 1991 Revocation Date: 30th September 1996 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut **Status: Lapsed (under Environment Act 1995, Schedule 23)** Positional Accuracy: Located by supplier to within 100m	A12NW (E)	22	2	430400 583400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	**Discharge Consents** Operator: National Grid Company Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Electricity Substation, Blyth Power Station, Cambois, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/1150 Permit Version: 1 Effective Date: 17th February 1999 Issued Date: 17th February 1999 Revocation Date: 25th March 2011 Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Saline Estuary Receiving Water: Blyth Saline Estuary **Status: Surrendered under EPR 2010** Positional Accuracy: Located by supplier to within 100m	A12SW (SE)	53	2	430160 582970
4	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1024 Permit Version: 1 Effective Date: 4th January 1993 Issued Date: 4th January 1993 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A12NW (NE)	62	2	430370 583450
4	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Ash Pond Emergency Drainage Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/5 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Freshwater Stream/River Receiving Water: Cow Gut **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A12NW (NE)	62	2	430370 583450
5	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: C.E.G.B.- Blyth Power Station, A S, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0361 Permit Version: 1 Effective Date: 8th September 1987 Issued Date: 8th September 1987 Revocation Date: 25th November 1992 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	A12SE (E)	86	2	430600 583200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station Electro-Chlorin, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1023 Permit Version: 1 Effective Date: 21st January 1993 Issued Date: 21st January 1993 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A12NE (E)	106	2	430600 583230
5	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Electrochlorination Plant Overflow Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/9 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A12NE (E)	106	2	430600 583230
6	**Discharge Consents** Operator: Northstone (Ni) Limited Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: National Grid Blyth Substation, Blyth Power Station Site, Bedlington, Northumberland, Ne24 1qp Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1184 Permit Version: 1 Effective Date: 12th January 2001 Issued Date: 12th January 2001 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	A12SW (SE)	96	2	430200 582900
6	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: National Grid Blyth Substation, Blyth Power Station Site, Bedlington, Northumberland, Ne24 1qp Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1002 Permit Version: 1 Effective Date: 23rd September 1992 Issued Date: 23rd September 1992 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A12SW (SE)	96	2	430200 582900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: National Grid Blyth Substation, Blyth Power Station Site, Bedlington, Northumberland, Ne24 1qp Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0362 Permit Version: 1 Effective Date: 8th September 1987 Issued Date: 8th September 1987 Revocation Date: 23rd September 1992 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	A12SW (SE)	96	2	430200 582900
6	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Station A; Drains/Low Sump D/C Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/2 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Coastal Receiving Water: North Sea **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A12SW (SE)	96	2	430200 582900
7	**Discharge Consents** Operator: Northstone (Ni) Limited Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: National Grid Blyth Substation, Blyth Power Station Site, Bedlington, Northumberland, Ne24 1qp Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1185 Permit Version: 1 Effective Date: 12th January 2001 Issued Date: 12th January 2001 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	A11SW (SW)	134	2	429700 582900
7	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station B, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1003 Permit Version: 1 Effective Date: 24th September 1992 Issued Date: 24th September 1992 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A11SW (SW)	134	2	429700 582900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station B, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0363 Permit Version: 1 Effective Date: 8th September 1987 Issued Date: 8th September 1987 Revocation Date: 24th September 1992 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Sleekburn **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	A11SW (SW)	134	2	429700 582900
8	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station Cooling Water I, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1022 Permit Version: 1 Effective Date: 21st January 1993 Issued Date: 21st January 1993 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A12SE (E)	147	2	430670 583200
8	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Station B; Cw Bandscreen Wash Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/8 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A12SE (E)	147	2	430670 583200
9	**Discharge Consents** Operator: Thermalite Limited Property Type: MAKING OF GLASS/CERAMICS/CEMENT/CUTTING STONE Location: Thermalite Limited Vehicle Washings, East Sleekburn, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0934 Permit Version: 1 Effective Date: 21st November 1991 Issued Date: 21st November 1991 Revocation Date: 8th June 1993 Discharge Type: Unspecified Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	195	2	430300 583600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/B/0210 Permit Version: 1 Effective Date: 8th April 1976 Issued Date: 8th April 1976 Revocation Date: 25th November 1992 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A7NW (S)	224	2	429800 582800
11	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Sewage Disposal Works - Water Company Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0709 Permit Version: 2 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 7th August 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A11SW (SW)	230	2	429530 582960
12	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Station B; Drains/Low Sump D/C Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/3 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Freshwater Stream/River Receiving Water: Cow Gut **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A7NW (S)	326	2	429700 582700
13	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1024 Permit Version: 1 Effective Date: 4th January 1993 Issued Date: 4th January 1993 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	339	2	430370 583730

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station Pfa Silos Bulk, Bedlington, Northumberland, Ne22 7bw Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0982 Permit Version: 1 Effective Date: 5th August 1992 Issued Date: 5th August 1992 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut (Blyth) **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	389	2	430150 583780
14	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Aa2496, Pfa Silo Bulk Handling D/C Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/6 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Freshwater Stream/River Receiving Water: Cow Gut **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A16SW (NE)	389	2	430150 583780
15	**Discharge Consents** Operator: Marley Building Materials Property Type: MAKING OF GLASS/CERAMICS/CEMENT/CUTTING STONE Location: Thermalite Limited Autoclave Efflue, East Sleekburn, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1042 Permit Version: 1 Effective Date: 15th June 1993 Issued Date: 15th June 1993 Revocation Date: 31st May 1995 Discharge Type: Unspecified Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut (Blyth) **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	397	2	430200 583800
15	**Discharge Consents** Operator: Thermalite Limited Property Type: MAKING OF GLASS/CERAMICS/CEMENT/CUTTING STONE Location: Thermalite Limited Autoclave Efflue, East Sleekburn, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0935 Permit Version: 1 Effective Date: 21st November 1991 Issued Date: 21st November 1991 Revocation Date: 15th June 1993 Discharge Type: Unspecified Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	397	2	430200 583800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	**Discharge Consents** Operator: Thermalite Limited Property Type: MAKING OF GLASS/CERAMICS/CEMENT/CUTTING STONE Location: Thermalite Limited Autoclave Efflue, East Sleekburn, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/A/0551 Permit Version: 1 Effective Date: 18th January 1979 Issued Date: 18th January 1979 Revocation Date: 21st November 1991 Discharge Type: Unspecified Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	397	2	430200 583800
16	**Discharge Consents** Operator: River Blyth Boating Association Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Factory Point, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1194 Permit Version: 1 Effective Date: 22nd November 2001 Issued Date: 22nd November 2001 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Land/Soakaway Receiving Water: Groundwater **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A8NW (SE)	437	2	430180 582560
17	**Discharge Consents** Operator: National Power Plc Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth Power Station, Cambois, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0928 Permit Version: 1 Effective Date: 15th July 1991 Issued Date: 15th July 1991 Revocation Date: 11th May 1993 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Into And/Or Watercourse Receiving Water: Cow Gut (Blyth) **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A15SW (NW)	446	2	429510 583800
18	**Discharge Consents** Operator: Abb Power Grids Uk Limited Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Converter Station Brock Lane, East Sleekburn, Blyth, Northumberland, Ne22 7bg Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: Eprnb3690vk Permit Version: 1 Effective Date: 17th September 2019 Issued Date: 17th September 2019 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Saline Estuary Receiving Water: Sleek Burn **Status: New issued under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A10NE (W)	542	2	429246 583307

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	**Discharge Consents** Operator: Abb Power Grids Uk Limited Property Type: CONSTRUCTION OF BUILDINGS Location: Blyth Converter Station Brock Lane, East Sleekburn, Blyth, Northumberland, Ne22 4bg Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: Eprjb3094nv Permit Version: 1 Effective Date: 12th June 2018 Issued Date: 12th June 2018 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Sleek Burn **Status: New issued under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A10NE (W)	542	2	429246 583307
19	**Discharge Consents** Operator: Bates Regeneration Limited Property Type: MINING OF COAL + LIGNITE Location: Former Bates Colliery, Cowpen Road, Blyth, Northumberland, Ne24 1pj Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: Npswqd008343 Permit Version: 1 Effective Date: 22nd October 2009 Issued Date: 22nd October 2009 Revocation Date: 11th July 2019 Discharge Type: Trade Discharges - Site Drainage (Contaminated Surface Water, Not Waste Sites) Discharge Environment: Saline Estuary Receiving Water: The River Blyth Estuary **Status: Surrendered under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	563	2	430509 582520
19	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Bates Colliery Sps, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1178 Permit Version: 1 Effective Date: 2nd August 2000 Issued Date: 2nd August 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	563	2	430510 582520
19	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Bates Colliery Sps, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1178 Permit Version: 1 Effective Date: 2nd August 2000 Issued Date: 2nd August 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	563	2	430510 582520

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: MINING OF COAL + LIGNITE Location: Bates Colliery Outfall, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0963 Permit Version: 1 Effective Date: 5th August 1992 Issued Date: 5th August 1992 Revocation Date: 16th March 2001 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 100m	A8SE (SE)	563	2	430510 582520
19	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: MINING OF COAL + LIGNITE Location: Bates Colliery Outfall, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0050 Permit Version: 1 Effective Date: 9th April 1987 Issued Date: 9th April 1987 Revocation Date: 5th August 1992 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	563	2	430510 582520
20	**Discharge Consents** Operator: National Power Property Services Property Type: Undefined Or Other Location: Blyth Power Station , Ash Disposal Scheme Phase 2, CAMBOIS Authority: Environment Agency, North East Region Catchment Area: Not Given Reference: 226/1111 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Freshwater Stream/River Receiving Water: Maw Burn **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A16NW (NE)	588	2	430300 583995
20	**Discharge Consents** Operator: National Power Property Services Property Type: Undefined Or Other Location: Blyth Power Station , Ash Disposal Scheme Phase 2, CAMBOIS Authority: Environment Agency, North East Region Catchment Area: Not Given Reference: 226/1111 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Site Drainage Discharge Environment: Freshwater Stream/River Receiving Water: Maw Burn **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	A16NW (NE)	588	2	430305 583995

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	**Discharge Consents** Operator: NATIONAL POWER PLC Property Type: Production & Distribution Of Electricity Location: BLYTH POWER STN ASH DISPOSAL, SCHEME PHASE 2, BEDLINGTON, NORTHUMBERLAND Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/1111 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 15th November 1999 Revocation Date: Not Supplied Discharge Type: Trade Effluent Discharge-Site Drainage Discharge Environment: Not Supplied Receiving Water: MAW BURNRevoked **Status: Not Supplied** Positional Accuracy: Located by supplier to within 10m	A16NW (NE)	593	2	430300 584000
20	**Discharge Consents** Operator: National Power Property Services Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station Ash Disposal Sc, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Given Reference: 226/1111 Permit Version: 1 Effective Date: 12th July 1996 Issued Date: 12th July 1996 Revocation Date: 12th November 1999 Discharge Type: Trade Effluent Discharge Environment: Freshwater Stream/River Receiving Water: Maw Burn **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	A16NW (NE)	593	2	430300 584000
21	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stone Cottages, Sleekburn, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0996 Permit Version: 1 Effective Date: 14th August 1992 Issued Date: 14th August 1992 Revocation Date: 16th January 2006 Discharge Type: Sewage Discharges - Unspecified - Water Company Discharge Environment: Saline Estuary Receiving Water: Sleek Burn Estuary **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A10NE (W)	593	2	429200 583350
21	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Stone Cottages, Sleekburn, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0065 Permit Version: 1 Effective Date: 3rd April 1987 Issued Date: 9th April 1987 Revocation Date: 14th August 1992 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Sleekburn **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	A10NE (W)	593	2	429200 583350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: East Sleekburn Sewage Pumping Stati, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/B/0272 Permit Version: 1 Effective Date: 8th October 1982 Issued Date: 8th October 1982 Revocation Date: 21st January 1991 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Sleek Burn **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A10NE (W)	602	2	429200 583400
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 12 Effective Date: 11th August 2018 Issued Date: 10th May 2018 Revocation Date: 30th March 2020 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	605	2	429526 582462
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 13 Effective Date: 31st March 2020 Issued Date: 10th May 2018 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	605	2	429526 582462
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 11 Effective Date: 10th May 2018 Issued Date: 10th May 2018 Revocation Date: 10th August 2018 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	605	2	429526 582462

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 13 Effective Date: 31st March 2020 Issued Date: 10th May 2018 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	605	2	429526 582462
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 13 Effective Date: 31st March 2020 Issued Date: 10th May 2018 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	605	2	429526 582462
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 10 Effective Date: 1st April 2009 Issued Date: 14th October 2008 Revocation Date: 9th May 2018 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 6 Effective Date: 20th September 2004 Issued Date: 20th September 2004 Revocation Date: 21st September 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 7 Effective Date: 21st September 2004 Issued Date: 20th September 2004 Revocation Date: 3rd October 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 8 Effective Date: 4th October 2004 Issued Date: 20th September 2004 Revocation Date: 4th November 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 9 Effective Date: 5th November 2004 Issued Date: 20th September 2004 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 1 Effective Date: 1st January 2001 Issued Date: 21st December 2000 Revocation Date: 2nd October 2003 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 2 Effective Date: 3rd October 2003 Issued Date: 21st December 2000 Revocation Date: 23rd October 2003 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 3 Effective Date: 24th October 2003 Issued Date: 21st December 2000 Revocation Date: 13th April 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 4 Effective Date: 14th April 2004 Issued Date: 21st December 2000 Revocation Date: 28th April 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 5 Effective Date: 29th April 2004 Issued Date: 21st December 2000 Revocation Date: 20th September 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Sewage Disposal Works - Water Company Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 4 Effective Date: 11th September 2000 Issued Date: 6th April 1990 Revocation Date: 31st October 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Undefined Or Other Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 6 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 1st January 2001 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0709 Permit Version: 2 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 7th August 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	606	2	429530 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 11 Effective Date: 1st January 2010 Issued Date: 24th September 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 11 Effective Date: 1st January 2010 Issued Date: 24th September 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 11 Effective Date: 1st January 2010 Issued Date: 24th September 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 1 Effective Date: 1st January 2001 Issued Date: 13th December 2000 Revocation Date: 22nd May 2003 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 1 Effective Date: 1st January 2001 Issued Date: 13th December 2000 Revocation Date: 22nd May 2003 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 2 Effective Date: 23rd May 2003 Issued Date: 13th December 2000 Revocation Date: 27th June 2003 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 2 Effective Date: 23rd May 2003 Issued Date: 13th December 2000 Revocation Date: 27th June 2003 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 3 Effective Date: 27th June 2003 Issued Date: 13th December 2000 Revocation Date: 23rd January 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 3 Effective Date: 27th June 2003 Issued Date: 13th December 2000 Revocation Date: 23rd January 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 4 Effective Date: 24th January 2005 Issued Date: 13th December 2000 Revocation Date: 14th March 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 4 Effective Date: 24th January 2005 Issued Date: 13th December 2000 Revocation Date: 14th March 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 5 Effective Date: 14th March 2005 Issued Date: 13th December 2000 Revocation Date: 1st April 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 5 Effective Date: 14th March 2005 Issued Date: 13th December 2000 Revocation Date: 1st April 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 6 Effective Date: 1st April 2005 Issued Date: 13th December 2000 Revocation Date: 21st June 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 6 Effective Date: 1st April 2005 Issued Date: 13th December 2000 Revocation Date: 21st June 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 6 Effective Date: 1st April 2005 Issued Date: 13th December 2000 Revocation Date: 21st June 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 7 Effective Date: 21st June 2005 Issued Date: 13th December 2000 Revocation Date: 21st August 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 7 Effective Date: 21st June 2005 Issued Date: 13th December 2000 Revocation Date: 21st August 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status:** **Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 7 Effective Date: 21st June 2005 Issued Date: 13th December 2000 Revocation Date: 21st August 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status:** **Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 8 Effective Date: 21st August 2005 Issued Date: 13th December 2000 Revocation Date: 31st May 2006 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status:** **Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 8 Effective Date: 21st August 2005 Issued Date: 13th December 2000 Revocation Date: 31st May 2006 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status:** **Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 8 Effective Date: 21st August 2005 Issued Date: 13th December 2000 Revocation Date: 31st May 2006 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 9 Effective Date: 1st June 2006 Issued Date: 13th December 2000 Revocation Date: 30th September 2006 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 9 Effective Date: 1st June 2006 Issued Date: 13th December 2000 Revocation Date: 30th September 2006 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 9 Effective Date: 1st June 2006 Issued Date: 13th December 2000 Revocation Date: 30th September 2006 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 10 Effective Date: 1st October 2006 Issued Date: 13th December 2000 Revocation Date: 31st December 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 10 Effective Date: 1st October 2006 Issued Date: 13th December 2000 Revocation Date: 31st December 2009 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cramlington Sewage Treatment Works, Cramlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1187 Permit Version: 10 Effective Date: 1st October 2006 Issued Date: 13th December 2000 Revocation Date: 31st December 2009 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Consent without application (Water Resources Act 1991, Schedule 10)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 3 Effective Date: 8th August 2000 Issued Date: 6th April 1990 Revocation Date: 10th September 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 4 Effective Date: 11th September 2000 Issued Date: 6th April 1990 Revocation Date: 31st October 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 5 Effective Date: 1st November 2000 Issued Date: 6th April 1990 Revocation Date: 31st December 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	609	2	429520 582460
22	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0709 Permit Version: 1 Effective Date: 5th July 1988 Issued Date: 5th July 1988 Revocation Date: 5th April 1990 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 100m	A7SW (SW)	609	2	429520 582460
23	**Discharge Consents** Operator: The Coal Authority Property Type: MINING OF COAL + LIGNITE Location: Former Bates Colliery, Cowpen Road, Blyth, Northumberland, Ne24 5su Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: Npswqd007767 Permit Version: 2 Effective Date: 19th April 2017 Issued Date: 19th April 2017 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Process Water Discharge Environment: Saline Estuary Receiving Water: The River Blythe **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	610	2	430590 582510

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	**Discharge Consents** Operator: The Coal Authority Property Type: MINING OF COAL + LIGNITE Location: Former Bates Colliery, Cowpen Road, Blyth, Northumberland, Ne24 5su Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: Npswqd007767 Permit Version: 1 Effective Date: 18th June 2009 Issued Date: 18th June 2009 Revocation Date: 18th April 2017 Discharge Type: Trade Discharge - Process Water Discharge Environment: Saline Estuary Receiving Water: The River Blythe **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	610	2	430590 582510
23	**Discharge Consents** Operator: The Coal Authority, Property Type: MINING OF COAL + LIGNITE Location: Former Bates Colliery, Cowpen Road, Blyth, Northumberland, Ne24 5su Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1209 Permit Version: 1 Effective Date: 9th April 2003 Issued Date: 9th April 2003 Revocation Date: 31st December 2008 Discharge Type: Trade Discharge - Mineral Workings Discharge Environment: Saline Estuary Receiving Water: R Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	610	2	430590 582510
24	**Discharge Consents** Operator: Unknown, Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Beeches, The, Bungalow, Bedlington, Northumberland, Ne22 7at Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0917 Permit Version: 1 Effective Date: 14th August 1989 Issued Date: 14th August 1989 Revocation Date: 18th December 1991 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Sleek Burn **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A10NW (W)	687	2	429100 583300
24	**Discharge Consents** Operator: Unknown, Property Type: WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Location: Beeches, The, Bungalow, Bedlington, Northumberland, Ne22 7at Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0917 Permit Version: 1 Effective Date: 14th August 1989 Issued Date: 14th August 1989 Revocation Date: 18th December 1991 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Sleek Burn **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A10NW (W)	687	2	429100 583300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
25	**Discharge Consents** Operator: Northumbrian Water Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Cowpen Road Cso, Blyth Valley Retail Park, Cowpen Road, Blyth, Ne24 5tp Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: Eprjb3399nk Permit Version: 1 Effective Date: 10th January 2014 Issued Date: 10th January 2014 Revocation Date: 6th March 2019 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Blyth **Status: New issued under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (S)	690	2	429604 582348
25	**Discharge Consents** Operator: Northumbrian Water Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Cowpen Road Cso, Blyth Valley Retail Park, Cowpen Road, Blyth, Ne24 5tp Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: Eprjb3399nk Permit Version: 2 Effective Date: 7th March 2019 Issued Date: 7th March 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Blyth **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (S)	712	2	429603 582326
25	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: John Street Cso, 25 John Street, Blyth, Northumberland, Ne24 5hz Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1058 Permit Version: 2 Effective Date: 11th February 2019 Issued Date: 11th February 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (S)	712	2	429603 582326
25	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Briardale Road Cso, Briardale Community Training Ctr, 35 Briardale Road, Blyth, Ne24 5na Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1057 Permit Version: 2 Effective Date: 11th February 2019 Issued Date: 11th February 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (S)	712	2	429603 582326

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Mawburn House Sea Outfall, Cambois, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0064 Permit Version: 1 Effective Date: 9th April 1987 Issued Date: 9th April 1987 Revocation Date: 23rd November 1992 Discharge Type: Unspecified Discharge Environment: Tidal Waters Receiving Water: North Sea **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	A16NE (NE)	714	2	430510 584090
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 10 Effective Date: 1st April 2009 Issued Date: 14th October 2008 Revocation Date: 9th May 2018 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 10 Effective Date: 1st April 2009 Issued Date: 14th October 2008 Revocation Date: 9th May 2018 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 6 Effective Date: 20th September 2004 Issued Date: 20th September 2004 Revocation Date: 21st September 2004 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 6 Effective Date: 20th September 2004 Issued Date: 20th September 2004 Revocation Date: 21st September 2004 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 7 Effective Date: 21st September 2004 Issued Date: 20th September 2004 Revocation Date: 3rd October 2004 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 7 Effective Date: 21st September 2004 Issued Date: 20th September 2004 Revocation Date: 3rd October 2004 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 8 Effective Date: 4th October 2004 Issued Date: 20th September 2004 Revocation Date: 4th November 2004 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 8 Effective Date: 4th October 2004 Issued Date: 20th September 2004 Revocation Date: 4th November 2004 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 9 Effective Date: 5th November 2004 Issued Date: 20th September 2004 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 9 Effective Date: 5th November 2004 Issued Date: 20th September 2004 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 1 Effective Date: 1st January 2001 Issued Date: 21st December 2000 Revocation Date: 2nd October 2003 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 1 Effective Date: 1st January 2001 Issued Date: 21st December 2000 Revocation Date: 2nd October 2003 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 2 Effective Date: 3rd October 2003 Issued Date: 21st December 2000 Revocation Date: 23rd October 2003 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 2 Effective Date: 3rd October 2003 Issued Date: 21st December 2000 Revocation Date: 23rd October 2003 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 3 Effective Date: 24th October 2003 Issued Date: 21st December 2000 Revocation Date: 13th April 2004 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 3 Effective Date: 24th October 2003 Issued Date: 21st December 2000 Revocation Date: 13th April 2004 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 4 Effective Date: 14th April 2004 Issued Date: 21st December 2000 Revocation Date: 28th April 2004 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 4 Effective Date: 14th April 2004 Issued Date: 21st December 2000 Revocation Date: 28th April 2004 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 5 Effective Date: 29th April 2004 Issued Date: 21st December 2000 Revocation Date: 20th September 2004 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 5 Effective Date: 29th April 2004 Issued Date: 21st December 2000 Revocation Date: 20th September 2004 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status:** **New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Undefined Or Other Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 3 Effective Date: 8th August 2000 Issued Date: 6th April 1990 Revocation Date: 10th September 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status:** **Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 4 Effective Date: 11th September 2000 Issued Date: 6th April 1990 Revocation Date: 31st October 2000 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status:** **Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 5 Effective Date: 1st November 2000 Issued Date: 6th April 1990 Revocation Date: 31st December 2000 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth **Status:** **Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Undefined Or Other Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 6 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 1st January 2001 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 2 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 7th August 2000 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 3 Effective Date: 8th August 2000 Issued Date: 6th April 1990 Revocation Date: 10th September 2000 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Undefined Or Other Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0709 Permit Version: 2 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 7th August 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	732	2	429490 582340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 11 Effective Date: 10th May 2018 Issued Date: 10th May 2018 Revocation Date: 10th August 2018 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	736	2	429489 582336
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 12 Effective Date: 11th August 2018 Issued Date: 10th May 2018 Revocation Date: 30th March 2020 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	736	2	429489 582336
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 12 Effective Date: 11th August 2018 Issued Date: 10th May 2018 Revocation Date: 30th March 2020 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	736	2	429489 582336
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 11 Effective Date: 10th May 2018 Issued Date: 10th May 2018 Revocation Date: 10th August 2018 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	736	2	429489 582336

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 13 Effective Date: 31st March 2020 Issued Date: 10th May 2018 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status:** **Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	736	2	429489 582336
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth (New) Sewage Treatment Works, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1179 Permit Version: 13 Effective Date: 31st March 2020 Issued Date: 10th May 2018 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth (Saline Estuary) **Status:** **Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	736	2	429489 582336
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 3 Effective Date: 8th August 2000 Issued Date: 6th April 1990 Revocation Date: 10th September 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status:** **Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 100m	A7SW (S)	766	2	429500 582300
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 5 Effective Date: 1st November 2000 Issued Date: 6th April 1990 Revocation Date: 31st December 2000 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth **Status:** **Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	A7SW (S)	766	2	429500 582300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Undefined Or Other Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 6 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 1st January 2001 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	A7SW (S)	766	2	429500 582300
27	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 1 Effective Date: 5th July 1988 Issued Date: 5th July 1988 Revocation Date: 5th April 1990 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 100m	A7SW (S)	766	2	429500 582300
28	**Discharge Consents** Operator: Mr Peter Dougall Property Type: EXTRACTION OF CRUDE PETROLEUM + NATURAL GAS Location: The Beeches, East Sleekburn, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0952 Permit Version: 1 Effective Date: 18th December 1991 Issued Date: 18th December 1991 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Saline Estuary Receiving Water: Sleek Burn **Status: New Consent, by Application (Water Resources Act 1991, Section 88)** Positional Accuracy: Located by supplier to within 10m	A10NW (W)	759	2	429040 583400
29	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Mawburn House Sea Outfall, Cambois, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0993 Permit Version: 1 Effective Date: 23rd November 1992 Issued Date: 23rd November 1992 Revocation Date: 13th December 2000 Discharge Type: Unspecified Discharge Environment: Tidal Waters Receiving Water: North Sea **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 100m	A16NE (NE)	800	2	430750 584110

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 4 Effective Date: 11th September 2000 Issued Date: 6th April 1990 Revocation Date: 31st October 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 100m	A6SE (SW)	805	2	429400 582300
30	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0709 Permit Version: 2 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 7th August 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 100m	A6SE (SW)	805	2	429400 582300
30	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth Stw, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/B/0278 Permit Version: 1 Effective Date: 15th September 1982 Issued Date: 15th September 1982 Revocation Date: 25th December 1990 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Rivers (Prevention of Pollution) Act 1951-1961** Positional Accuracy: Located by supplier to within 10m	A6SE (SW)	805	2	429400 582300
30	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth Stw, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/B/0279 Permit Version: 1 Effective Date: 15th September 1982 Issued Date: 15th September 1982 Revocation Date: 25th December 1990 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Rivers (Prevention of Pollution) Act 1951-1961** Positional Accuracy: Located by supplier to within 10m	A6SE (SW)	805	2	429400 582300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
31	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Barrington Park Ps., Front Street, East Sleekburn, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0920 Permit Version: 1 Effective Date: 5th March 1990 Issued Date: 5th March 1990 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: Sleek Burn **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A10NW (W)	824	2	428956 583240
32	**Discharge Consents** Operator: Robinson Brothers Limited Property Type: MAKING OF CHEMICALS + CHEMICAL PRODUCTS Location: Robinson Brothers Limited Cambois Industrial Estate, West Sleekburn, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0984 Permit Version: 1 Effective Date: 7th April 1992 Issued Date: 7th April 1992 Revocation Date: 22nd January 2002 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth Tributary **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 100m	A14NE (NW)	839	2	429400 584200
32	**Discharge Consents** Operator: Robinson Brothers Limited Property Type: MAKING OF CHEMICALS + CHEMICAL PRODUCTS Location: Robinson Brothers Limited Cambois Industrial Estate, West Sleekburn, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0919 Permit Version: 1 Effective Date: 26th January 1990 Issued Date: 26th January 1990 Revocation Date: 7th April 1992 Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Freshwater Stream/River Receiving Water: Blyth, Tributary Of **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A14NE (NW)	839	2	429400 584200
33	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Sewage Disposal Works - Water Company Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 3 Effective Date: 8th August 2000 Issued Date: 6th April 1990 Revocation Date: 10th September 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 10m	A6SE (SW)	843	2	429440 582240

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Sewage Disposal Works - Water Company Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 5 Effective Date: 1st November 2000 Issued Date: 6th April 1990 Revocation Date: 31st December 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A6SE (SW)	843	2	429440 582240
33	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Undefined Or Other Location: Blyth And Cramlington Sewage Works, Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/0709 Permit Version: 6 Effective Date: 6th April 1990 Issued Date: 6th April 1990 Revocation Date: 1st January 2001 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A6SE (SW)	843	2	429440 582240
34	**Discharge Consents** Operator: Byzac Contractors Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Blyth Stw, Coniston Road, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1168 Permit Version: 1 Effective Date: 21st December 1999 Issued Date: 21st December 1999 Revocation Date: Not Supplied Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Saline Estuary Receiving Water: River Blyth(Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	A6SE (SW)	864	2	429330 582270
35	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cowpen, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/B/0026 Permit Version: 1 Effective Date: 4th November 1963 Issued Date: 4th November 1963 Revocation Date: 25th December 1965 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	A6SW (SW)	976	2	429000 582400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Cowpen, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/B/0027 Permit Version: 1 Effective Date: 4th November 1963 Issued Date: 4th November 1963 Revocation Date: 25th December 1965 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Transferred from Rivers (Prevention of Pollution) Act 1951-1961** Positional Accuracy: Located by supplier to within 10m	A6SW (SW)	976	2	429000 582400
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: Bi1714 Dated: 5th April 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation revoked** Positional Accuracy: Unknown	A12SW (E)	0	2	430188 583207
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: BH9221 Dated: 28th February 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430183 583202
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: BG8238 Dated: 26th January 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430183 583207
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: BG3724 Dated: 28th June 1999 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430183 583212
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: BF8623 Dated: 23rd April 1999 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430188 583212

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station Welwyn Components Si, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: BD6395 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430193 583212
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: AW0547 Dated: 9th July 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430193 583207
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: AV8259 Dated: 27th June 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430193 583202
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: AS7892 Dated: 8th March 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430188 583202
36	**Integrated Pollution Controls** Name: Hackremo (No 1558) Ltd (Dissolved) Location: Blyth Power Station, Welwyn Components Site, BEDLINGTON, Northumberland, NE22 7BW Authority: Environment Agency, North East Region Permit Reference: AA2496 Dated: 8th April 1993 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Manually positioned to the road within the address or location	A12SW (E)	0	2	430188 583207
37	**Local Authority Pollution Prevention and Controls** Name: James of Bedlington Ltd Location: West Sleekburn Works, West Sleekburn, BEDLINGTON, Northumberland, NE22 7DJ Authority: Northumberland Council, Environmental Health Department Permit Reference: EPA4/93 Dated: 5th July 1993 Process Type: Local Authority Air Pollution Control Description: PG3/8 Quarry processes including roadstone plants and the size reduction of bricks, tiles and concrete **Status: Authorised** Positional Accuracy: Manually positioned to the road within the address or location	A15SE (NE)	473	3	430135 583863

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	**Local Authority Pollution Prevention and Controls** Name: James Of Bedlington Ltd Location: West Sleekburn Works, West Sleekburn, Bedlington, Northumberland, Ne22 7dj Authority: Northumberland Council, Environmental Health Department Permit Reference: Epa4/93 Dated: 5th July 1993 Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement **Status: Authorised** Positional Accuracy: Manually positioned within the geographical locality	A15SE (NE)	473	3	430135 583863
38	**Local Authority Pollution Prevention and Controls** Name: Bates Staithes Dp Location: Hospital Road, Blythe, Northumberland, NE24 Authority: Northumberland Council, Environmental Health Department Permit Reference: EPSE/015 Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG3/5 Coal, coke and coal product processes **Status: Authorised** Positional Accuracy: Located by supplier to within 100m	A8SE (SE)	575	3	430500 582500
39	**Local Authority Pollution Prevention and Controls** Name: Travis Perkins Location: Spencer Road, BLYTH, Northumberland, NE24 5TG Authority: Northumberland Council, Environmental Health Department Permit Reference: EPN/BV/122 Dated: 31st December 1992 Process Type: Local Authority Pollution Prevention and Control Description: Part B process (no specific reference) **Status: Permitted** Positional Accuracy: Located by supplier to within 10m	A7SE (S)	690	3	430081 582317
40	**Local Authority Pollution Prevention and Controls** Name: Blyth Service Station Location: Cowpen Road, BLYTH, Northumberland, NE24 5SU Authority: Northumberland Council, Environmental Health Department Permit Reference: EPSE12/014 Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station **Status: Permitted** Positional Accuracy: Automatically positioned to the address	A4NW (S)	978	3	430193 582019
	Nearest Surface Water Feature	A12SW (E)	0	-	430469 583121
41	**Pollution Incidents to Controlled Waters** Property Type: Construction/Demolition Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Cow Gut Incident Date: 12th November 1991 Incident Reference: 226/000959 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Other Cause Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A12NW (E)	17	2	430400 583395
42	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Cow Gut Incident Date: 22nd February 1993 Incident Reference: 226/001736 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Oil General Spillage Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A12NW (NE)	114	2	430400 583500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 29th January 1994 Incident Reference: 226/002190 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Oil Pipeline (Industrial) Spillage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (E)	172	2	430700 583195
44	**Pollution Incidents to Controlled Waters** Property Type: Road Location: Adjacent To Blyth Power Station Authority: Environment Agency, North East Region Pollutant: Oils - Petrol Note: Pollution Found; No Fish Killed Incident Date: 23rd November 1996 Incident Reference: NN960204 Catchment Area: Blyth Receiving Water: Saline Estuary Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A11NW (NW)	205	2	429600 583500
45	**Pollution Incidents to Controlled Waters** Property Type: Vessel Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 1st September 1991 Incident Reference: 226/000841 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Oil Boat/Ship Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	325	2	430600 582800
46	**Pollution Incidents to Controlled Waters** Property Type: Other General Premises Location: CAMBOIS Authority: Environment Agency, North East Region Pollutant: Not Given Note: North Sea Incident Date: 27th May 1991 Incident Reference: 225/000656 Catchment Area: Not Given Receiving Water: Coastal Water Cause of Incident: Sewage - Other Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A12NE (E)	361	2	430800 583400
47	**Pollution Incidents to Controlled Waters** Property Type: Vessel Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Incident Date: 23rd July 1991 Incident Reference: 226/000761 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Oil Boat/Ship Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	494	2	430800 582700
48	**Pollution Incidents to Controlled Waters** Property Type: Construction/Demolition Location: Hospital Road Blyth Bates Colliery Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 3rd September 1992 Incident Reference: 226/001505 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Other Cause Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8SE (SE)	575	2	430500 582500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
49	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: CAMBOIS Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 18th February 1992 Incident Reference: 226/001095 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Other Oil Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	582	2	430800 582600
50	**Pollution Incidents to Controlled Waters** Property Type: Miscellaneous Premises: Unknown Location: CAMBOIS Authority: Environment Agency, North East Region Pollutant: Not Given Note: Unnamed Tributary To North Sea Incident Date: 27th November 1991 Incident Reference: 226/000967 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A16NW (N)	795	2	430200 584200
51	**Pollution Incidents to Controlled Waters** Property Type: Other General Premises Location: Cambois Outfall Authority: Environment Agency, North East Region Pollutant: Not Given Note: North Sea Incident Date: 18th July 1990 Incident Reference: 225/000193 Catchment Area: Not Given Receiving Water: Coastal Water Cause of Incident: Sewage - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A16NE (NE)	821	2	430500 584200
52	**Pollution Incidents to Controlled Waters** Property Type: Industrial: Other Location: Location Description Not Available Authority: Environment Agency, North East Region Pollutant: Oils - Black Fuel Oil Note: No Fish Killed Incident Date: 22nd August 1995 Incident Reference: NN950045 Catchment Area: Wansbeck Receiving Water: Coastal Water Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A16NE (NE)	903	2	430800 584200
53	**Pollution Incidents to Controlled Waters** Property Type: Other General Premises Location: CAMBOIS Authority: Environment Agency, North East Region Pollutant: Not Given Note: North Sea Incident Date: 26th May 1993 Incident Reference: 226/001913 Catchment Area: Not Given Receiving Water: Coastal Water Cause of Incident: Sewage - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A20SE (NE)	962	2	430700 584300
54	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Tributary Incident Date: 19th June 1992 Incident Reference: 226/001378 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Other Industrial Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (N)	984	2	429500 584400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A7NE (S)	208	2	430014 582747
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A11SW (SW)	212	2	429540 582924
55	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, North East Area Incident Date: 15th May 2003 Incident Reference: 158438 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Oils - Diesel (Including Agricultural)	A7SW (S)	688	2	429606 582350
56	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, North East Area Incident Date: 12th August 2008 Incident Reference: 613027 Water Impact: Category 3 - Minor Incident Air Impact: Category 3 - Minor Incident Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants And Effects: Chemical Odour Pollutant: Organic Chemicals : Other Organic Wastes	A16NE (NE)	825	2	430690 584160
57	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, North East Area Incident Date: 22nd April 2015 Incident Reference: 1331068 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Organic Chemicals/Products: Surfactants And Detergents	A18SE (NW)	914	2	429366 584266
58	**Water Abstractions** Operator: National Power Plc Licence Number: 1/22/06/015 Permit Version: 100 Location: River Blyth Authority: Environment Agency, North East Region Abstraction: Production of Energy: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Tidal Daily Rate (m3): 2704870 Yearly Rate (m3): 943295000 Details: Blyth 'A' And 'B' Power Stations, Northumberland. Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 6th December 1990 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SE (E)	48	2	430550 583200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
59	**Water Abstractions** Operator: National Power Plc Licence Number: 1/22/06/015 Permit Version: 100 Location: River Blyth Authority: Environment Agency, North East Region Abstraction: Production of Energy: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Tidal Daily Rate (m3): 2704870 Yearly Rate (m3): 943295000 Details: Blyth 'A' And 'B' Power Stations, Northumberland. Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 6th December 1990 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12NE (E)	147	2	430620 583280
60	**Water Abstractions** Operator: The Coal Authority Licence Number: Ne/022/0006/001 Permit Version: 1 Location: Bates No. 3 Mineshaft Authority: Environment Agency, North East Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 9th July 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	610	2	430590 582510
60	**Water Abstractions** Operator: The Coal Authority Licence Number: Ne/022/0006/001 Permit Version: 1 Location: Mineshaft - Bates No 3 Authority: Environment Agency, North East Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 9th July 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	610	2	430590 582510
61	**Water Abstractions** Operator: The Coal Authority Licence Number: Ne/022/0006/001/R01 Permit Version: 1 Location: Mineshaft - Bates No 3 Authority: Environment Agency, North East Region Abstraction: Environmental: Pump & Treat: Pollution Remediation Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 12th April 2017 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	796	2	430496 582255

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: No Data	A12SW (SE)	0	4	430200 583000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: No Data	A11SE (SE)	0	4	430000 582915
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: Low	A11SE (W)	0	4	429861 583222
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: No Data	A11SE (E)	0	4	430000 583222
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A11SE (W)	0	4	429861 583222
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A11SE (E)	0	4	430000 583222
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A11SE (W)	0	4	429861 583222

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A11SE (E)	0	4	430000 583222
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A11SE (SE)	0	4	430000 582915
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (SW)	0	2	429718 582972
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (SW)	0	2	429700 582982
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
62	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 20.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A12SE (E)	0	5	430522 583145
63	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (NW)	3	5	429784 583259
64	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 164.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A12NW (E)	10	5	430394 583400
65	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (W)	15	5	429772 583241
66	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 163.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (NW)	15	5	429791 583272
67	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 49.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (W)	19	5	429768 583236

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
68	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 394.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A12NW (NE)	20	5	430377 583441
69	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 182.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NE (NE)	42	5	429966 583431
70	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	52	5	429736 583202
71	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	57	5	429730 583203
72	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 304.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NE (NW)	57	5	429818 583311
73	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	62	5	429726 583181
74	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	73	5	429715 583206
75	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	82	5	429705 583208
76	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 769.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A12NE (E)	89	5	430549 583344

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
77	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (W)	93	5	429692 583261
78	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	98	5	429689 583212
79	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	102	5	429685 583213
80	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	106	5	429681 583214
81	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 68.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (SW)	113	5	429670 583105
82	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (SW)	113	5	429673 583110
83	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 898.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sleek Burn Catchment Name: Pont and Blyth Primacy: 1	A11SW (SW)	140	5	429653 582924
84	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 709.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Blyth Catchment Name: Pont and Blyth Primacy: 1	A7NE (SE)	153	5	430109 582758
85	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (NW)	166	5	429644 583344

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
86	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 95.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (W)	168	5	429619 583260
87	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (NW)	169	5	429642 583346
88	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 85.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	223	5	429564 583227
89	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (W)	238	5	429549 583241
90	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 65.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11NW (W)	242	5	429545 583237
91	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 692.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Blyth Catchment Name: Pont and Blyth Primacy: 1	A7NE (SE)	258	5	430108 582758
92	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	277	5	429512 583180
93	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	277	5	429512 583180
94	**OS Water Network Lines** Watercourse Form: Foreshore Watercourse Length: 28.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	291	5	429498 583168

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
95	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 4.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A11SW (W)	303	5	429476 583150
96	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 694.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sleek Burn Catchment Name: Pont and Blyth Primacy: 1	A11SW (W)	305	5	429472 583148
97	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 35.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A16SW (NE)	334	5	430239 583749
98	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A16SW (NE)	334	5	430273 583741
99	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.7 Watercourse Level: Underground Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A16SW (NE)	342	5	430221 583753
100	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A16SW (NE)	348	5	430207 583756
101	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.0 Watercourse Level: Underground Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A16SW (NE)	352	5	430205 583756
102	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 68.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SE (NE)	353	5	430136 583763
103	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A16SW (NE)	368	5	430201 583784

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
104	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 238.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A16SW (NE)	368	5	430272 583776
105	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 51.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	375	5	429870 583832
106	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 169.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	376	5	429827 583841
107	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 169.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	377	5	430070 583788
108	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.8 Watercourse Level: Underground Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	383	5	429894 583835
109	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 79.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	386	5	429978 583822
110	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 246.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A16SW (NE)	386	5	430158 583794
111	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 33.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SW (N)	391	5	429676 583833
112	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 117.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	395	5	429873 583852

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
113	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 280.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15SW (N)	396	5	429802 583861
114	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: Underground Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SW (N)	400	5	429642 583830
115	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	402	5	429893 583855
116	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	404	5	429901 583855
117	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 235.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15SW (N)	412	5	429640 583843
118	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 114.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15SW (N)	418	5	429674 583861
119	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 514.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15SE (N)	436	5	429949 583875
120	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	495	5	429858 583955
121	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 2165.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Blyth Catchment Name: Pont and Blyth Primacy: 1	A8NE (SE)	524	5	430699 582621

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
122	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 327.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NW (N)	533	5	429698 583987
123	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 233.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NW (N)	537	5	429672 583984
124	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 124.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	541	5	429839 584003
125	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15NW (NW)	567	5	429499 583942
126	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 232.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NW (NW)	567	5	429499 583942
127	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.3 Watercourse Level: Underground Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A15NW (NW)	567	5	429499 583942
128	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 339.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Blyth Catchment Name: Pont and Blyth Primacy: 1	A7SW (S)	579	5	429558 582478
129	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1622.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A7SW (S)	579	5	429558 582478
130	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 165.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A16NW (NE)	593	5	430295 584000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
131	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 22.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A14NE (NW)	597	5	429468 583958
132	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 301.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	599	5	430111 584000
133	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 415.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A14NE (NW)	617	5	429450 583970
134	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 33.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A16NW (NE)	657	5	430292 584068
135	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 232.7 Watercourse Level: Underground Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A16NW (NE)	657	5	430325 584062
136	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 33.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A16NW (NE)	661	5	430292 584068
137	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	664	5	429848 584126
138	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 137.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NW (N)	667	5	429772 584130
139	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 27.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	672	5	429848 584135

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
140	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 119.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A16NW (NE)	693	5	430288 584101
141	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 381.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A16NW (NE)	694	5	430290 584102
142	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A16NE (NE)	724	5	430556 584090
143	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 59.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	758	5	430131 584178
144	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A16NW (N)	758	5	430189 584162
145	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 86.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	764	5	430046 584188
146	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	776	5	430131 584178
147	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NW (N)	778	5	429485 584174
148	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 452.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A16NW (N)	780	5	430157 584189

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
149	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	788	5	430126 584192
150	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	789	5	430136 584194
151	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	793	5	430133 584196
152	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 402.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A15NW (N)	795	5	429484 584192
153	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 72.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A15NE (N)	795	5	430124 584199
154	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 275.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A19SE (N)	801	5	429838 584263
155	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 380.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A6SE (SW)	836	5	429288 582328
156	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 1028.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Blyth Catchment Name: Pont and Blyth Primacy: 1	A6SE (SW)	846	5	429261 582334
157	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 315.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A14NE (N)	847	5	429454 584236

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
158	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 159.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 2	A19SE (N)	860	5	430111 584270
159	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 283.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Maw Burn Catchment Name: Pont and Blyth Primacy: 1	A19SE (N)	860	5	430111 584270
160	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 497.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Sleek Burn Catchment Name: Pont and Blyth Primacy: 1	A10NW (W)	883	5	428898 583254
161	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 85.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A10NW (W)	883	5	428898 583254
162	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 148.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A19SW (N)	941	5	429633 584389
163	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 482.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Pont and Blyth Primacy: 1	A10NW (W)	948	5	428827 583236
164	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 400.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cow Gut Catchment Name: Pont and Blyth Primacy: 1	A14NW (NW)	996	5	429076 584145

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
165	**Historical Landfill Sites** Licence Holder: James Cowan (Contractors) Limited Location: North Blyth, Northumberland Name: North Blyth Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD06703 First Input Date: 1st July 1978 Last Input Date: 31st December 1978 Specified Waste Type: Deposited Waste included Inert Waste EA Waste Ref: 67286 Regis Ref: NBL/L/JAM001 WRC Ref: 2900/0042 BGS Ref: Not Supplied Other Ref: NBL/022	A12SE (E)	27	2	430556 583161
166	**Historical Landfill Sites** Licence Holder: Innogy Plc Location: Land Adjacent To Blyth Power Station, Bedlington, Northumberland Name: Blyth Power Station Operator Location: Blyth Power Station, Bedlington, Northumberland Boundary Accuracy: As Supplied Provider Reference: EAHLD06424 First Input Date: 31st December 1993 Last Input Date: Not Supplied Specified Waste Type: Deposited Waste included Industrial Waste EA Waste Ref: 67373 Regis Ref: YO1/L/INN001 WRC Ref: 2900/0015 BGS Ref: Not Supplied Other Ref: NBL/117	A15SE (N)	339	2	430081 583777
167	**Licensed Waste Management Facilities (Landfill Boundaries)** Name: Blyth Power Station Ash Mound Licence Number: 67373 Location: Land Adjacent To Blyth Power Station, Bedlington, Northumberland, NE22 7BW Licence Holder: Innogy Plc Authority: Environment Agency - North East Region, Northumbria Area Site Category: Industrial Waste Landfills Max Input Rate: Large (Equal to or greater than 75,000 tonnes per year) **Licence Status: Inactive** Issued: 10th November 1992 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	A15SE (N)	339	2	430081 583777
168	**Licensed Waste Management Facilities (Locations)** Licence Number: 67373 Location: Land Adjacent To Blyth Power Station, Bedlington, Northumberland, NE22 7BW Operator Name: Innogy Plc Operator Location: Not Supplied Authority: Environment Agency - North East Region, North East Area Site Category: Industrial Waste Landfills **Licence Status: Surrendered** Issued: 10th November 1992 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 20th July 2004 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A15NE (N)	789	2	430100 584200
169	**Licensed Waste Management Facilities (Locations)** Licence Number: 64033 Location: Cowley Road Depot, Cowley Road, Blyth Industrial Est, Blyth, Northumberland, NE24 5TF Operator Name: Northumberland County Council Operator Location: Not Supplied Authority: Environment Agency - North East Region, North East Area Site Category: Household, Commercial And Industrial Transfer Stations **Licence Status: Modified** Issued: 22nd April 2002 Last Modified: 27th September 2016 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A3NE (S)	825	2	429850 582200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Wansbeck District Council - Has supplied landfill data		0	7	429861 583222
	Local Authority Landfill Coverage Name: Northumberland County Council - Has supplied landfill data		0	6	429861 583222
	Local Authority Landfill Coverage Name: Blyth Valley Borough Council - Has no landfill data to supply		316	8	430072 582658
170	**Potentially Infilled Land (Non-Water)** Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	A8NW (SE)	360	13	430155 582621
171	**Potentially Infilled Land (Non-Water)** Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	A16NW (NE)	708	13	430416 584100
172	**Potentially Infilled Land (Non-Water)** Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	A8SE (SE)	830	13	430707 582306
173	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1949	A12NW (E)	0	13	430394 583401
174	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1949	A12NE (E)	34	13	430526 583247
175	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1949	A12NE (E)	69	13	430503 583379
176	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1993	A11SE (S)	135	13	429878 582910
177	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1993	A12SE (E)	145	13	430597 582988
178	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1949	A15SE (N)	284	13	429833 583749
179	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1865	A16SW (NE)	374	13	430247 583781
180	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1993	A8NE (E)	380	13	430811 582852
181	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A7NW (SW)	400	13	429554 582676
182	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1949	A7SE (S)	453	13	430103 582555
183	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A15NE (N)	607	13	429817 584070
184	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1865	A16NW (NE)	652	13	430370 584057
185	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1949	A16NW (NE)	671	13	430395 584066
186	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A7SW (S)	694	13	429603 582344

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
187	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1924	A16NW (NE)	697	13	430303 584104
188	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A15NE (N)	766	13	430003 584202
189	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1951	A3NW (S)	851	13	429627 582180
190	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A19SE (N)	951	13	429904 584409
191	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A4NW (S)	993	13	430164 582004
192	**Registered Landfill Sites** Licence Holder: National Power Plc Licence Reference: NBL 117 Site Location: Blyth Power Stations, BEDLINGTON, Northumberland, NE22 7BW Licence Easting: 430150 Licence Northing: 584300 Operator Location: As Site Address Authority: Environment Agency - North East Region, Northumbria Area Site Category: Landfill Max Input Rate: Very Large (Equal to or greater than 250,000 tonnes per year) Waste Source Restrictions: Only waste produced on site Status: Operational as far as is knownOperational Dated: 10th November 1992 Preceded By Licence: Not Given Superseded By Licence: Not Given Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Furnace Bottom Ash Pulverised Fuel Ash Prohibited Waste: Liable To Cause Environmental Hazards Poisonous, Noxious, Polluting Wastes Spec.Waste (Epa'90:S62/1996 Regs)	A20SW (N)	898	2	430150 584300
193	**Registered Waste Transfer Sites** Licence Holder: Northumbrian Water Ltd Licence Reference: NBL 166 Site Location: Cowley Road, Blyth Industrial Estate, BLYTH, Northumberland, NE24 5TF Operator Location: As Site Address Authority: Environment Agency - North East Region, Northumbria Area Site Category: Transfer Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Licence Status: Licence has completion certificateSurrendered Dated: 14th January 1998 Preceded By Licence: NBL 166 Superseded By Licence: Not Given Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Max.Waste Permitted By Licence Ukw210000 Inert Mat'Ls Comprising Ukw210100 Nat.Occ.Rocks Top/Subsoil Ukw210200 Ceramic/Cemented Mat'Ls Ukw210300 Proc./Prepared Minerals Ukw220000 Gen./Biodegrad. Comprising Ukw220100 Nat.Occ Rock/Soil Organ.Mat Ukw220200 Constr'N/Demol.Waste Ukw220300 Plaster Containing Waste Ukw230000 Metals Comprising Ukw230100 Ferrous Metal Ukw230200 Non-Ferrous Metal Prohibited Waste: Spec.Waste (Epa'90:S62/1996 Regs) Waste N.O.S.	A3NE (S)	937	2	429870 582090

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Registered Waste Transfer Sites				
193	Licence Holder: Northumbrian Water Ltd Licence Reference: NBL 166 Site Location: Cowley Road, Blyth Industrial Estate, BLYTH, Northumberland, NE24 5TF Operator Location: As Site Address Authority: Environment Agency - North East Region, Northumbria Area Site Category: Transfer Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Licence Status: Record supersededSuperseded Dated: 15th July 1994 Preceded By Licence: Not Given Superseded By Licence: NBL 166 Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Max.Waste Permitted By Licence Paper Plastic Rubble Scrap Metal Soil, Excavtion Waste Wood Prohibited Waste: Spec.Waste (Epa'90:S62/1996 Regs) Sub'S Of Poisonous Or Harmful Nature Waste N.O.S.	A3NE (S)	937	2	429870 582090

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
194	**Notification of Installations Handling Hazardous Substances (NIHHS)** Name: National Power Location: Blyth Power Station, BEDLINGTON, Northumberland, NE22 7BW **Status: Not Active** Positional Accuracy: Automatically positioned in the proximity of the address	A12NW (E)	0	9	430317 583367
195	**Planning Hazardous Substance Consents** Name: Blyth Harbour Commission Location: Battleship Wharf, North Blyth, Bedlington, Northumberland Authority: Northumberland Council, Planning Department Application Ref: 03/00396/Hazard Hazardous Substance: Ammonium nitrate based fertilisers which conform to the Fertilisers Regulations 1991(a) and composite fertilisers containing phosphate and/or potash (where nitrogen content is more than 28% by weight) Maximum Quantity: 4999 Application date: 5th August 2003 **Decision: Deemed Consent GrantedGranted** Positional Accuracy: Manually positioned within the geographical locality	A12NE (E)	121	10	430562 583363
196	**Planning Hazardous Substance Consents** Name: Geo Group Ltd Location: Bates Terminal, Chain Ferry Road, Blyth, Northumberland Authority: Northumberland Council, Planning Department Application Ref: 15/00496/HAZARD Hazardous Substance: Part A, Toxic Substance, Hydrogen chloride (liquefied gas), where amount held is greater than or equal to 250 tonnes Maximum Quantity: 0 Application date: 19th January 2015 **Decision: Deemed Consent GrantedGranted** Positional Accuracy: Manually positioned to the address or location	A8SW (SE)	611	10	430469 582444

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	A11SE (W)	0	1	429861 583222
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SE (E)	0	1	430000 583222
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NE (E)	0	1	430000 583269
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SE (W)	0	1	429861 583222
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NE (NE)	0	1	429927 583305
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A12SW (SE)	0	1	430200 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A12SW (SE)	0	1	430154 582981

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SW (SE)	4	1	430157 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SE (S)	20	1	429861 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NE (N)	37	1	429861 583500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SE (SE)	43	1	430000 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SE (SE)	54	1	430000 582915
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SW (SW)	63	1	429707 582979

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SE (E)	63	1	430603 583143
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11NW (NW)	90	1	429720 583500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 1.8 - 2.2 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SW (SW)	91	1	429663 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A12SE (E)	118	1	430500 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SE (E)	138	1	430608 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A12SE (E)	197	1	430713 583228

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SW (SW)	201	1	429584 582904
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SW (SW)	225	1	429543 582938
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A12NE (E)	235	1	430634 583512
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12NE (E)	235	1	430747 583244
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SW (W)	251	1	429500 583180
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SW (SW)	252	1	429500 583000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SW (SW)	253	1	429499 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SW (SW)	253	1	429496 583011
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A7NW (SW)	284	1	429500 582891
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11SW (W)	286	1	429500 583222
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A12SE (E)	292	1	430809 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A7NW (S)	313	1	429798 582709

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A7NE (S)	321	1	429818 582705
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A7NE (S)	321	1	430000 582750
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A7NW (SW)	411	1	429500 582699
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A7NW (SW)	520	1	429500 582569
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: no data Cadmium Concentration: <1.8 mg/kg Chromium Concentration: no data Lead Concentration: <100 mg/kg Nickel Concentration: no data	(NE)	630	1	430851 583901
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8SE (SE)	645	1	430722 582501

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A10SW (W)	751	1	429000 583146
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A10NW (W)	782	1	429000 583241
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A20SW (N)	783	1	430233 584245
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A6NW (SW)	784	1	429000 582798
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A10NW (W)	801	1	429000 583500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8SE (SE)	818	1	430652 582308

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A3NE (S)	855	1	430018 582077
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A3NE (S)	856	1	429888 582172
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A14NE (NW)	870	1	429305 584177
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A10NW (W)	879	1	428922 583500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A4NW (SE)	890	1	430478 582032
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	A3NE (S)	904	1	429817 582118

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A3NE (S)	907	1	430000 582113
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A3NE (S)	909	1	430036 582079
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 2.2 - 3.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A3NW (S)	925	1	429662 582101
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NW (NW)	965	1	429000 584000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: 3.0 - 6.0 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	A9SE (W)	979	1	428779 582909
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A3NE (S)	996	1	429861 582000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A19SW (N)	1000	1	429674 584455
197	**BGS Recorded Mineral Sites** Site Name: Bates Colliery, No. 2 Pit Location: Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 223968 Type: Underground **Status: Ceased** Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pennine Coal Measures Group Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	796	1	430490 582252
198	**BGS Recorded Mineral Sites** Site Name: Bates Colliery, No. 2 Pit Location: Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 223967 Type: Underground **Status: Ceased** Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pennine Coal Measures Group Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	829	1	430619 582276
199	**BGS Recorded Mineral Sites** Site Name: Cowpen Location: Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 115746 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pennine Middle Coal Measures Formation Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A8SE (SE)	856	1	430750 582290
200	**BGS Recorded Mineral Sites** Site Name: Cowpen Colliery (B Pit) Location: Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 223969 Type: Underground **Status: Ceased** Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pennine Coal Measures Group Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A4NE (SE)	885	1	430532 582173
200	**BGS Recorded Mineral Sites** Site Name: Bates Colliery, North (No. 1) Pit Location: Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 5105 Type: Underground **Status: Ceased** Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pennine Coal Measures Group Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A4NE (SE)	912	1	430530 582144

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
200	**BGS Recorded Mineral Sites** Site Name: Cowpen Colliery (B Pit) Location: Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 223970 Type: Underground **Status: Ceased** Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pennine Coal Measures Group Commodity: Coal - Deep Positional Accuracy: Located by supplier to within 10m	A4NE (SE)	928	1	430514 582121
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A11SE (W)	0	11	429861 583222
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A11SE (W)	0	-	429861 583222
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	0	1	430000 582915
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	429861 583222
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (E)	0	1	430000 583222
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SW (SW)	63	1	429707 582979
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (E)	0	1	430000 583222
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	429861 583222
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	0	1	430000 582915
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SW (SW)	63	1	429707 582979
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	429861 583222
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (E)	0	1	430000 583222
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	0	1	430055 582940
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	429861 583222

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (E)	0	1	430000 583222
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A12SW (SE)	18	1	430252 583030
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	24	1	430375 583083
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A12SW (E)	48	1	430318 583056
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A12NW (E)	49	1	430402 583434
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SW (SW)	65	1	429692 582994
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A12NW (E)	81	1	430462 583454
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SW (SW)	99	1	429651 583012
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	162	1	430000 582909
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	174	1	430011 582917
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A7NW (SW)	250	1	429669 582788
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (E)	0	1	430000 583222
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	429861 583222
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	0	1	430000 582915
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SW (SW)	63	1	429707 582979
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A12NE (E)	235	1	430634 583512
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (SE)	0	1	430000 582915
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	429861 583222
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SE (E)	0	1	430000 583222
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	84	1	429886 582928
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12NE (E)	235	1	430634 583512

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	429861 583222
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11SE (E)	0	1	430001 583222
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11SE (W)	0	1	429861 583222
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11SE (E)	0	1	430001 583222

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
201	**Contemporary Trade Directory Entries** Name: National Power Plc Location: Blyth Power Station, Bedlington, Northumberland, NE22 7BW Classification: Electricity Companies **Status: Inactive** Positional Accuracy: Automatically positioned in the proximity of the address	A12NW (E)	0	-	430317 583367
202	**Contemporary Trade Directory Entries** Name: James Dent Design & Print Location: Unit 28c, Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Printers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SE (S)	604	-	430097 582402
202	**Contemporary Trade Directory Entries** Name: Tyne Tees Bird & Pest Control Ltd Location: Unit 27e, Spencer Road, Blyth, NE24 5TG Classification: Pest & Vermin Control **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SE (S)	642	-	430090 582365
202	**Contemporary Trade Directory Entries** Name: Tyne Tees Environmental Services Ltd Location: Unit 27e, Spencer Road, Blyth, NE24 5TG Classification: Pest & Vermin Control **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SE (S)	642	-	430090 582365
202	**Contemporary Trade Directory Entries** Name: Site Machining Services Location: Unit 27g, Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Engineers - General **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SE (S)	650	-	430070 582360
202	**Contemporary Trade Directory Entries** Name: Intek Location: 27f-27g, Unit, Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Adhesives, Glues & Sealants **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SE (S)	650	-	430070 582360
202	**Contemporary Trade Directory Entries** Name: Amcrem Engineering Ltd Location: Unit 27f, Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Engineers - General **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A7SE (S)	650	-	430070 582360
202	**Contemporary Trade Directory Entries** Name: Site Machining Services Location: Unit 27g, Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Machinery - Industrial & Commercial **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SE (S)	650	-	430070 582360
202	**Contemporary Trade Directory Entries** Name: M P Precision Location: Blyth, NE24 5TG Classification: Engineering Machine Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A7SE (S)	661	-	430064 582350
203	**Contemporary Trade Directory Entries** Name: Aidcall Location: Unit 10, Cowley Road, Blyth Riverside Business Park, Blyth, NE24 5TF Classification: Medical Equipment Manufacturers **Status: Active** Positional Accuracy: Automatically positioned to the address	A7SW (S)	654	-	429796 582367
203	**Contemporary Trade Directory Entries** Name: Tynetec Location: Unit 10, Cowley Road, Blyth Riverside Business Park, Blyth, Northumberland, NE24 5TF Classification: Electronic Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SW (S)	658	-	429795 582363

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
203	**Contemporary Trade Directory Entries** Name: Advanced Packaging Materials Ltd Location: Unit 10, Cowley Road, Blyth, Northumberland, NE24 5TF Classification: Packaging Materials Manufacturers & Suppliers **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A7SW (S)	658	-	429795 582363
204	**Contemporary Trade Directory Entries** Name: Automotive Evolution Ltd Location: Unit 16b, Cowley Road, Blyth Riverside Business Park, Blyth, NE24 5TF Classification: Garage Services **Status: Active** Positional Accuracy: Automatically positioned to the address	A7SE (S)	663	-	429892 582371
204	**Contemporary Trade Directory Entries** Name: Rolls Precision Contractors Location: Unit 16c, Cowley Road, Blyth, Northumberland, NE24 5TF Classification: Precision Engineers **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A7SE (S)	673	-	429894 582361
205	**Contemporary Trade Directory Entries** Name: Sea Bunkering Ltd Location: Bates Terminal Chain,Ferry Road, Blyth, Northumberland, NE24 5SY Classification: Oil Fuel Distributors **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A8SE (SE)	720	-	430628 582404
206	**Contemporary Trade Directory Entries** Name: James Burrell Ltd Location: Blyth, NE24 5TG Classification: Builders' Merchants **Status: Active** Positional Accuracy: Automatically positioned to the address	A7SE (S)	732	-	429967 582304
207	**Contemporary Trade Directory Entries** Name: Redburn M O T & Service Centre Location: Unit 9a-9b, Cowley Road, Blyth Riverside Business Park, Blyth, NE24 5TF Classification: Mot Testing Centres **Status: Active** Positional Accuracy: Automatically positioned to the address	A7SW (S)	738	-	429749 582283
208	**Contemporary Trade Directory Entries** Name: Travis Perkins Plc Location: Unit 21a, Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Builders' Merchants **Status: Active** Positional Accuracy: Automatically positioned to the address	A7SE (S)	757	-	430098 582247
209	**Contemporary Trade Directory Entries** Name: Jewson Location: Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Builders' Merchants **Status: Active** Positional Accuracy: Automatically positioned to the address	A7SE (S)	776	-	430004 582247
209	**Contemporary Trade Directory Entries** Name: Howden'S Joinery Co Location: Unit 17d, Spencer Road, BLYTH, Northumberland, NE24 5TG Classification: Builders' Merchants **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SE (S)	813	-	429965 582220
210	**Contemporary Trade Directory Entries** Name: Advanced Packaging Materials Location: Unit 16a Blyth Riverside Business Park,Cowley Road, Blyth, Northumberland, NE24 5TF Classification: Packaging Materials Manufacturers & Suppliers **Status: Inactive** Positional Accuracy: Manually positioned within the geographical locality	A3NE (S)	816	-	429851 582210
211	**Contemporary Trade Directory Entries** Name: Universal Wolf Location: Unit 7-9, Spencer Road, Blyth, NE24 5TG Classification: Sheet Metal Work **Status: Active** Positional Accuracy: Automatically positioned to the address	A3NE (S)	830	-	429907 582204

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
212	**Contemporary Trade Directory Entries** Name: Tharsus Vision Ltd Location: Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Precision Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	859	-	430056 582150
212	**Contemporary Trade Directory Entries** Name: Symtol Engineering Ltd Location: Spencer Road, Blyth, Northumberland, NE24 5TG Classification: Precision Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	859	-	430056 582150
213	**Contemporary Trade Directory Entries** Name: Screwfix Location: Spencer Court, Blyth Riverside Business Park, Blyth, Northumberland, NE24 5TW Classification: Builders' Merchants **Status: Active** Positional Accuracy: Manually positioned to the address or location	A3NE (S)	885	-	429983 582139
214	**Contemporary Trade Directory Entries** Name: T C S Engineering Ltd Location: 18a, Unit BT9, Spencer Court, Blyth, Northumberland, NE24 5TW Classification: Engineers - General **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	888	-	429957 582144
214	**Contemporary Trade Directory Entries** Name: Ksguitars Ltd Location: Unit 18a,Spencer Rd, Blyth, Northumberland, NE24 5TG Classification: Musical Instrument - Manufacturers **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A3NE (S)	888	-	429956 582144
214	**Contemporary Trade Directory Entries** Name: Krozka Sharpe Guitars Location: 18a, Unit Bt9, Spencer Court, Blyth Riverside Business Park, Blyth, Northumberland, NE24 5TW Classification: Musical Instrument - Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	888	-	429957 582144
214	**Contemporary Trade Directory Entries** Name: Custom Joinery Location: 18a, Unit Bt9, Spencer Court, Blyth Riverside Business Park, Blyth, Northumberland, NE24 5TW Classification: Joinery Manufacturers **Status: Active** Positional Accuracy: Automatically positioned to the address	A3NE (S)	888	-	429957 582144
214	**Contemporary Trade Directory Entries** Name: T C S Engineering Ltd Location: Unit 18B,Spencer Rd, Blyth, Northumberland, NE24 5TG Classification: Engineers - General **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A3NE (S)	895	-	429958 582136
214	**Contemporary Trade Directory Entries** Name: Dbl Precision Engineering Location: Unit 17c, Spencer Court, Blyth Riverside Business Park, Blyth, Northumberland, NE24 5TW Classification: Precision Engineers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	912	-	429929 582124
214	**Contemporary Trade Directory Entries** Name: Air Compressor Company Location: Unit 17d, Spencer Court, Blyth Riverside Business Park, Blyth, NE24 5TW Classification: Air Compressors **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	921	-	429928 582115
214	**Contemporary Trade Directory Entries** Name: Tharsus Ltd Location: Birmayne House, Cowley Road, Blyth Riverside Business Park, Blyth, Northumberland, NE24 5TF Classification: Engineers - General **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	924	-	429881 582105

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
214	**Contemporary Trade Directory Entries** Name: Piggy Voucher Location: 19a, Spencer Court, Blyth, NE24 5TW Classification: Printers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	930	-	429965 582098
214	**Contemporary Trade Directory Entries** Name: Custom Location: 17f, Unit BT9, Spencer Court, Blyth, Northumberland, NE24 5TW Classification: Joinery Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	934	-	429932 582103
214	**Contemporary Trade Directory Entries** Name: Cornell Doors Location: Unit 21A,Spencer Rd, Blyth, Northumberland, NE24 5TG Classification: Roller Shutter Manufacturers **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	A3NE (S)	968	-	429934 582067
215	**Contemporary Trade Directory Entries** Name: Hytorc (Uk) Ltd Location: 24a, Spencer Court, Blyth, Northumberland, NE24 5TW Classification: Hydraulic Equipment & Accessories - Sales & Service **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	917	-	430022 582098
215	**Contemporary Trade Directory Entries** Name: Northeast Machines Location: Unit 23C, Spencer Court, Blyth, Northumberland, NE24 5TW Classification: Electronic Equipment - Manufacturers & Assemblers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	920	-	429986 582103
215	**Contemporary Trade Directory Entries** Name: Akroma Technical Services Ltd Location: 24b, Unit BT9, Spencer Court, Blyth, Northumberland, NE24 5TW Classification: Control Panel Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NE (S)	927	-	430022 582088
216	**Contemporary Trade Directory Entries** Name: Recycled Smt Ltd Location: Unit 4, Bentley Court, Coniston Road, Blyth Riverside Business Park, Blyth, Northumberland, NE24 4RL Classification: Electronic Equipment - Manufacturers & Assemblers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NW (S)	952	-	429636 582076
216	**Contemporary Trade Directory Entries** Name: Samui Sports Location: Unit 4, Bentley Court, Coniston Road, Blyth Riverside Business Park, Blyth, Northumberland, NE24 4RL Classification: Sports Equipment Manufacturers & Distributors **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NW (S)	952	-	429636 582076
216	**Contemporary Trade Directory Entries** Name: Astley Garage Location: Units 2-3 Bentley Court,Coniston Road, Blyth Riverside Business Park, Blyth, Northumberland, NE24 4RL Classification: Garage Services **Status: Active** Positional Accuracy: Manually positioned within the geographical locality	A3NW (S)	974	-	429640 582054
217	**Contemporary Trade Directory Entries** Name: Audus Noble Ltd Location: Cowpen Road, Blyth, Northumberland, NE24 5TD Classification: Plastic Products - Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NW (S)	959	-	429764 582061
218	**Contemporary Trade Directory Entries** Name: Jollyes - The Pet Superstore Blyth Location: Unit 1, Blyth Valley Retail Park, Cowpen Road, Blyth, NE24 5TP Classification: Pet Foods & Animal Feeds **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A3NW (S)	971	-	429693 582052

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
219	**Contemporary Trade Directory Entries** Name: Esso Location: Cowpen Road, Blyth, Northumberland, NE24 5SU Classification: Petrol Filling Stations **Status: Active** Positional Accuracy: Automatically positioned to the address	A4NW (S)	978	-	430193 582019
219	**Contemporary Trade Directory Entries** Name: Blyth Valley Garage Location: Cowpen Road, Blyth, Northumberland, NE24 5SU Classification: Garage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A4NW (S)	978	-	430193 582019
219	**Contemporary Trade Directory Entries** Name: Blyth Service Station Location: Cowpen Road, Blyth, Northumberland, NE24 5SU Classification: Car Dealers - Used **Status: Active** Positional Accuracy: Automatically positioned to the address	A4NW (S)	978	-	430193 582019
220	**Fuel Station Entries** Name: Blyth Service Station Location: Cowpen Road , , Blyth, Northumberland, NE24 5SU Brand: ESSO Premises Type: Petrol Station **Status: Open** Positional Accuracy: Automatically positioned to the address	A4NW (S)	977	-	430193 582019
220	**Fuel Station Entries** Name: Highway Service Station Location: Renwick Road , , Blyth, Northumberland, NE24 2RG Brand: Unbranded Premises Type: Not Applicable **Status: Obsolete** Positional Accuracy: Automatically positioned to the address	A4NW (S)	983	-	430192 582013
221	**Points of Interest - Commercial Services** Name: Tyne Tees Bird & Pest Control Ltd Location: Unit 27e, Spencer Road, Blyth, NE24 5TG Category: Contract Services Class Code: Pest and Vermin Control Positional Accuracy: Positioned to address or location	A7SE (S)	642	12	430090 582365
221	**Points of Interest - Commercial Services** Name: Tyne Tees Environmental Services Ltd Location: Unit 27e, Spencer Road, Blyth, NE24 5TG Category: Contract Services Class Code: Pest and Vermin Control Positional Accuracy: Positioned to address or location	A7SE (S)	643	12	430090 582364
221	**Points of Interest - Commercial Services** Name: A Johnston & Sons Ltd Location: Unit 26a, Spencer Road, Blyth, NE24 5TG Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A7SE (S)	684	12	430096 582321
222	**Points of Interest - Commercial Services** Name: Automotive Evolution Ltd Location: Unit 16b, Cowley Road, Blyth Riverside Business Park, Blyth, NE24 5TF Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7SE (S)	663	12	429892 582371
223	**Points of Interest - Commercial Services** Name: Redburn M O T & Service Centre Location: Unit 9a-9b, Cowley Road, Blyth Riverside Business Park, Blyth, NE24 5TF Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7SW (S)	738	12	429749 582283
224	**Points of Interest - Commercial Services** Name: Universal Wolf Location: Unit 7-9, Spencer Road, Blyth, NE24 5TG Category: Construction Services Class Code: Metalworkers Including Blacksmiths Positional Accuracy: Positioned to address or location	A3NE (S)	830	12	429907 582204

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
225	**Points of Interest - Commercial Services** Name: Astley Garage Location: Unit 4 Bentley Court Coniston Road, Blyth Industrial Estate, Blyth, NE24 4RL Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A3NW (S)	952	12	429636 582076
225	**Points of Interest - Commercial Services** Name: Astley Garage Location: Unit 4 Bentley Court, Coniston Road, Blyth Riverside Business Park, Blyth, NE24 4RL Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A3NW (S)	952	12	429661 582074
226	**Points of Interest - Commercial Services** Name: Hind Metal Work Location: Unit 17h, Spencer Court, Blyth Riverside Business Park, Blyth, NE24 5TW Category: Construction Services Class Code: Metalworkers Including Blacksmiths Positional Accuracy: Positioned to address or location	A3NE (S)	953	12	429934 582082
227	**Points of Interest - Commercial Services** Name: A R C Car Wash Location: Cowpen Road, Blyth, NE24 5TD Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A3NW (S)	959	12	429764 582061
228	**Points of Interest - Commercial Services** Name: Blyth Service Station Location: Cowpen Road, Blyth, NE24 5SU Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A4NW (S)	977	12	430193 582019
228	**Points of Interest - Commercial Services** Name: Car Wash Location: Cowpen Road, Blyth, NE24 5SU Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A4NW (S)	978	12	430193 582019
229	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE22 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A12NW (E)	0	12	430153 583335
229	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NE22 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	12	430153 583335
229	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NE22 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	12	430237 583333
229	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NE22 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	12	430205 583295
229	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE22 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	12	430186 583325
230	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	0	12	430424 583202

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
230	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	0	12	430425 583142
231	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE22 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SE (E)	0	12	430147 583220
231	**Points of Interest - Manufacturing and Production** Name: Blyth Power Station Location: NE22 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	0	12	430181 583204
232	**Points of Interest - Manufacturing and Production** Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NW (NE)	122	12	430168 583491
232	**Points of Interest - Manufacturing and Production** Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NW (NE)	169	12	430174 583551
233	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE22 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SE (N)	300	12	429847 583760
233	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NE22 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SE (N)	313	12	429828 583775
234	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	322	12	430183 583720
235	**Points of Interest - Manufacturing and Production** Name: Solar Panels Location: NE24 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to an adjacent address or location	A8SW (S)	644	12	430172 582353
236	**Points of Interest - Manufacturing and Production** Name: Oil Distribution Depot Location: NE24 Category: Extractive Industries Class Code: Oil and Gas Extraction, Refinery and Product Manufacture Positional Accuracy: Positioned to an adjacent address or location	A8SW (SE)	680	12	430463 582366
237	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7SE (S)	710	12	429953 582333
238	**Points of Interest - Manufacturing and Production** Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A3NE (S)	816	12	429850 582209

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
238	**Points of Interest - Manufacturing and Production** Name: Works Location: NE24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	A3NE (S)	828	12	429853 582198
239	**Points of Interest - Manufacturing and Production** Name: Factory Location: NE24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	A3NW (S)	850	12	429746 582171
239	**Points of Interest - Manufacturing and Production** Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	853	12	429740 582168
240	**Points of Interest - Manufacturing and Production** Name: Works Location: NE24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	A3NE (S)	930	12	429872 582097
240	**Points of Interest - Manufacturing and Production** Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A3NE (S)	935	12	429871 582092
241	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NE24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	965	12	429600 582069
241	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A3NW (S)	970	12	429601 582063
241	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A3NW (S)	972	12	429595 582062
241	**Points of Interest - Manufacturing and Production** Name: Tank Location: NE24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A3NW (S)	975	12	429602 582058
242	**Points of Interest - Manufacturing and Production** Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	991	12	429748 582030
243	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE22 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12SW (SE)	12	12	430228 583006
243	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12SW (SE)	16	12	430234 583006

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
244	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7SW (S)	699	12	429602 582339
244	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7SW (S)	699	12	429602 582339
245	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7SW (SW)	725	12	429495 582345
245	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7SW (SW)	729	12	429489 582344
245	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7SW (SW)	732	12	429490 582340
245	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7SW (SW)	732	12	429483 582343
246	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A16NE (NE)	791	12	430689 584124
247	**Points of Interest - Public Infrastructure** Name: Sewage Works Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A2NE (S)	865	12	429457 582210
247	**Points of Interest - Public Infrastructure** Name: Sewage Works Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A2NE (S)	872	12	429449 582206
247	**Points of Interest - Public Infrastructure** Name: Sewage Works Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A2NE (S)	925	12	429433 582155
248	**Points of Interest - Public Infrastructure** Name: Esso Location: Cowpen Road, Blyth, NE24 5SU Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A4NW (S)	978	12	430192 582018
248	**Points of Interest - Public Infrastructure** Name: Blyth Service Station Location: Cowpen Road, Blyth, NE24 5SU Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A4NW (S)	978	12	430193 582019

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
248	**Points of Interest - Public Infrastructure** Name: Blyth Service Station Location: Cowpen Road, Blyth, NE24 5SU Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A4NW (S)	978	12	430193 582019
249	**Points of Interest - Public Infrastructure** Name: Blyth Fire Station Location: Northumberland Fire & Rescue Service Fire Station, Cowpen Road, Blyth, NE24 5SU Category: Central and Local Government Class Code: Fire Brigade Stations Positional Accuracy: Positioned to address or location	A4NW (S)	984	12	430337 582020
250	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NE24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A12NE (E)	205	12	430577 583518
251	**Points of Interest - Recreational and Environmental** Name: Playground Location: Northfield, NE22 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A15SW (N)	207	12	429761 583666
252	**Underground Electrical Cables** Unique Feature Identifier: 10058154 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 9th September 2020	A11SE (SE)	0	13	429965 583142
253	**Underground Electrical Cables** Unique Feature Identifier: 10058623 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 13th July 2020	A11SE (E)	0	13	430114 583120
254	**Underground Electrical Cables** Unique Feature Identifier: 10008373 Cable Status: Commissioned Cable Type: Cable Unknown Record Last Updated: 29th March 2018	A11SE (SW)	10	13	429835 583176
255	**Underground Electrical Cables** Unique Feature Identifier: 0 Cable Status: Planned Cable Type: Alternating Current Record Last Updated: 2nd June 2020	A11SE (SE)	18	13	430026 583131
256	**Underground Electrical Cables** Unique Feature Identifier: 10008374 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 29th March 2018	A11SE (SE)	18	13	430026 583131
257	**Underground Electrical Cables** Unique Feature Identifier: 10007391 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 27th October 2017	A11SE (SW)	19	13	429841 583201

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
258	**Underground Electrical Cables** Unique Feature Identifier: 10005352 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 29th March 2018	A11SE (SW)	34	13	429835 583176

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
259	**Marine Nature Reserves** Name: Coquet To St Marys Multiple Area: N Area (m2): 191882542.16 Source: Natural England	A16SE (NE)	448	14	430809 583626
260	**Marine Nature Reserves** Name: Berwick To St Marys Multiple Area: Y Area (m2): 303194606.68 Source: Natural England	A16SE (NE)	448	14	430809 583626
261	**Ramsar Sites** Name: Northumbria Coast Multiple Areas: Y Total Area (m2): 10598524.97 Source: Natural England Reference: UK11049 Designation Date: Not Supplied	(E)	532	14	431069 583040
262	**Sites of Special Scientific Interest** Name: Northumberland Shore Multiple Areas: Y Total Area (m2): 18836840.71 Source: Natural England Reference: 2000134 Designation Details: Local Nature Reserve Designation Date: 11th December 1992 Date Type: Notified Designation Details: Special Area Of Conservation Designation Date: 11th December 1992 Date Type: Notified Designation Details: Special Protection Area Designation Date: 11th December 1992 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 11th December 1992 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 11th December 1992 Date Type: Notified	A11SE (SE)	0	14	430050 582932
263	**Special Protection Areas** Name: Northumberland Marine Multiple Areas: N Total Area (m2): 884986606.57 Source: Natural England Reference: UK9020325 Designation Date: Not Supplied	A11SW (SW)	0	14	429711 582970
264	**Special Protection Areas** Name: Northumbria Coast Multiple Areas: Y Total Area (m2): 10972556.52 Source: Natural England Reference: UK9006131 Designation Date: Not Supplied	(E)	532	14	431069 583040

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Northumberland Council - Environmental Health Department	January 2020	Annually
Environment Agency - Head Office	June 2020	Annually
Wansbeck District Council (now part of Northumberland Council) - Environmental Health Department	September 2017	Not Applicable
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	September 2017	
Castle Morpeth Borough Council (now part of Northumberland Council) - Environmental Health Department	September 2017	
Discharge Consents		
Environment Agency - North East Region	October 2021	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	October 21	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	December 2008	Not Applicable
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	May 2009	Not Applicable
Northumberland Council - Environmental Health Department	May 2014	Variable
Castle Morpeth Borough Council (now part of Northumberland Council) - Environmental Health Department	September 2008	Not Applicable
Local Authority Pollution Prevention and Controls		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	December 2008	Not Applicable
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	May 2009	Not Applicable
Northumberland Council - Environmental Health Department	May 2014	Annually
Castle Morpeth Borough Council (now part of Northumberland Council) - Environmental Health Department	September 2008	Not Applicable
Local Authority Pollution Prevention and Control Enforcements		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	December 2008	Not Applicable
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	May 2009	Not Applicable
Northumberland Council - Environmental Health Department	May 2014	Variable
Castle Morpeth Borough Council (now part of Northumberland Council) - Environmental Health Department	September 2008	Not Applicable
Nearest Surface Water Feature		
Ordnance Survey	November 2021	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Prosecutions Relating to Authorised Processes		
Environment Agency - North East Region	July 2015	
Prosecutions Relating to Controlled Waters		
Environment Agency - North East Region	March 2013	
Registered Radioactive Substances		
Environment Agency - North East Region	June 2016	As notified
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		
Environment Agency - Head Office	April 2012	Annually

Agency & Hydrological	Version	Update Cycle
River Quality Chemistry Sampling Points		
Environment Agency - Head Office	April 2012	Annually
Substantiated Pollution Incident Register		
Environment Agency - North East Region - North East Area	October 2021	Quarterly
Environment Agency - North East Region - Northumbria Area	October 2021	Quarterly
Water Abstractions		
Environment Agency - North East Region	October 2021	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Source Protection Zones		
Environment Agency - Head Office	May 2021	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	September 2021	Quarterly
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	September 2021	Quarterly
Flood Defences		
Environment Agency - Head Office	September 2021	Quarterly
OS Water Network Lines		
Ordnance Survey	July 2021	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability		
Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	May 2021	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - North East Area	October 2021	Quarterly
Environment Agency - North East Region - Northumbria Area	October 2021	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - North East Area	October 2021	Quarterly
Environment Agency - North East Region - Northumbria Area	October 2021	Quarterly
Local Authority Landfill Coverage		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	February 2003	Not Applicable
Castle Morpeth Borough Council (now part of Northumberland Council) - Environmental Health Department	February 2003	Not Applicable
Northumberland County Council (now part of Northumberland Council)	February 2003	Not Applicable
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	October 2018	
Castle Morpeth Borough Council (now part of Northumberland Council) - Environmental Health Department	October 2018	
Northumberland County Council (now part of Northumberland Council)	October 2018	
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - North East Area	March 2006	Not Applicable
Environment Agency - North East Region - Northumbria Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - North East Area	April 2018	
Environment Agency - North East Region - Northumbria Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - North East Area	June 2015	
Environment Agency - North East Region - Northumbria Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Castle Morpeth Borough Council (now part of Northumberland Council) - Planning Department	August 2009	Not Applicable
Wansbeck District Council (now part of Northumberland Council)	February 2009	Not Applicable
Northumberland County Council (now part of Northumberland Council) - Minerals Waste and Development Control	October 2008	Annual Rolling Update
Blyth Valley Borough Council (now part of Northumberland Council)	October 2008	Not Applicable
Northumberland Council - Planning Department	October 2015	Variable
Planning Hazardous Substance Consents		
Castle Morpeth Borough Council (now part of Northumberland Council) - Planning Department	August 2009	Not Applicable
Wansbeck District Council (now part of Northumberland Council)	February 2009	Not Applicable
Northumberland County Council (now part of Northumberland Council) - Minerals Waste and Development Control	October 2008	Annual Rolling Update
Blyth Valley Borough Council (now part of Northumberland Council)	October 2008	Not Applicable
Northumberland Council - Planning Department	October 2015	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	Annually
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	November 2021	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	Bi-Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually

Data Currency

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2021	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2021	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Points of Interest - Commercial Services PointX	December 2021	Quarterly
Points of Interest - Education and Health PointX	December 2021	Quarterly
Points of Interest - Manufacturing and Production PointX	December 2021	Quarterly
Points of Interest - Public Infrastructure PointX	December 2021	Quarterly
Points of Interest - Recreational and Environmental PointX	December 2021	Quarterly
Underground Electrical Cables National Grid	May 2021	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt		
Blyth Valley Borough Council (now part of Northumberland Council)	October 2020	Quarterly
Castle Morpeth Borough Council (now part of Northumberland Council) - Planning Department	October 2020	Quarterly
Northumberland Council - Planning Department	October 2020	Quarterly
Wansbeck District Council (now part of Northumberland Council)	October 2020	Quarterly
Areas of Unadopted Green Belt		
Blyth Valley Borough Council (now part of Northumberland Council)	October 2020	Quarterly
Castle Morpeth Borough Council (now part of Northumberland Council) - Planning Department	October 2020	Quarterly
Northumberland Council - Planning Department	October 2020	Quarterly
Wansbeck District Council (now part of Northumberland Council)	October 2020	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	February 2021	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	January 2021	Bi-Annually
National Parks		
Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	June 2017	Bi-Annually
Ramsar Sites		
Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest		
Natural England	February 2021	Bi-Annually
Special Areas of Conservation		
Natural England	July 2020	Bi-Annually
Special Protection Areas		
Natural England	February 2021	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Northumberland Council - Environmental Health Department** County Hall, Morpeth, Northumberland, NE61 2EF	Telephone: 0845 600 6400 Email: ask@northumberland.gov.uk Website: www.northumberland.gov.uk
4	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	**Northumberland County Council (now part of Northumberland Council)** County Hall, Morpeth , Northumberland, NE61 2EF	Telephone: 01670 533000 Fax: 01670 534160 Website: www.northumberland.gov.uk
7	**Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services** County Hall, Morpeth, Northumberland, NE61 2EF	Telephone: 0846 600 6400 Website: www.northumberland.gov.uk
8	**Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department** County Hall, Morpeth, Northumberland, NE51 2EF	Telephone: 0845 600 6400 Website: www.northumberland.gov.uk
9	**Health and Safety Executive** 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
10	**Northumberland Council - Planning Department** County Hall, Morpeth, Northumberland, NE61 2EF	Telephone: 0845 600 6400 Email: ask@northumberland.gov.uk Website: www.northumberland.gov.uk
11	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
12	**PointX** 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
13	**Landmark Information Group Limited** Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9966 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk
14	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk

Useful Contacts

Contact	Name and Address	Contact Details
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
·285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Mud
Sand
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northumberland	1:10,560	1865	3
Northumberland	1:10,560	1898	4
Northumberland	1:10,560	1924	5
Northumberland	1:10,560	1938	6
Ordnance Survey Plan	1:10,000	1940 - 1951	7
Ordnance Survey Plan	1:10,000	1966 - 1967	8
Blyth	1:10,000	1971	9
Ordnance Survey Plan	1:10,000	1977 - 1978	10
Ordnance Survey Plan	1:10,000	1987 - 1989	11
Ordnance Survey Plan	1:10,000	1993	12
10K Raster Mapping	1:10,000	2000	13
10K Raster Mapping	1:10,000	2006	14
VectorMap Local	1:10,000	2021	15

Historical Map - Slice A



Order Details

Order Number: 289946252_1_1
Customer Ref: 114260
National Grid Reference: 429860, 583220
Slice: A
Site Area (Ha): 14.95
Search Buffer (m): 1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 Values for prominent elevations

186.0 Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Direction and velocity of current
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub

Key to Numbers on Mapping

NZ38SW_Blyth


No.	Description
11	Mine
20	Power Station (Thermo-Electric)

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northumberland	1:10,560	1865	3
Northumberland	1:10,560	1898	4
Northumberland	1:10,560	1924	5
Northumberland	1:10,560	1938	6
Ordnance Survey Plan	1:10,000	1940 - 1951	7
Ordnance Survey Plan	1:10,000	1966 - 1967	8
Blyth	1:10,000	1971	9
Ordnance Survey Plan	1:10,000	1977 - 1978	10
Ordnance Survey Plan	1:10,000	1987 - 1989	11
Ordnance Survey Plan	1:10,000	1993	12
10K Raster Mapping	1:10,000	2000	13
10K Raster Mapping	1:10,000	2006	14
VectorMap Local	1:10,000	2021	15

Russian Map - Slice A




Order Details

Order Number: 289946252_1_1
Customer Ref: 114260
National Grid Reference: 429860, 583220
Slice: A
Site Area (Ha): 14.95
Search Buffer (m): 1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1865


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Northumberland

Published 1898

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

073NW
1898
1:10,560

073SW
1898
1:10,560

Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Northumberland

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

070SW 1924 1:10,560	070SE 1924 1:10,560
078NW 1924 1:10,560	078NE 1924 1:10,560

Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Northumberland

Published 1938


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

070SW 1938 1:10,560	070SE 1938 1:10,560
078NW 1938 1:10,560	078NE 1938 1:10,560

Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1940 - 1951


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1966 - 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Blyth

Published 1971


Source map scale - 1:10,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice A



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1977 - 1978


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1987 - 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1993


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000


Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


428200
428400
428600
428800
429000
429200
429400
429600
429800
430000
430200
430400
430600
430800
584400
584200
584000
583800
583600
583400
583200
583000
582800
582600
582400
582200
582000
Winning Park Cottage
Depot
Business Centre
Track
Drains
Stadium
Bernicea
Links
Outfall
Issues
Cow Gut
Path
Cambois
Maw Burn
Sand
Depot
LC
Outfall
Mawburn House
Cambois Links
School
Dunes
Track
Pump House
Collects
Pipe Line
NTL
Mud
Spring Ville
Allot Gdns
East Sleekburn
Mineral Railway
PW
Allot Gdns.
Maw
East Sleekburn Vale Farm
Ppg Sta
East Sleekburn Bridge
Brockbane Farm
Mean High Water
Sleekburn Grange Farm
Mast
Mount Pleasant Farm
Mount Pleasant Farm Cottage
Cowpen Pool
Garage
Iron Well
Helipark
Kitty Brewster Farm
Kitty Brewster Industrial Estate
Cowpen New Town
Sewage Works
Works
Factory
TA Centre
F Sta
Mineral Railway
Tidal Basin
Mooring Stage
Turning Basin
Factory Point
Boating Yard
Jetty
Conveyor
Riverside Farm
Hall
Mill
Slack Burn
Beal
Ford
Weir
Sluice
Lock
Gate
Ramp
Steps
Tank
Pond
Boat
Slip
Ferry
Jetty
Pier
Quay
Wharf
Dock
Dry Dock
Boat Yard
Boat House
Boat Shed
Boat Repair
Boat Hire
Boat Storage
Boat Launch
Boat Ramp
Boat Slip
Boat Ferry
Boat Jetty
Boat Pier
Boat Quay
Boat Wharf
Boat Dock
Boat



Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2021


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location
- Pylon
- Overhead Transmission Line

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Plot Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location
- Pylon
- Overhead Transmission Line

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Segment A12



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Plot Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice A



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 400 m

A1 A2 A3 A4

Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice A




Order Details

Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

A1 A2 A3 A4

Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site Specified Buffer(s) X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice A




Order Details

Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice A



Order Details


Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice A



Order Details


Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice A



Order Details

Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details


10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northumberland	1:2,500	1895	2
Northumberland	1:2,500	1895	3
Northumberland	1:2,500	1897	4
Northumberland	1:2,500	1922 - 1923	5
Northumberland	1:2,500	1932	6
Ordnance Survey Plan	1:1,250	1960 - 1961	7
Ordnance Survey Plan	1:2,500	1960 - 1961	8
Additional SIMs	1:1,250	1960 - 1992	9
Ordnance Survey Plan	1:1,250	1969 - 1992	10
Ordnance Survey Plan	1:2,500	1971	11
Supply of Unpublished Survey Information	1:1,250	1975 - 1976	12
Additional SIMs	1:2,500	1988	13
Large-Scale National Grid Data	1:1,250	1993	14
Historical Aerial Photography	1:2,500	1999	15

Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1895


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1895


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1897


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1922 - 1923


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1932


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100


Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


429600
429800
430000
583400
583200
583000
Harbour View
Shelter
Mud
Mud
Mud



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1960 - 1961


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Additional SIMs

Published 1960 - 1992


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1969 - 1992


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

NZ2983NE 1992 1:1,250	NZ3083NW 1970 1:1,250
NZ2983SE 1969 1:1,250	NZ3083SW 1970 1:1,250

Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1971


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Supply of Unpublished Survey Information

Published 1975 - 1976


Source map scale - 1:1,250

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a `work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

	NZ2983SW 1975 1:1,250	NZ2983SE 1975 1:1,250
NZ2982NW 1975 1:1,250	NZ2982NE 1975 1:1,250	NZ3082NW 1976 1:1,250

Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Additional SIMs

Published 1988


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Large-Scale National Grid Data

Published 1993


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®


LANDMARK INFORMATION GROUP®

Historical Aerial Photography

Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A11



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)

Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northumberland	1:2,500	1895	2
Northumberland	1:2,500	1895	3
Northumberland	1:2,500	1897	4
Northumberland	1:2,500	1922 - 1923	5
Northumberland	1:2,500	1932 - 1937	6
Ordnance Survey Plan	1:1,250	1960 - 1961	7
Ordnance Survey Plan	1:2,500	1961	8
Ordnance Survey Plan	1:1,250	1970	9
Supply of Unpublished Survey Information	1:1,250	1976	10
Additional SIMs	1:1,250	1988 - 1992	11
Large-Scale National Grid Data	1:1,250	1993	12
Historical Aerial Photography	1:2,500	1999	13

Historical Map - Segment A12



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1895


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1895


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1897


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1922 - 1923


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1932 - 1937


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1960 - 1961


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®
LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1961


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12




Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


430200
430400
430600
430800
583400
583200
583000
Settling Pond
Factory
Allotment Gardens
Track
Shelter
MINERAL RAILWAY
Blyth Power Station
Tidal Basin
Travelling Crane
Boulders & Shingle
Mud
River Blyth
Pylon
Outfall
Path
Mean High Water
Surgery
Tanks
Chy
Poles
Sinks
Shelbourne Terrace
Allot Gdns
Allotment Garden
Con Gas Main
Weir Sluices Entry
Boiler House
Weir Buildings
Gasholder
El Sub Sta
Dunes
Patrolmine
Rutherford House
Aged Miners Homes
Cambois Terrace
Allotment Gardens
Track
Path
Boulders & Shingle
Mud
River Blyth
Mean High Water
Weir Sluices Entry
Travelling Crane
Shelter
Allotment Gardens
Tidal Basin
Blyth Power Station
Travelling Crane
Travelling Crane
Shelter
Shelter
Shelter



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®
LANDMARK INFORMATION GROUP®


Supply of Unpublished Survey Information

Published 1976


Source map scale - 1:1,250

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a `work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A12




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Additional SIMs

Published 1988 - 1992


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

NZ3083NW 988 1992 1:1,250
NZ3083NE 989 1992 1:1,250
NZ3083SW 988 1992 1:1,250
NZ3083SE 989 1992 1:1,250
NZ3082NE 1992 1:1,250

Historical Map - Segment A12



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Large-Scale National Grid Data

Published 1993


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®


LANDMARK INFORMATION GROUP®

Historical Aerial Photography

Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A12



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	429860, 583220
Slice:	A
Site Area (Ha):	14.95
Search Buffer (m):	100

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

Specified Site
Specified Buffer(s)
Bearing Reference Point
Slice

Agency and Hydrological (Flood)

Limited Potential for Groundwater Flooding to Occur
Potential for Groundwater Flooding of Property Situated Below Ground Level
Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice B



Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
289946252_1_1

Customer Reference:
114260

National Grid Reference:
431120, 583190

Slice:
B

Site Area (Ha):
14.95

Search Buffer (m):
1000

Site Details:

10, Selbourne Terrace
Cambois
BLYTH
NE24 1QZ

Client Details:

Mr R Panter
Waterman Infrastructure & Environment Ltd
Waterman Group
5th Floor
1 Cornwall Street
Birmingham
West Midlands
B3 2DX

Envirocheck®
LANDMARK INFORMATION GROUP

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	11
Hazardous Substances	13
Geological	14
Industrial Land Use	21
Sensitive Land Use	22
Data Currency	23
Data Suppliers	29
Useful Contacts	30

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2022. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2022. © Natural Resources Wales & United Kingdom Research and Innovation 2022.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2022. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 1			3	13
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control	pg 6				4
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 7				1
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 7		Yes		
Pollution Incidents to Controlled Waters	pg 7			1	8
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality					
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register					
Water Abstractions	pg 9				(*2)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 9	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 10	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 10	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 10	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences	pg 10	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 10				1

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 11		1		
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 11				2
Local Authority Landfill Coverage	pg 11	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 11			1	
Potentially Infilled Land (Water)	pg 11			1	
Registered Landfill Sites	pg 12				1
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)	pg 13				1
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 14	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 14		Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 18			1	3
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 19	Yes	n/a	n/a	n/a
Mining Instability	pg 19	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 19	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 19	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 19	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 19	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 19	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 21				1
Fuel Station Entries					
Points of Interest - Commercial Services					
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 21				1
Points of Interest - Public Infrastructure	pg 21				2
Points of Interest - Recreational and Environmental					
Gas Pipelines					
Underground Electrical Cables					

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves	pg 22			2	
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites	pg 22				1
Sites of Special Scientific Interest	pg 22	1			
Special Areas of Conservation					
Special Protection Areas	pg 22	1			1
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	430550 583193
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	430200 583193
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	430700 583200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	22	1	430500 583400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9SW (W)	56	1	430850 583100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	73	1	430150 582950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (SW)	155	1	431050 583150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (W)	256	1	430850 583150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (SW)	330	1	430900 583000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	346	1	430300 582650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (W)	366	1	431050 583193
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	421	1	430500 582600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NW (SW)	448	1	430950 582850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	456	1	430750 582500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9SW (S)	474	1	431117 583193
1	**Discharge Consents** Operator: Blyth Harbour Commission Property Type: MAKING OF FOOD PRODUCTS/DAIRY Location: South Of Grain Terminal,Battleship, North Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1148 Permit Version: 1 Effective Date: 7th April 1998 Issued Date: 7th April 1998 Revocation Date: 17th October 2006 Discharge Type: Unspecified Discharge Environment: Controlled Sea Receiving Water: River Blyth Estuary **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	B5NW (SW)	416	2	430850 582840

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Undefined Or Other Location: Ridley Terrace/Ridley Arms, Cambois, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0997 Permit Version: 1 Effective Date: 14th August 1992 Issued Date: 14th August 1992 Revocation Date: 1st May 2001 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 100m	B5NW (SW)	423	2	430850 582830
1	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: Undefined Or Other Location: Ridley Terrace/Ridley Arms, Cambois, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0066 Permit Version: 1 Effective Date: 9th April 1987 Issued Date: 9th April 1987 Revocation Date: 14th August 1992 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	B5NW (SW)	423	2	430850 582830
2	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Ash Pond Excess Water Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/4 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Coastal Receiving Water: North Sea **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	B13SW (N)	706	2	431100 583595
2	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1029 Permit Version: 1 Effective Date: 3rd February 1993 Issued Date: 3rd February 1993 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Tidal Waters Receiving Water: North Sea **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	B13SW (N)	708	2	431100 583600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1001 Permit Version: 1 Effective Date: 24th September 1992 Issued Date: 24th September 1992 Revocation Date: 11th May 1993 Discharge Type: Unspecified Discharge Environment: Tidal Waters Receiving Water: North Sea **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	B13SW (N)	708	2	431100 583600
2	**Discharge Consents** Operator: National Power Plc Property Type: SUB-STATION/ELECTRICITY/GAS/AIR CONDITIONING SUPPLY Location: Blyth Power Station, Bedlington, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0360 Permit Version: 1 Effective Date: 8th September 1987 Issued Date: 8th September 1987 Revocation Date: 24th September 1992 Discharge Type: Unspecified Discharge Environment: Tidal Waters Receiving Water: North Sea **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	B13SW (N)	708	2	431100 583600
2	**Discharge Consents** Operator: Blyth Power Station Property Type: Production & Distribution Of Electricity Location: Cooling Systems Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/EPA/001/1 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Unknown Discharge Environment: Coastal Receiving Water: North Sea **Status: Not Supplied** Positional Accuracy: Located by supplier to within 100m	B13SW (N)	708	2	431100 583600
3	**Discharge Consents** Operator: Blyth Harbour Commission Property Type: Undefined Or Other Location: Security Cabin, North Blyth Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1149 Permit Version: 1 Effective Date: 7th April 1998 Issued Date: 7th April 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth Estuary **Status: Post National Rivers Authority Legislation where issue date > 31/08/1989** Positional Accuracy: Located by supplier to within 10m	B5SW (S)	816	2	431060 582490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Blyth No6 Sps, Blyth, Annes Road, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1177 Permit Version: 1 Effective Date: 2nd August 2000 Issued Date: 2nd August 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth(Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	B5SW (S)	963	2	431010 582280
4	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Blyth No6 Sps, Blyth, Annes Road, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1177 Permit Version: 1 Effective Date: 2nd August 2000 Issued Date: 2nd August 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: River Blyth(Saline Estuary) **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	B5SW (S)	963	2	431010 582280
4	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Ps No 6 Cowpen Square Blyth, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0974 Permit Version: 1 Effective Date: 16th March 1993 Issued Date: 16th March 1993 Revocation Date: 16th March 2001 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Blyth **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 100m	B5SW (S)	963	2	431010 582280
4	**Discharge Consents** Operator: Redundant - Northumbrian Water Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Ps No 6 Cowpen Square Blyth, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/X/0229 Permit Version: 1 Effective Date: 7th October 1987 Issued Date: 7th October 1987 Revocation Date: 16th March 1993 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 10m	B5SW (S)	963	2	431010 582280

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Warsdell Street Pumping Station, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Not Supplied Reference: 226/1154 Permit Version: 1 Effective Date: 17th February 1999 Issued Date: 17th February 1999 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth Saline Estuary **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	B5SE (S)	980	2	431160 582360
5	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Warsdell Street Pumping Station, Blyth, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/1154 Permit Version: 1 Effective Date: 17th February 1999 Issued Date: 17th February 1999 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Saline Estuary Receiving Water: Blyth Saline Estuary **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	B5SE (S)	980	2	431160 582360
6	**Discharge Consents** Operator: Northumbrian Water Limited Property Type: Undefined Or Other Location: Warsdel Street,Dale Street,Gray Str, North Blyth, Cambois, Northumberland Authority: Environment Agency, North East Region Catchment Area: Blyth/Pont Reference: 226/0999 Permit Version: 1 Effective Date: 14th August 1992 Issued Date: 14th August 1992 Revocation Date: 11th June 2001 Discharge Type: Unspecified Discharge Environment: Saline Estuary Receiving Water: Blyth Estuary **Status: Authorisation revoked** Positional Accuracy: Manually corrected supplier location	B5SE (S)	989	2	431260 582440

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	**Integrated Pollution Prevention And Control** Name: Port Of Blyth Location: Battleship Wharf Decommissioning Facility Epr/Rp3337rn, Port Of Blyth, South Harbour,, Blyth, Northumberland, NE24 3PB Authority: Environment Agency, North East Region Permit Reference: XP3308BL Original Permit Ref: Rp3337rn Effective Date: 22nd April 2020 **Status:** **Effective** Application Type: Variation App. Sub Type: Minor Positional Accuracy: Located by supplier to within 10m Activity Code: 5.3 A(1) a) (iv) Activity Description: DISPOSAL OR RECOVERY OF HAZ WASTE WITH CAPACITY EXCEEDING 10 TONNES PER DAY INVOLVING REPACKAGING PRIOR TO SUBMISSION TO ANY OF THE OTHER ACTIVITIES LISTED IN THIS SECTION OR IN SECTION 5.1 Primary Activity: N Activity Code: 5.3 A(1) a) (ii) Activity Description: DISPOSAL OR RECOVERY OF HAZARDOUS WASTE WITH A CAPACITY EXCEEDING 10 TONNES PER DAY INVOLVING PHYSICO-CHEMICAL TREATMENT Primary Activity: Y Activity Code: 5.6 A(1) a) Activity Description: TEMPORARY STORAGE OF HAZ WASTE NOT UNDER S 5.2 PENDING ACTIVITIES LISTED IN S 5.1, 5.2, 5.3 AND PARAGRAPH (B) OF THIS SECTION WITH A TOTAL CAPACITY > 50 TONNES, EXCL TEMP STORAGE WHERE GENERATED Primary Activity: N Activity Code: 5.4 A(1) b) (iv) Activity Description: RECOVERY OR A MIX OF RECOVERY AND DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING TREATMENT IN SHREDDERS OF METAL WASTE, INCLUDING WEEE AND ELV AND THEIR COMPONENTS Primary Activity: N Activity Code: 5.3 A(1) a) (vi) Activity Description: DISPOSAL OR RECOVERY OF HAZARDOUS WASTE WITH A CAPACITY EXCEEDING 10 TONNES PER DAY INVOLVING RECYCLING OR RECLAMATION OF INORGANIC MATERIALS OTHER THAN METALS OR METAL COMPOUNDS Primary Activity: N	B5NW (S)	603	2	431040 582780
7	**Integrated Pollution Prevention And Control** Name: Port Of Blyth Location: Battleship Wharf Decommissioning Facility Epr/Rp3337rn, Port Of Blyth, South Harbour,, Blyth, Northumberland, NE24 3PB Authority: Environment Agency, North East Region Permit Reference: LP3103MC Original Permit Ref: Rp3337rn Effective Date: Not Supplied **Status:** **Valid** Application Type: Variation App. Sub Type: Minor Positional Accuracy: Located by supplier to within 10m Activity Code: 5.4 A(1) b) (iv) Activity Description: RECOVERY OR A MIX OF RECOVERY AND DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING TREATMENT IN SHREDDERS OF METAL WASTE, INCLUDING WEEE AND ELV AND THEIR COMPONENTS Primary Activity: N Activity Code: 5.3 A(1) a) (vi) Activity Description: DISPOSAL OR RECOVERY OF HAZARDOUS WASTE WITH A CAPACITY EXCEEDING 10 TONNES PER DAY INVOLVING RECYCLING OR RECLAMATION OF INORGANIC MATERIALS OTHER THAN METALS OR METAL COMPOUNDS Primary Activity: N Activity Code: 5.6 A(1) a) Activity Description: TEMPORARY STORAGE OF HAZ WASTE NOT UNDER S 5.2 PENDING ACTIVITIES LISTED IN S 5.1, 5.2, 5.3 AND PARAGRAPH (B) OF THIS SECTION WITH A TOTAL CAPACITY > 50 TONNES, EXCL TEMP STORAGE WHERE GENERATED Primary Activity: N Activity Code: 5.3 A(1) a) (iv) Activity Description: DISPOSAL OR RECOVERY OF HAZ WASTE WITH CAPACITY EXCEEDING 10 TONNES PER DAY INVOLVING REPACKAGING PRIOR TO SUBMISSION TO ANY OF THE OTHER ACTIVITIES LISTED IN THIS SECTION OR IN SECTION 5.1 Primary Activity: N Activity Code: 5.3 A(1) a) (ii) Activity Description: DISPOSAL OR RECOVERY OF HAZARDOUS WASTE WITH A CAPACITY EXCEEDING 10 TONNES PER DAY INVOLVING PHYSICO-CHEMICAL TREATMENT Primary Activity: Y	B5NW (S)	603	2	431040 582780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	**Integrated Pollution Prevention And Control** Name: North Blyth Energy Limited Location: North Blyth Biomass Power Station, Battleship Wharf, Port Of Blyth,,, Blyth, Northumberland, NE24 1QW Authority: Environment Agency, North East Region Permit Reference: NP3838VS Original Permit Ref: Up3636cx Effective Date: 11th April 2014 **Status: Surrender Effective** Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Located by supplier to within 10m Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N	B5NW (S)	648	2	431060 582730
8	**Integrated Pollution Prevention And Control** Name: North Blyth Energy Limited Location: North Blyth Biomass Power Station, Battleship Wharf, Port Of Blyth,,, Blyth, Northumberland, NE24 1QW Authority: Environment Agency, North East Region Permit Reference: UP3636CX Original Permit Ref: Up3636cx Effective Date: 21st February 2014 **Status: Superseded By Variation** Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 10m Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y	B5NW (S)	648	2	431060 582730
9	**Local Authority Pollution Prevention and Controls** Name: Blyth Harbour Commission Location: Battleship Wharf, South Harbour, Blyth, Ne24 3pd Authority: Northumberland Council, Environmental Health Department Permit Reference: EPSE14/156 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input **Status: Permitted** Positional Accuracy: Located by supplier to within 10m	B5NW (S)	538	3	430940 582759
	Nearest Surface Water Feature	B9SW (SW)	231	-	430823 583066
10	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 5th December 1991 Incident Reference: 226/000979 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Oil Boat/Ship Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	B5NW (SW)	480	2	430900 582800
11	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: Battleship Wharf Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth River Estuary Incident Date: 1st October 1991 Incident Reference: 226/000888 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Other Oil Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B5NW (SW)	552	2	430900 582700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
11	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: Battleship Wharf Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 18th August 1991 Incident Reference: 226/000818 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Oil Boat/Ship Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	B5NW (SW)	552	2	430905 582705
11	**Pollution Incidents to Controlled Waters** Property Type: Vessel Location: Blyth High Ferry Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 30th July 1991 Incident Reference: 226/000778 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Oil Boat/Ship Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	B5NW (SW)	556	2	430905 582700
11	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: River Blyth Incident Date: 24th January 1991 Incident Reference: 226/000449 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Oil General Spillage Incident Severity: Category 1 - Major Incident Positional Accuracy: Located by supplier to within 100m	B5NW (SW)	556	2	430900 582695
11	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: N.Blyth Scrapyard Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Incident Date: 1st April 1991 Incident Reference: 226/000541 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Other Oil Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	B5NW (SW)	560	2	430905 582695
12	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Oils - Diesel (Including Agricultural) Note: Pollution Found; No Fish Killed Incident Date: 11th December 1996 Incident Reference: NN960216 Catchment Area: Blyth Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B5SW (S)	940	2	431000 582300
13	**Pollution Incidents to Controlled Waters** Property Type: Vessel Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 14th September 1994 Incident Reference: 226/002364 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Oil Boat/Ship Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B5SE (S)	976	2	431200 582400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	**Pollution Incidents to Controlled Waters** Property Type: Miscellaneous Premises: Unknown Location: BLYTH Authority: Environment Agency, North East Region Pollutant: Not Given Note: Blyth Estuary Incident Date: 25th September 1994 Incident Reference: 226/002368 Catchment Area: Not Given Receiving Water: Saline Estuary Cause of Incident: Other Oil Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B1NW (S)	989	2	430900 582200
	Water Abstractions Operator: Offshore Renewable Energy Catapult Licence Number: Ne/022/0006/003 Permit Version: 2 Location: River Blyth At Albert Street, Blyth, Northumberland. Authority: Environment Agency, North East Region Abstraction: Other Industrial/Commercial/Public Services: Hydraulic Testing Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Albert Street, Blyth, Northumberland. Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 25th June 2015 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2SW (S)	1608	2	431553 581870
	Water Abstractions Operator: National Renewable Energy Centre Ltd Licence Number: Ne/022/0006/003 Permit Version: 1 Location: River Blyth At Albert Street, Blyth, Northumberland. Authority: Environment Agency, North East Region Abstraction: Other Industrial/Commercial/Public Services: Hydraulic Testing Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Albert Street, Blyth, Northumberland. Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 27th November 2012 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	B2SW (S)	1608	2	431553 581870
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: No Data	(SW)	0	4	430786 583053
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: No Data	(SW)	0	4	430809 583000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: >90% Superficial Thickness: >10m Superficial Recharge: No Data	B9SW (W)	0	4	430825 583074
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B9SW (S)	0	4	431117 583193
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	B9SW (W)	0	4	430825 583074
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B9SW (S)	0	4	431117 583193
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	B9SW (SW)	0	2	431056 583154
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	B9SW (SW)	0	2	431056 583154
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
15	**OS Water Network Lines** Watercourse Form: Tidal river Watercourse Length: 2165.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Blyth Catchment Name: Pont and Blyth Primacy: 1	(SW)	524	5	430815 582572

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	**Historical Landfill Sites** Licence Holder: James Cowan (Contractors) Limited Location: North Blyth, Northumberland Name: North Blyth Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD06703 First Input Date: 1st July 1978 Last Input Date: 31st December 1978 Specified Waste Type: Deposited Waste included Inert Waste EA Waste Ref: 67286 Regis Ref: NBL/L/JAM001 WRC Ref: 2900/0042 BGS Ref: Not Supplied Other Ref: NBL/022	(W)	27	2	430762 583137
17	**Licensed Waste Management Facilities (Locations)** Licence Number: 402844 Location: Blyth, Northumberland, NE24 1QW Operator Name: Blyth Harbour Commission Operator Location: Not Supplied Authority: Environment Agency - North East Region, North East Area Site Category: Household, Commercial And Industrial Transfer Stations **Licence Status: Modified** Issued: 18th September 2018 Last Modified: 19th November 2019 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B5NW (S)	713	2	431022 582594
18	**Licensed Waste Management Facilities (Locations)** Licence Number: 67286 Location: North Blyth, Northumberland Operator Name: James Cowan (Contractors) Ltd Operator Location: Not Supplied Authority: Environment Agency - North East Region, North East Area Site Category: Landfills Taking Other Wastes (Construction, Demolition, Dredgings) **Licence Status: Surrendered** Issued: 22nd August 1978 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 3rd September 1979 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	B5NE (S)	731	2	431200 582800
	Local Authority Landfill Coverage Name: Wansbeck District Council - Has supplied landfill data		0	7	431117 583193
	Local Authority Landfill Coverage Name: Northumberland County Council - Has supplied landfill data		0	6	431117 583193
	Local Authority Landfill Coverage Name: Blyth Valley Borough Council - Has no landfill data to supply		316	8	430771 582582
19	**Potentially Infilled Land (Non-Water)** Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993	(SW)	360	-	430809 582473
20	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1993	B5NW (SW)	380	-	430837 582858

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	**Registered Landfill Sites** Licence Holder: J Cowan (Contractors) Ltd Licence Reference: Nbl 022 (N 22) Site Location: Former Br Staithes/Depot, North Blyth, Blyth, Northumberland Licence Easting: 431100 Licence Northing: 582800 Operator Location: 65 Cragside, Whitley Bay, Tyne And Wear Authority: Environment Agency - North East Region, Northumbria Area Site Category: Landfill Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Status: Licence known to be surrenderedSurrendered Dated: 22nd August 1978 Preceded By Licence: Not Given Superseded By Licence: Not Given Positional Accuracy: Manually positioned to the road within the address or location Boundary Accuracy: Not Applicable Authorised Waste: Excavated Natural Materials $ Hardcore And Rubble	B9SW (S)	543	2	431103 582900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	**Control of Major Accident Hazards Sites (COMAH)** Name: Blyth Harbour Commission Location: Battleship Wharf, Plessey Road, Blyth, Northumberland, Ne24 1qw Reference: Not Supplied Type: Lower Tier **Status: Active** Positional Accuracy: Manually positioned within the geographical locality	B5SW (S)	754	9	431016 582535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	B9SW (S)	0	1	431117 583193
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	(W)	118	1	430608 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	(SW)	138	1	430809 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B9SW (W)	197	1	430825 583074
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B9SW (W)	235	1	431043 583185
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9SW (W)	235	1	430845 583115
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	B9SW (SW)	292	1	430857 583000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9SW (SW)	336	1	430878 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	B9SW (SW)	355	1	431000 583000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9SW (SW)	429	1	430910 582898
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9SW (S)	494	1	431117 583193
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	B5NW (S)	623	1	430989 582687
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	B5NW (S)	629	1	430984 582672

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: no data Cadmium Concentration: <1.8 mg/kg Chromium Concentration: no data Lead Concentration: <100 mg/kg Nickel Concentration: no data	B9NE (NE)	630	1	431201 583249
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	B5SW (S)	645	1	430847 582467
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	B5NW (S)	658	1	430964 582616
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B5NW (S)	682	1	431000 582615
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B5NW (S)	725	1	431000 582559
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	B5SW (S)	784	1	430934 582442

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	B5SW (S)	808	1	431102 582500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B5NE (SE)	820	1	431293 582789
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B9SE (SE)	852	1	431383 582976
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	B5SW (S)	855	1	430902 582308
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	B5SW (S)	890	1	430973 582305
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B9SE (E)	919	1	431464 583184

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B5NE (SE)	940	1	431359 582654
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B5NE (S)	952	1	431353 582620
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B1NW (S)	996	1	431000 582000
23	**BGS Recorded Mineral Sites** Site Name: Battleship Wharf Location: Port Of Blyth, Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 255446 Type: Wharf **Status: Active** Operator: Breedon Northern Operator Location: Not Supplied Periodic Type: Not Available Geology: ! Commodity: Sand Positional Accuracy: Located by supplier to within 10m	B9SW (W)	286	1	430829 583148
24	**BGS Recorded Mineral Sites** Site Name: Battleship Wharf Location: Cambois, Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 249564 Type: Wharf **Status: Active** Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Quaternary Geology: Marine Deposits Commodity: Marine Sand And Gravel Positional Accuracy: Located by supplier to within 10m	B5NW (SW)	512	1	430895 582750
24	**BGS Recorded Mineral Sites** Site Name: Battleship Wharf Location: Cambois, Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 13968 Type: Wharf **Status: Active** Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Not Available Geology: Quarry (Hard Rock) Commodity: Crushed Rock Positional Accuracy: Located by supplier to within 10m	B5NW (SW)	512	1	430895 582750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
25	**BGS Recorded Mineral Sites** Site Name: Port Of Blyth Location: Cambois, Blyth, Northumberland Source: British Geological Survey, National Geoscience Information Service Reference: 120648 Type: Wharf **Status: Ceased** Operator: Cemex Uk Materials Ltd. Operator Location: Not Supplied Periodic Type: Not Available Geology: Quarry (Hard Rock) Commodity: Crushed Rock Positional Accuracy: Located by supplier to within 10m	B5NW (S)	566	1	430920 582700
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	B9SW (S)	0	10	431117 583193
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	B9SW (S)	0	-	431117 583193
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	431117 583193
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	430825 583074
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	431117 583193
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	(SW)	0	1	430786 583053
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	431117 583193
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	431117 583193
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	430825 583074
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	431117 583193
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9SW (SW)	235	1	431051 583143
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	(SW)	0	1	430786 583053
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	430825 583074
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	235	1	431117 583193

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	431117 583193
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	431117 583193

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	**Contemporary Trade Directory Entries** Name: North Blyth Brewery Ltd Location: Worsdell Street, Cambois, Blyth, NE24 1SD Classification: Brewers **Status: Active** Positional Accuracy: Automatically positioned to the address	B5SE (S)	957	-	431239 582464
27	**Points of Interest - Manufacturing and Production** Name: Wind Turbine Location: NE24 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to an adjacent address or location	B5SW (S)	876	11	430887 582316
28	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	B9NW (N)	587	11	430984 583565
28	**Points of Interest - Public Infrastructure** Name: Outfall Location: NE24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	B9NW (N)	588	11	430985 583565

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	**Marine Nature Reserves** Name: Coquet To St Marys Multiple Area: N Area (m2): 191882542.16 Source: Natural England	B9SW (S)	448	12	431117 583193
30	**Marine Nature Reserves** Name: Berwick To St Marys Multiple Area: Y Area (m2): 303194606.68 Source: Natural England	B9SW (S)	448	12	431117 583193
31	**Ramsar Sites** Name: Northumbria Coast Multiple Areas: Y Total Area (m2): 10598524.97 Source: Natural England Reference: UK11049 Designation Date: Not Supplied	B9SW (S)	532	12	431106 583046
32	**Sites of Special Scientific Interest** Name: Northumberland Shore Multiple Areas: Y Total Area (m2): 18836840.71 Source: Natural England Reference: 2000134 Designation Details: Local Nature Reserve Designation Date: 11th December 1992 Date Type: Notified Designation Details: Special Area Of Conservation Designation Date: 11th December 1992 Date Type: Notified Designation Details: Special Protection Area Designation Date: 11th December 1992 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 11th December 1992 Date Type: Notified Designation Details: Water Framework Directive (WFD) Designation Date: 11th December 1992 Date Type: Notified	(SW)	0	12	430611 582969
33	**Special Protection Areas** Name: Northumberland Marine Multiple Areas: N Total Area (m2): 884986606.57 Source: Natural England Reference: UK9020325 Designation Date: Not Supplied	B9SW (S)	0	12	431117 583193
34	**Special Protection Areas** Name: Northumbria Coast Multiple Areas: Y Total Area (m2): 10972556.52 Source: Natural England Reference: UK9006131 Designation Date: Not Supplied	B9SW (S)	532	12	431106 583046

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Northumberland Council - Environmental Health Department	January 2020	Annually
Environment Agency - Head Office	June 2020	Annually
Wansbeck District Council (now part of Northumberland Council) - Environmental Health Department	September 2017	Not Applicable
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	September 2017	
Discharge Consents		
Environment Agency - North East Region	October 2021	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	October 21	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	December 2008	Not Applicable
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	May 2009	Not Applicable
Northumberland Council - Environmental Health Department	May 2014	Variable
Local Authority Pollution Prevention and Controls		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	December 2008	Not Applicable
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	May 2009	Not Applicable
Northumberland Council - Environmental Health Department	May 2014	Annually
Local Authority Pollution Prevention and Control Enforcements		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	December 2008	Not Applicable
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	May 2009	Not Applicable
Northumberland Council - Environmental Health Department	May 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	November 2021	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Prosecutions Relating to Authorised Processes		
Environment Agency - North East Region	July 2015	
Prosecutions Relating to Controlled Waters		
Environment Agency - North East Region	March 2013	
Registered Radioactive Substances		
Environment Agency - North East Region	June 2016	As notified
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		
Environment Agency - Head Office	April 2012	Annually
River Quality Chemistry Sampling Points		
Environment Agency - Head Office	April 2012	Annually
Substantiated Pollution Incident Register		
Environment Agency - North East Region - North East Area	October 2021	Quarterly
Environment Agency - North East Region - Northumbria Area	October 2021	Quarterly
Water Abstractions		
Environment Agency - North East Region	October 2021	Quarterly

Agency & Hydrological	Version	Update Cycle
Water Industry Act Referrals Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Source Protection Zones Environment Agency - Head Office	May 2021	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	September 2021	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	September 2021	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	September 2021	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	September 2021	Quarterly
Flood Defences Environment Agency - Head Office	September 2021	Quarterly
OS Water Network Lines Ordnance Survey	July 2021	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	May 2021	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - North East Area	October 2021	Quarterly
Environment Agency - North East Region - Northumbria Area	October 2021	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - North East Area	October 2021	Quarterly
Environment Agency - North East Region - Northumbria Area	October 2021	Quarterly
Local Authority Landfill Coverage		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	February 2003	Not Applicable
Northumberland County Council (now part of Northumberland Council)	February 2003	Not Applicable
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department	October 2018	
Northumberland County Council (now part of Northumberland Council)	October 2018	
Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - North East Area	March 2006	Not Applicable
Environment Agency - North East Region - Northumbria Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - North East Area	April 2018	
Environment Agency - North East Region - Northumbria Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - North East Area	June 2015	
Environment Agency - North East Region - Northumbria Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Wansbeck District Council (now part of Northumberland Council)	February 2009	Not Applicable
Northumberland County Council (now part of Northumberland Council) - Minerals Waste and Development Control	October 2008	Annual Rolling Update
Blyth Valley Borough Council (now part of Northumberland Council)	October 2008	Not Applicable
Northumberland Council - Planning Department	October 2015	Variable
Planning Hazardous Substance Consents		
Wansbeck District Council (now part of Northumberland Council)	February 2009	Not Applicable
Northumberland County Council (now part of Northumberland Council) - Minerals Waste and Development Control	October 2008	Annual Rolling Update
Blyth Valley Borough Council (now part of Northumberland Council)	October 2008	Not Applicable
Northumberland Council - Planning Department	October 2015	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry		
British Geological Survey - National Geoscience Information Service	December 2015	Annually
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	November 2021	Bi-Annually
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	
Cheshire Brine Subsidence Compensation Board (CBSCB)	November 2020	As notified
Coal Mining Affected Areas		
The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability		
Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	April 2020	Bi-Annually
Potential for Compressible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Ground Dissolution Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Bi-Annually
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures		
British Geological Survey - National Geoscience Information Service	July 2011	Annually

Data Currency

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2021	Quarterly
Fuel Station Entries Catalist Ltd - Experian	November 2021	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Points of Interest - Commercial Services PointX	December 2021	Quarterly
Points of Interest - Education and Health PointX	December 2021	Quarterly
Points of Interest - Manufacturing and Production PointX	December 2021	Quarterly
Points of Interest - Public Infrastructure PointX	December 2021	Quarterly
Points of Interest - Recreational and Environmental PointX	December 2021	Quarterly
Underground Electrical Cables National Grid	May 2021	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt		
Blyth Valley Borough Council (now part of Northumberland Council)	October 2020	Quarterly
Northumberland Council - Planning Department	October 2020	Quarterly
Wansbeck District Council (now part of Northumberland Council)	October 2020	Quarterly
Areas of Unadopted Green Belt		
Blyth Valley Borough Council (now part of Northumberland Council)	October 2020	Quarterly
Northumberland Council - Planning Department	October 2020	Quarterly
Wansbeck District Council (now part of Northumberland Council)	October 2020	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	February 2021	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	January 2021	Bi-Annually
National Parks		
Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	June 2017	Bi-Annually
Ramsar Sites		
Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest		
Natural England	February 2021	Bi-Annually
Special Areas of Conservation		
Natural England	July 2020	Bi-Annually
Special Protection Areas		
Natural England	February 2021	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Northumberland Council - Environmental Health Department** County Hall, Morpeth, Northumberland, NE61 2EF	Telephone: 0845 600 6400 Email: ask@northumberland.gov.uk Website: www.northumberland.gov.uk
4	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	**Northumberland County Council (now part of Northumberland Council)** County Hall, Morpeth , Northumberland, NE61 2EF	Telephone: 01670 533000 Fax: 01670 534160 Website: www.northumberland.gov.uk
7	**Wansbeck District Council (now part of Northumberland Council) - Economic and Environment Services** County Hall, Morpeth, Northumberland, NE61 2EF	Telephone: 0846 600 6400 Website: www.northumberland.gov.uk
8	**Blyth Valley Borough Council (now part of Northumberland Council) - Environmental Health Department** County Hall, Morpeth, Northumberland, NE51 2EF	Telephone: 0845 600 6400 Website: www.northumberland.gov.uk
9	**Health and Safety Executive** 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
10	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
11	**PointX** 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
12	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
·285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northumberland	1:10,560	1865	3
Northumberland	1:10,560	1898	4
Northumberland	1:10,560	1924	5
Northumberland	1:10,560	1938	6
Ordnance Survey Plan	1:10,000	1940	7
Ordnance Survey Plan	1:10,000	1966	8
Blyth	1:10,000	1971	9
Ordnance Survey Plan	1:10,000	1978	10
Ordnance Survey Plan	1:10,000	1989	11
Ordnance Survey Plan	1:10,000	1993	12
10K Raster Mapping	1:10,000	2000	13
10K Raster Mapping	1:10,000	2006	14
VectorMap Local	1:10,000	2021	15

Historical Map - Slice B



Order Details

Order Number: 289946252_1_1
Customer Ref: 114260
National Grid Reference: 431120, 583190
Slice: B
Site Area (Ha): 14.95
Search Buffer (m): 1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Direction and velocity of current
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub

Key to Numbers on Mapping

NZ38SW_Blyth


No.	Description
5	Depot (Railway)
9	Moorage (Military)

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northumberland	1:10,560	1865	3
Northumberland	1:10,560	1898	4
Northumberland	1:10,560	1924	5
Northumberland	1:10,560	1938	6
Ordnance Survey Plan	1:10,000	1940	7
Ordnance Survey Plan	1:10,000	1966	8
Blyth	1:10,000	1971	9
Ordnance Survey Plan	1:10,000	1978	10
Ordnance Survey Plan	1:10,000	1989	11
Ordnance Survey Plan	1:10,000	1993	12
10K Raster Mapping	1:10,000	2000	13
10K Raster Mapping	1:10,000	2006	14
VectorMap Local	1:10,000	2021	15

Russian Map - Slice B




Order Details

Order Number: 289946252_1_1
Customer Ref: 114260
National Grid Reference: 431120, 583190
Slice: B
Site Area (Ha): 14.95
Search Buffer (m): 1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®
LANDMARK INFORMATION GROUP®


Northumberland

Published 1865


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Northumberland

Published 1898


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Northumberland

Published 1924

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

070SE
1924
1:10,560

078NE
1924
1:10,560

Historical Map - Slice B



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Northumberland

Published 1938

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

070SE
1938
1:10,560

078NE
1938
1:10,560

Historical Map - Slice B



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1940


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1966


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®
LANDMARK INFORMATION GROUP®


Blyth

Published 1971


Source map scale - 1:10,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®
LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1978


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1993


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2021


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

Specified Site
Specified Buffer(s)
Bearing Reference Point
Map ID
Several of Type at Location

Agency and Hydrological

Contaminated Land Register Entry or Notice (Location)
Contaminated Land Register Entry or Notice
Discharge Consent
Enforcement or Prohibition Notice
Integrated Pollution Control
Integrated Pollution Prevention Control
Local Authority Integrated Pollution Prevention and Control
Local Authority Pollution Prevention and Control
Local Authority Pollution Prevention and Control Enforcement
Pollution Incident to Controlled Waters
Prosecution Relating to Authorised Processes
Prosecution Relating to Controlled Waters
Registered Radioactive Substance
River Network or Water Feature
River Quality Sampling Point
Substantiated Pollution Incident Register
Water Abstraction
Water Industry Act Referral

Hazardous Substances

COMAH Site
Explosive Site
NIHHS Site
Planning Hazardous Substance Consent
Planning Hazardous Substance Enforcement


Geological

BGS Recorded Mineral Site

Waste

BGS Recorded Landfill Site (Location)
BGS Recorded Landfill Site
EA Historic Landfill (Buffered Point)
EA Historic Landfill (Polygon)
Integrated Pollution Control Registered Waste Site
Licensed Waste Management Facility (Landfill Boundary)
Licensed Waste Management Facility (Location)
Local Authority Recorded Landfill Site (Location)
Local Authority Recorded Landfill Site
Potentially Infilled Land (Non-water)
Potentially Infilled Land (Non-water)
Potentially Infilled Land (Non-water)
Potentially Infilled Land (Water)
Potentially Infilled Land (Water)
Potentially Infilled Land (Water)
Registered Landfill Site
Registered Landfill Site (Location)
Registered Landfill Site (Point Buffered to 100m)
Registered Landfill Site (Point Buffered to 250m)
Registered Waste Transfer Site (Location)
Registered Waste Transfer Site
Registered Waste Treatment or Disposal Site (Location)
Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

Specified Site
Specified Buffer(s)
Bearing Reference Point
Slice
Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)

- Standard Contour
- Master Contour
- Spot Height 167.3
- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice B




Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice B



Order Details


Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site Specified Buffer(s) X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice B




Order Details

Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site Specified Buffer(s) X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice B




Order Details

Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site Specified Buffer(s) X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice B




Order Details

Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site Specified Buffer(s) X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice B




Order Details

Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site Specified Buffer(s) X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice B




Order Details

Order Details:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	431120, 583190
Slice:	B
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice
Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment
A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant
A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:

Map data

British Geological Survey
NATURAL ENVIRONMENT RESEARCH COUNCIL

Environment Agency

NATURAL ENGLAND

Envirocheck reports are compiled from 136 different sources of data.

Client Details

Mr R Panter, Waterman Infrastructure & Environment Ltd,
Waterman Group, 5th Floor, 1 Cornwall Street,
Birmingham, West Midlands, B3 2DX

Order Details

Order Number:	289946252_1_1
Customer Ref:	114260
National Grid Reference:	430180, 583250
Site Area (Ha):	14.95
Search Buffer (m):	1000

Site Details

10, Selbourne Terrace, Cambois, BLYTH, NE24 1QZ

Full Terms and Conditions can be found on the following link:
http://www.landmarkinfo.co.uk/Terms/Show/515

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

E. Risk Rating Matrix

Table F.1: Risk rating for contaminated land qualitative risk assessment

Level of Severity	Likelihood		
	Most Likely	Reasonably Foreseeable	Unlikely
Acute harm or severe chronic harm. Direct pollution of sensitive water receptors or serious pollution of other water bodies.	High	High	Low
Harm from long-term exposure. Slight pollution of sensitive receptors or pollution of other water bodies.	Medium	Medium	Low
No significant harm in either short or long term. No pollution of water that is likely to affect sensitive receptors. No more than slight pollution of other water bodies.	Low	Low	Low

F. Environmental Receptors

The Contaminated Land Statutory Guidance has a four category system that considers harm to human health, controlled waters, flora and fauna, property, livestock and crops. The Categories are broadly defined as follows:

1 Contaminated Land – similar to land where it is known that significant harm has been caused or significant harm is being caused

2 Contaminated Land – no significant harm being caused but there is a significant possibility for significant harm to be caused in the future

3 Not Contaminated Land – there may be harm being caused but no significant possibility for significant harm to be caused in the future

4 Not Contaminated Land – no pollutant linkage, normal levels of contaminants and no significant harm being caused and no significant possibility for significant harm to be caused in the future.

Table G.1: Significant pollution to controlled waters

Pollution of controlled waters
Under Section 78A(9) of Part 2A the term "pollution of controlled waters means the entry into controlled waters of any poisonous, noxious or polluting matter or any solid waste matter. The term "controlled waters" in relation to England has the same meaning as in Part 3 of the Water Resources Act 1991, except that "ground waters" does not include water contained in underground strata but above the saturation zones. (Paragraph 4.36). Given that the Part 2A regime seeks to identify and deal with significant pollution (rather than lesser levels of pollution), the local authority should seek to focus on pollution which: (i) may be harmful to human health or the quality of aquatic ecosystems or terrestrial ecosystems directly depending on aquatic ecosystems; (ii) which may result in damage to material property; or (iii) which may impair or interfere with amenities and other legitimate uses of the environment. (Paragraph 4.37)
Significant pollution of controlled waters
Paragraph 4.38 states that "The following types of pollution should be considered to constitute significant pollution of controlled waters: (a) Pollution equivalent to "environmental damage" to surface water or groundwater as defined by The Environmental Damage (Prevention and Remediation) Regulations 2009, but which cannot be dealt with under those Regulations. (b) Inputs resulting in deterioration of the quality of water abstracted, or intended to be used in the future, for human consumption such that additional treatment would be required to enable that use. (c) A breach of a statutory surface water Environment Quality Standard, either directly or via a groundwater pathway. (d) Input of a substance into groundwater resulting in a significant and sustained upward trend in concentration of contaminants (as defined in Article 2(3) of the Groundwater Daughter Directive (2006/118/EC)5)". Paragraph 4.39 states that "In some circumstances, the local authority may consider that the following types of pollution may constitute significant pollution: (a) significant concentrations6 of hazardous substances or non-hazardous pollutants in groundwater; or (b) significant concentrations of priority hazardous substances, priority substances or other specific polluting substances in surface water; at an appropriate, risk based compliance point. The local authority should only conclude that pollution is significant if it considers that treating the land as contaminated land would be in accordance with the broad objectives of the regime as described in Section 1 (of the Contaminated Land Statutory Guidance). This would normally mean that the authority should conclude that less serious forms of pollution are not significant. In such cases the authority should consult the Environment Agency". The following types of circumstance should not be considered to be contaminated land on water pollution grounds: (a) The fact that substances are merely entering water and none of the conditions for considering that significant pollution is being caused set out in paragraphs 4.38 and 4.39 above are being met.

Significant pollution of controlled waters

(b) The fact that land is causing a discharge that is not discernible at a location immediately downstream or down-gradient of the land (when compared to upstream or up-gradient concentrations).

(c) Substances entering water in compliance with a discharge authorised under the Environmental Permitting Regulations.

Significant pollution of controlled waters is being caused

In deciding whether significant pollution of controlled waters is being caused, the local authority should consider that this test is only met where it is satisfied that the substances in question are continuing to enter controlled waters; or that they have already entered the waters and are likely to do so again in such a manner that past and likely future entry in effect constitutes ongoing pollution. For these purposes, the local authority should:

(a) Regard substances as having entered controlled waters where they are dissolved or suspended in those waters, or (if they are immiscible with water) they have direct contact with those waters on or beneath the surface of the water.

(b) Take the term “continuing to enter” to mean any measurable entry of the substance(s) into controlled waters additional to any which has already occurred.

(c) Take the term “likely to do so again” to mean more likely than not to occur again.

Land should not be determined as contaminated land on grounds that significant pollution of controlled waters is being caused where: (a) the relevant substance(s) are already present in controlled waters; (b) entry into controlled waters of the substance(s) from land has ceased; and (c) it is not likely that further entry will take place.

Significant Possibility of Significant Pollution of Controlled Waters

In deciding whether or not a significant possibility of significant pollution of controlled waters exists, the local authority should first understand the possibility of significant pollution of controlled waters posed by the land, and the levels of certainty/uncertainty attached to that understanding, before it goes on to decide whether or not that possibility is significant. The term “possibility of significant pollution of controlled waters” means the estimated likelihood that significant pollution of controlled waters might occur. In assessing the possibility of significant pollution of controlled waters from land, the local authority should act in accordance with the advice on risk assessment in Section 3 and the guidance in this sub-section.

In deciding whether the possibility of significant pollution of controlled waters is significant the local authority should bear in mind that Part 2A makes the decision a positive legal test. In other words, for particular land to meet the test the authority needs reasonably to believe that there is a significant possibility of such pollution, rather than to demonstrate that there is not.

Before making its decision on whether a given possibility of significant pollution of controlled waters is significant, the local authority should consider:

(a) The estimated likelihood that the potential significant pollution of controlled waters would become manifest; the strength of evidence underlying the estimate; and the level of uncertainty underlying the estimate.

(b) The estimated impact of the potential significant pollution if it did occur. This should include consideration of whether the pollution would be likely to cause a breach of European water legislation, or make a major contribution to such a breach.

(c) The estimated timescale over which the significant pollution might become manifest.

(d) The authority’s initial estimate of whether remediation is feasible, and if so what it would involve and the extent to which it might provide a solution to the problem; how long it would take; what benefit it would be likely to bring; and whether the benefits would outweigh the costs and any impacts on local society or the environment from taking action.

Reproduced from DEFRA (2012) Contaminated Land Statutory Guidance pursuant to section 78YA of the Environmental Protection Act 1990 as amended by Section 57 of the Environment Act 1995.

Table G.2: Significant harm to human health, ecological systems and property

Relevant types of receptor	Significant harm	Significant possibility of significant harm
Human beings	The following health effects should always be considered to constitute significant harm to human health: death; life threatening diseases (eg cancers); other diseases likely to have serious impacts on health; serious injury; birth defects; and impairment of reproductive functions. Other health effects may be considered by the local authority to constitute significant harm. For example, a wide range of conditions may or may not constitute significant harm (alone or in combination) including: physical injury; gastrointestinal disturbances; respiratory tract effects; cardio-vascular effects; central nervous system effects; skin ailments; effects on organs such as the liver or kidneys; or a wide range of other health impacts. In deciding whether or not a particular form of harm is significant harm, the local authority should consider the seriousness of the harm in question: including the impact on the health, and quality of life, of any person suffering the harm; and the scale of the harm. The authority should only conclude that harm is significant if it considers that treating the land as contaminated land would be in accordance with the broad objectives of the regime as described in Section 1 of the Contaminated Land Statutory Guidance.	The risk posed by one or more relevant contaminant linkage(s) relating to the land comprises: (a) The estimated likelihood that significant harm might occur to an identified receptor, taking account of the current use of the land in question. (b) The estimated impact if the significant harm did occur – i.e. the nature of the harm, the seriousness of the harm to any person who might suffer it, and (where relevant) the extent of the harm in terms of how many people might suffer it. In estimating the likelihood that a specific form of significant harm might occur the local authority should, among other things, consider: (a) The estimated probability that the significant harm might occur: (i) if the land continues to be used as it is currently being used; and (ii) where relevant, if the land were to be used in a different way (or ways) in the future having regard to the guidance on “current use” in Section 3 of the Contaminated Land Statutory Guidance. (b) The strength of evidence underlying the risk estimate. It should also consider the key assumptions on which the estimate of likelihood is based, and the level of uncertainty underlying the estimate.
Any ecological system, or living organism forming part of such a system, within a location which is: • a site of special scientific interest (under section 28 of the Wildlife and Countryside Act (WCA) 1981 (as amended) and Part 4 of the Natural Environment and Rural Communitites Act 2006 (as amended));	The following types of harm should be considered to be significant harm: • harm which results in an irreversible adverse change, or in some other substantial adverse change, in the functioning of the ecological system within any substantial part of that location; or • harm which significantly affects any species of special interest	Conditions would exist for considering that a significant possibility of significant harm exists to a relevant ecological receptor where the local authority considers that: • significant harm of that description is more likely than not to result from the contaminant linkage in question; or

Relevant types of receptor	Significant harm	Significant possibility of significant harm
• a national nature reserve (under Section 35 of the WCA 1981 (as amended)); • a marine nature reserve (under Section 36 of the WCA 1981 (as amended)); • an area of special protection for birds (under Section 3 of the WCA 1981 (as amended)); • a "European site" within the meaning of regulation 8 of the Conservation of Habitats and Species Regulations 2010 (as amended); • any habitat or site afforded policy protection under Section 15 of The National Planning Policy Framework (NPPF) on conserving and enhancing the natural environment (i.e. possible Special Areas of Conservation, potential Special Protection Areas and listed or proposed Ramsar sites); or • any nature reserve established under Section 21 of the National Parks and Access to the Countryside Act 1949.	within that location and which endangers the long-term maintenance of the population of that species at that location. In the case of European sites, harm should also be considered to be significant harm if it endangers the favourable conservation status of natural habitats at such locations or species typically found there. In deciding what constitutes such harm, the local authority should have regard to the advice of Natural England and to the requirements of the Conservation of Habitats and Species Regulations 2010 (as amended).	• there is a reasonable possibility of significant harm of that description being caused, and if that harm were to occur, it would result in such a degree of damage to features of special interest at the location in question that they would be beyond any practicable possibility of restoration. Any assessment made for these purposes should take into account relevant information for that type of contaminant linkage, particularly in relation to the ecotoxicological effects of the contaminant.
Property in the form of: • crops, including timber • produce grown domestically, or on allotments, for consumption • livestock • other owned or domesticated animals; • wild animals which are the subject of shooting or fishing rights.	For crops, a substantial diminution in yield or other substantial loss in their value resulting from death, disease or other physical damage. For domestic pets, death, serious disease or serious physical damage. For other property in this category, a substantial loss in its value resulting from death, disease or other serious physical damage. The local authority should regard a substantial loss in value as occurring only when a substantial proportion of the animals or crops are dead or otherwise no longer fit for their intended purpose. Food should be regarded as being no longer fit for purpose when it fails to comply with the provisions of the Food Safety Act 1990. Where a diminution in yield or loss in value is caused by a pollutant linkage, a 20% diminution or loss should be regarded as a benchmark for what constitutes a substantial diminution or loss. In the Guidance states that this description of significant harm is referred to as an "animal or crop effect".	Conditions would exist for considering that a significant possibility of significant harm exists to the relevant types of receptor where the local authority considers that significant harm is more likely than not to result from the contaminant linkage in question, taking into account relevant information for that type of contaminant linkage, particularly in relation to the ecotoxicological effects of the contaminant.

Relevant types of receptor	Significant harm	Significant possibility of significant harm
Property in the form of buildings. For this purpose 'building' means any structure or erection and any part of a building, including any part below ground level, but does not include plant or machinery comprised in a building, or buried services such as sewers, water pipes or electricity cables.	Structural failure, substantial damage or substantial interference with any right of occupation. The local authority should regard substantial damage or substantial interference as occurring when any part of the building ceases to be capable of being used for the purpose for which it is or was intended. In the case of a scheduled Ancient Monument, substantial damage should be regarded as occurring when the damage significantly impairs the historic, architectural, traditional, artistic or archaeological interest by reason of which the monument was scheduled. The Guidance states that this description of significant harm is referred to as a 'building effect'.	Conditions would exist for considering that a significant possibility of significant harm exists to the relevant types of receptor where the local authority considers that significant harm is more likely than not to result from the contaminant linkage in question during the expected economic life of the building (or in the case of a scheduled Ancient Monument the foreseeable future), taking into account relevant information for that type of contaminant linkage.

Reproduced from DEFRA (2012) Contaminated Land Statutory Guidance pursuant to section 78YA of the Environmental Protection Act 1990 as amended by Section 57 of the Environment Act 1995

UK and Ireland Office Locations

